




नुवाकोट जिल्लाको ज्याला तथा निर्माण सामाग्रीहरुको दर रेट

आ.ब.२०८०/०८१



जिल्ला प्रशासन कार्यालय

विदुर, नुवाकोट

आषाढ, २०८०



आवृत्ति २०८० काल आशुह महिनाको ३१ गते सार्वजनिक खरिद नियमावली २०६४ को नियम १४८ बमोजिम बमोजिम आ.व.२०८०/०८१ का लागि नुवाकोट जिल्लाभर लागू हुने गरी निर्माण सामग्री र दुबानेको दररेट, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला निर्धारण गर्ने प्रयोजनका लागि दररेट निर्धारण समितिका अध्यक्ष प्रमुख जिल्ला अधिकारी श्री किरण थापाज्यूको अध्यक्षतामा निम्न बमोजिमको उपस्थितिमा बैठक बसी देहाय बमोजिमको निर्णय गरियो।

विशेष उपस्थिति

वि.स.स. प्रमुख रजिन्द्र विक्रम सिंह ठकुरी

उपस्थिति

श्री किरण थापा	प्र.जि.अ. जिल्ला प्रशासन कार्यालय, नुवाकोट	संयोजक
श्री दल बहादुर तामाङ	उप प्रमुख, जिल्ला समन्वय समिति	सदस्य
श्री प्रकाश राज पौडेल	जि.स.अ., जिल्ला समन्वय समिति	सदस्य
श्री भिम प्रकाश देवकोटा	प्र.को.नि. कोष तथा लेखा नियन्त्रकको कार्यालय	सदस्य
श्री रजिन्द्र श्रेष्ठ	उद्योग वाणिज्य संघ नुवाकोट	सदस्य
श्री रजिन्द्र प्र. दुवाल	निर्माण व्यवसायी संघ, नुवाकोट	सदस्य
श्री विरेन्द्र कुमार बज्राचार्य	पूर्वाधार विकास कार्यालय	सदस्य सचिव
आमन्त्रित		
श्री सम्झना सेढाई	जि.स.स सदस्य	
श्री सन्तोषी देवकोटा	जि.स.स सदस्य	
श्री राजेन्द्र न्यौपाने	जि.स.स सदस्य (सचिवालय)	
श्री बेदनिधि अधिकारी	स.प्र.जि.अ जिल्ला प्रशासन कार्यालय	
श्री दिर्घनारायण कोइराला	डिभिजन बन कार्यालय नुवाकोट	



श्री रमेश पण्डित	प्र.उ. जिल्ला प्रहरी कार्यालय
श्री कमल ब. थापा	उ.अ.नि. राष्ट्रिय अनुशन्धान
श्री उत्तम पुडासैनी	प्र.ना.उ. सशस्त्र प्रहरी बल नेपाल नं. १९ गुल्म
श्री हरी प्रसाद प्रसाद गुरागाँई	जलस्रोत तथा सिंचाई विकास डिभिजन कार्यालय
श्री राजेन्द्र शर्मा	डिभिजन सडक कार्यालय नुवाकोट
श्री सज्जु पाण्डे	शहरी विकास तथा भवन डिभिजन कार्यालय
श्री सुरेन्द्र शर्मा	खानेपानी तथा स.स.डि. नुवाकोट
श्री हेमेश शर्मा आ.स.पा.स.	कृषि ज्ञान केन्द्र
श्री भरत पाण्डे	भेटेनरी अस्पताल तथा पशु सेवा विज्ञ केन्द्र
श्री इन्द्र बहादुर (जि.डी.)	नुवाकोट वितरण केन्द्र
श्री	त्रिशुली अस्पताल
श्री	स्वास्थ्य कार्यालय
श्री सुरेश खतिवडा	प्र.अ. जिल्ला प्रशासन कार्यालय
श्री गंगालाल योगी	प्र.अ. जिल्ला प्रशासन कार्यालय
श्री इन्द्र बहादुर खतिवडा	प्र.अ. जिल्ला प्रशासन कार्यालय
श्री रमेश जड पाण्डे	क.अ. जिल्ला प्रशासन कार्यालय
श्री कल्पना नेपाल	ना.सु. जिल्ला प्रशासन कार्यालय
श्री मिलन पौडेल	क.अ. जिल्ला प्रशासन कार्यालय
श्री नारायण अधिकारी	जिल्ला प्रशासन कार्यालय
श्री प्रबल अधिकारी	का.स. जिल्ला प्रशासन कार्यालय
श्री धुवराज शर्मा	पोखरा उप.अ. ताली त्रिशुली न.उ.स. (लायसेन्स) कार्यालय
श्री राजेन्द्र शर्मा	जि.डी. कार्यालय नुवाकोट
श्री इन्द्र बहादुर शर्मा	जि.डी. कार्यालय नुवाकोट



एजेन्डाहरूः

१. दररेट निर्धारण गर्ने।
२. विविध।

निर्णयहरूः

१. आ.व. २०८०/०८१ का लागि जिल्लाभर लागू हुने गरी निर्माण सामग्री र ढुवानीको दररेट, मेशिन तथा उपकरणको भाडा र कामदारको ज्याला निर्धारण गर्नका लागि यस जिल्लाको चालू वर्षको जिल्ला दररेट, सीमाना जोडिएका छिमेकी जिल्लाहरूको दररेट तथा हाल जिल्ला भित्र प्रचलनमा रहेका दररेट र अन्य सान्दर्भिक पक्षहरू समेतको अध्ययन गरी सोको आधारमा मिति २०८०/०३/०६ गतेको बैठकको निर्णय बमोजिम गठित उपसमितिले पेश गरेको नयाँ जिल्ला दररेटको प्रस्ताव पारित गरी कार्यान्वयन गर्ने निर्णय गरियो।

Handwritten signatures and initials, including the number 25, are present below the text.



एजेन्डाहरु :

१. दर रेट निर्धारण गर्ने
२. विविध

निर्णयहरु :

निर्णय नं. १

आ.व. ०८०/०८१ को लागि निर्माण सामाग्री तथा ज्यालाको दररेट निर्धारण गर्न सार्वजनिक खरिद नियमावली, २०६४ को नियम १४८ को उप नियम १ बमोजिम नुवाकोट जिल्लाको लागि निर्माण सामाग्री, ढुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला दररेट निर्धारण गर्न मिति २०८० असार ६ गते बसेको बैठकबाट गठित उपसमितिले मिति २०८० असार ३१ गतेका दिन पेश गरेको निर्माण सामाग्री, ढुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला दररेट प्रतिवेदन अध्ययन गर्दा उपयुक्त र मनासिब देखिएकोले आ.व. २०८०/०८१ का लागि सोही अनुसारको दररेट यस जिल्ला भर लागु हुने गरी अनुमोदन गर्ने निर्णय गरियो ।


निर्णय नं. २ : श्रमिकको ज्यालादर सम्बन्धी

श्रमिकहरुको ज्याला दर निर्धारण गर्ने सम्बन्धमा विभिन्न सरोकारवाला (श्रमिक संगठनहरु, निर्माण व्यवसायी संघ, उद्योग वाणिज्य संघ, विकास निर्माणका क्रियाकलाप गर्ने सरकारी कार्यालयहरु) पक्षहरु संगको परामर्श, नेपाल राष्ट्र बैकबाट प्रकाशित ज्यालादर सूचांक तथा उपभोक्ता मूल्य सूचांक, हालको बजार मूल्य र श्रमिकहरुको उपलब्धतालाई समेत आधार मान्दा श्रमिकको उमेर (१६ वर्ष पुगेको) र दैनिक काम गर्ने अवधि (८ घण्टा) लाई आधार आ.व.०८०/०८१ का लागि नुवाकोट जिल्लाभर लागु हुनेगरी देहाय बमोजिम श्रमिकहरुको ज्यालादर निर्धारण गर्ने निर्णय गरियो ।

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
१.	दक्ष कामदार (Skilled Labour)					
क.	व्हाष्टर	प्रति दिन प्रति व्यक्ति	1260	1385	1400	
ख.	रक डिलर/हेभी ड्राईभर /वेल्डर/ प्लम्बर /विष्फोटक पदार्थ ढुवानीगर्ने ज्यामी/ डकमी/ नकमी/ सिकमी/ वज्रकमी/ चित्रकारी/ हेभी सिनियर अपरेटर/ कम्प्युटर अपरेटर	प्रति दिन प्रति व्यक्ति	1050	1155	1175	
ग.	निर्माण सुपरभाइजर	..	590	650	660	
घ.	निर्माण सुपरभाइजर प्राविधिक	..	800	900	915	
ङ.	लाईट ड्राईभर	..	695	800	815	
२	अर्दक्ष कामदार (Semi Skill Labour)					
क.	अर्दक्ष कामदार (Semi Skill Labour)	प्रति दिन प्रति व्यक्ति	800	880	895	
३	अदक्ष कामदार (Unskill Labour)					
क.	ज्यामी/भरीया/ज्यामी नाईके/ जुनियर अपरेटर /उत्प्रेरक/ हेभी हेल्पर /सर्भ हेल्पर/अवाले /ईञ्ज वनाउने/क्याम्पर वर्कर/साधारण हेल्पर/ल्याव व्वाय /नर्सरी नाईके	प्रति दिन प्रति व्यक्ति	765	845	860	
ख.	मौसम रेकर्डर / हेरालु/माली/चौकीदार/पियन पाले/चेन मैन/टेप मैन/स्टाफ मैन/हलुका कामदार	प्रति दिन प्रति व्यक्ति	525	580	590	
घ.	लेन्थ वर्करहरु (सडकमा काम गर्ने)		505	555	565	
ङ.	प्याच वर्कर (Patch Worker)	प्रति दिन प्रति व्यक्ति	600	660	670	
च.	लेन्थ वर्कर सुपरभाइजर		670	735	745	
छ.	मेहत्तर/स्वपिर (भाडु लगाउने)		565	620	630	

माथि उल्लेख नभएका अन्य सबै पद/श्रेणिका ज्यालादारी कर्मचारी/कामदारहरुको हकमा संबन्धित पद/श्रेणिको लागि नेपाल नोट:१ सरकारको वा सम्बन्धित संस्थानको प्रचलित तलब मानलाई ३० ले भाग गर्दा हुन आउने रकमलाई दैनिक ज्यालादर मान्नुपर्ने छ ।

नोट:२ विद्युत कार्यको हकमा नेपाल विद्युत प्राधिकरणको तहगत शुरु तलब स्केल अनुसार हुनेछ ।



Handwritten signatures and initials at the bottom right of the page, including a large signature and the name 'S. N. S. S. S.'.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	

निर्णय नं. ३ ढुवानी दर सम्बन्धि :

यस जिल्लामा स्थानीय स्तरमा उपलब्ध हुने ढुवानीको विभिन्न श्रोत साधनलाई आधार मानी आ.व.२०८०/०८१ का लागि निम्न अनुसार ढुवानीको दर निर्धारण गर्ने निर्णय गरियो ।

ढुवानी ज्याला

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
१.	जिल्ला भित्र भरिया द्वारा सामान ढुवानी					
क.	सजिलो सामानहरु (सिमेन्ट, गिट्टी, ईट्टा, माटो, बालुवा) आदी	प्रति कि.मी. / क्वीन्टल	95	105	105	
ख.	असजिलो सामानहरु (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई.तथा कालो पाईपहरु, आईरन एङ्गल, ग्लास, सटरहरु, टुस, ऐना, बाथरुमका फुटने सामानहरु	प्रति कि.मी. / क्वीन्टल	110	120	120	
२.	ट्रक वा ट्रयाक्टरबाट ढुवानी (लोड अनलोड बाहेक)					
क.	पक्की सडक सामान ढुवानी	प्रति कि.मी. / क्वीन्टल	4.20	4.60	4.60	
ख.	कच्ची सडक सामान ढुवानी	प्रति कि.मी. / क्वीन्टल	8.40	9.30	9.30	
ग.	असजिलो सामान (HDPE pipe)	प्रति कि.मी. / क्वीन्टल	9.15	10.15	10.15	
३.	विद्युत ढुवानी (ट्रान्सफरमर तथा टुट फुट हुने सामान सहित)					
क.	कच्ची सडक	प्रति कि.मी/ प्रति टिप	105	116.00	116.00	
ख.	पक्की सडक	प्रति कि.मी/ प्रति टिप	85.00	95.00	95.00	
ग.	बोकानी	प्रति कि.मी. / क्वीन्टल	350.00	350.00	350.00	
४.	लोड अनलोड					
क.	सजिलो सामानहरु (सिमेन्ट, गिट्टी, ईट्टा, माटो, बालुवा) आदी	प्रति केजी.	0.45	0.50	0.50	
ख.	असजिलो सामानहरु (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई.तथा कालो पाईपहरु, आईरन एङ्गल, ग्लास, सटरहरु, टुस, ऐना, बाथरुमका फुटने सामानहरु	प्रति केजी.	0.75	0.80	0.80	
ग.	फलाम तथा काठको पोल ज्यामीद्वारा	प्रति केजी.	2.50	2.50	2.50	

निर्णय नं. ४ : सरकारी कार्यालयमा आवश्यक हुने वायो-ईन्जिनियरिङ्ग एवं अन्य मालसामान सम्बन्धि आ.व.०८०/०८१ को लागि तपसिल अनुसारको दररेट कायम गर्ने निर्णय गरियो ।

सि.नं.	सामग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
1	मु-संरक्षण सम्बन्धी कार्य					
1.1	Grass Seeds					
	बई	Kg	85	85	85	
	भेच	..	175	175	175	
	नेचोवर	set	5	5	5	
	बलिन	Kg	190	190	190	
	जानको बिट्ट र कोपीट जिल्ला भित्र ढुवानी गर्न ढुवानी कोषबाट	..	1.25	1.25	1.25	
	जानको बिट्ट जिल्ला बाहिरबाट ढुवानी गर्न ढुवानी	..	1.25	1.25	1.25	



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	२०० गेजको विरुवा उमाने कालो ४ प्वाल भूएको विभिन्न साइजका पोली थैला	"	400	400	400	
	माटो भने खाली बोरा	गोटा	15	15	15	
	बांस काटेको सिंगो घना	घना	450	450	450	
	बांसको कटिड स्टमप विरुवा (१५ महिने नर्सरी राखेका) १'६" देखि २' लामो	प्रति कटिग	250	250	250	
2.0	Vegetation/Shrubs Cuttings/Slip/Plants/etc.					
	अम्रिसो राइजोम (तिनवटाको १ सेट)	set	25	25	25	
	अलैची गानो	"	11	11	11	
	अलैची विरुवा	"	11	11	11	
	हार्डउड कटिडस् (वैस) पेन्सिल साइज	"	7	7	7	
	नेपियर कटिडस्	"	4	4	4	
	NB ₂₁ घांस	Slip	3	3	3	
	निगालो राइजोम	set	60	60	60	
	बासको बेना (कटीग राइजोम)	"	500	500	500	
	वांसको विरुवा पोलिथिनमा उमारेको	गोटा	60	60	60	
	बाबियो ताइवानी दुबो	"	4	4	4	
	सिजनल फूल ८ इन्च पोली	गोटा	30	30	30	
	गुलाफ फूल ८ इन्च पोली	"	160	160	160	
	हेज ८ इन्च पोली	"	35	35	35	
	कार्पेट दुबो	व.फी	35	35	35	
	कार्पेट दुबो को लागि छाप्ने कार्यको ज्याला	"	25	25	25	
	स्थानाय स्तरमा उत्पादात विरुवा फलफुल बाहेक	"	10	10	10	
	गोठ मल तयारी	के.जी.	10	10	10	
	डाले घासको विरुवा	गोटा	10	10	10	
	मोलाटो विरुवा	"	3	3	3	
	नरीवल डोरी	के.जी.	130	130	130	
	नाइलन डोरी	"	300	300	300	
	लौठ सल्ला (नेपाली) विउबाट	गोटा	120	120	120	
	लौठ सल्ला (नेपाली) कटिड	गोटा	60	60	60	
	लौठ सल्ला (अमेरिकन)	गोटा	140	140	140	
	बोधिचित्तको विरुवा	गोटा	650	650	650	
	रुद्राक्षको विरुवा	गोटा	500	500	500	
	लप्सीको विरुवा (ग्राफिटिड)	गोटा	440	440	440	
	चिराईतोको विरुवा	गोटा	10	10	10	
	तेजपातको विरुवा	गोटा	30	30	30	
	टिमुरको विरुवा (३ फिट पोलीब्यागको)	गोटा	70	70	70	
	कपूर (४ फिट)	गोटा	770	770	770	
	कल्की बोटल ब्रस (४ फिट)	गोटा	660	660	660	
	ज्याकारण्डा गोल्डमोहोर (४ फिट)	गोटा	660	660	660	
	असार (४ फिट)	गोटा	660	660	660	
	पैयु (४ फिट)	गोटा	460	460	460	
	धुपी (३ फिट)	गोटा	500	500	500	
	बगमबेले (४ फिट)	गोटा	660	660	660	
	काइयो (४ फिट)	गोटा	660	660	660	
	रक्त कमल (४ फिट)	गोटा	1320	1320	1320	
	समी (४ फिट)	गोटा	1100	1100	1100	
	बर (४ फिट)	गोटा	1320	1320	1320	
	पीपल (४ फिट)	गोटा	1320	1320	1320	
	३ फिटसम्मको करिवर विरुवा	गोटा	1200	1200	1200	
	३ फिटसम्मको तिबोमा विरुवा	गोटा	1200	1200	1200	
	३ फिटसम्मको चापको विरुवा	गोटा	1300	1300	1300	
	अन्य कटिडको विरुवा	गोटा	15	15	15	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	सतुवा	गोटा	20	20	20	
2.1	फलफूलको विरुवा					
	आप	गोटा	125	125	125	
	लिचि	गोटा	115	115	115	
	कटहर	गोटा	45	45	45	
	अम्बा	गोटा	60	60	60	
	अनार	गोटा	100	100	100	
	दांते ओखर पोलिव्याग	गोटा	120	120	120	
	दांते ओखर पोलिव्याग बाहेक	गोटा	60	60	60	
	नास्याती कलमी	गोटा	185	185	185	
	सून कागती पोलिव्याग (विजु)	गोटा	61	61	61	
	एभोकाडो	गोटा	170	170	170	
	सुन्तला	गोटा	65	65	65	
	कागती पोलिव्याग बाहेक	गोटा	30	30	30	
3.0	बन कार्यालयबाट सम्पादन गरिने कार्यहरु (काठ लोड अनलोड तथा ढुवानी आदि)					
	चीरान काठ (लोड वा अनलोड)	क्यू.फि.	40	40	40	
	ठूला विरुवा रोपन (४ फीटसम्मको)	प्रती विरुवा	145	145	145	
	अग्ला विरुवा रोपन (४ इन्च देखि ६ इन्चसम्मको)	"	250	250	250	
	अग्ला विरुवा रोपन (६ फि देखि ८ फि सम्मको)	"	240	240	240	
	विरुवा खरिद					
	४ फिट सम्म उचाई भएको विरुवा	"	880	880	880	
	५ फिट सम्म उचाई भएको विरुवा	"	1250	1250	1250	
	६ फिट सम्म उचाई भएको विरुवा	"	1500	1500	1500	
	६ फिट भन्दा अग्लो विरुवा	"	1870	1870	1870	
५	काठ कटान, मुछान, घाटगद्दी सम्बन्धि दररेट (प्रति क्यू.फिट) (चालू आ.व.०८०/०८१ को लागि)					
क्र.सं.	रुख कटान, मुछान खर्च रु.	यार्डिङ्ग खर्च रु.	पाईलिङ्ग खर्च रु.	नम्बरिङ्ग खर्च रु.		कैफियत
क.	60	30	15	5		
६	गाडी माफत काठ ढुवानी (प्रती क्यू.फि.) (चालू आ.व.२०८०/०८१ को लागि)					
क्र.सं.	दुरी (कि.मी.)	दर रु.	लोड अनलोड खर्च रु.	जम्मा खर्च रु.		
क.	०-५ सम्म	35	25	60		
ख.	५.१-१० सम्म	40	25	65		
ग.	१०.१-१५ सम्म	45	25	70		
घ.	१५.१-२० सम्म	50	25	75		
ङ.	२०.१ देखि माथि	55	25	80		
७	ज्यामी माफत काठ ढुवानी (प्रती क्यू.फि.)					
क्र.सं.	दुरी (मीटर)					
क.	०-५० सम्म		9.00	10	10	
ख.	५०.१-१०० सम्म		15.00	17	17	
ग.	१०० भन्दा बढी हरेक ५० मिटरको लागि		7.50	8	8	
८	दाउरा कटान, मुछान तथा चट्टा निर्माण दररेट (प्रती चट्टा) (चालू आ.व.२०८०/०८१ को लागि)					
क्र.सं.	क्षेत्र	कटान,मुछान खर्च रु.	चट्टा निर्माण खर्च रु.	जम्मा खर्च रु.		कैफियत
क.	सम्पूर्ण	5000	1500	6500		
९	बाडी माफत दाउरा ढुवानी (प्रती चट्टा) (चालू आ.व.२०८०/०८१ को लागि)					
क्र.सं.	दुरी (कि.मी.)	दर रु.	अनलोड खर्च रु.	जम्मा खर्च रु.		कैफियत



Handwritten signature and initials.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
क.	०-५ सम्म	1725	1300	5825		
ख.	५.१-१० सम्म	2080	1300	6180		
ग.	१०.१-१५ सम्म	2330	1300	6430		
घ.	१५.१-२० सम्म	2595	1300	6695		
ङ.	२०.१ देखि माथि	2825	1300	6925		
१०	ज्यामी मार्फत दाउरा ढुवानी (प्रती चट्टा) (20*5*5) (क्यू.फि.)					
क्र.सं.	दुरी (मीटर)					
क.	०-५० सम्म		700	700		
ख.	५०.१-१०० सम्म		1100	1100		
ग.	१०० भन्दा बढी हरेक ५० मिटरको लागि		55	55		
११	विस्वा ढुवानी					
क्र.सं.	विवरण		दर ह.(प्रती विस्वा)	दर ह.(प्रती विस्वा)		कैफियत
क.	लोड अनलोड		5.00	5.50		
ख.	पक्की बाटो ढुवानी (प्रती कि.मी.)		1.10	1.20		
ग.	कच्ची बाटो ढुवानी (प्रती कि.मी.)		1.20	1.30		
१२	विद्युत प्राधिकरणको MS Channel मा प्वाल खोप्ने (चालू आ.व.२०८०/०८१ को लागि)					
क्र.सं.	विवरण			दर ह.(प्रती प्वाल)		
क.	१२ मि.मि.सम्मको		50.00	50.00		
ख.	१२ मि.मि भन्दा माथिको		60.00	60.00		

निर्णय नं. ५, मेसिन, औजार तथा उपकरणको भाडादर सम्बन्धि : मेसिन प्रयोग गरी सडक निर्माण गर्दा वा अन्य कार्य गर्नुपर्दा तपसिल अनुसारको दररेट कायम गर्ने र डोजर, एक्साभेटर, रोलर, ग्रेडर आदिको दररेट सडक विभागबाट कायम गरिएको प्रतिघण्टाको भाडादर अनुसार हुने निर्णय गरियो । (Website of Heavy Equipment Division - www.dor.gov.np)

Handwritten signatures and a circular stamp are present below the table. The stamp is from the Nuwakot District Office, Nepal, dated 2080/08/01.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	

निर्णय नं. ६

आर्थिक वर्ष ०८०/०८१ मा नुवाकोट जिल्ला भित्र गरिने सार्वजनिक निर्माण कार्यको लागि आवश्यक पर्ने विभिन्न किसिमका निर्माण सामग्रीहरू (सिभिल कार्य /स्यानिटरी कार्य र इलेक्ट्रिक कार्य) को दररेट निम्न अनुसार कायम गर्ने निर्णय गरियो । बजारबाट खरिद गरिने निर्माण सामग्रीको लागि नजिकको बजार क्षेत्रलाई र natural sand/aggregate/stone/sub base /base लगायतका सामग्रीका लागि नजिकको खानी, त्रिशुली ,तादी,लिख नदी लगायतका अन्य नदी क्षेत्रलाई आधार मानि दर कायम गरिएको छ ।

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
1	विभिन्न किसिमको ईटा					
	क) मेशिनबाट उत्पादित ईटा (स्पेशल)	हजार	22900	24000	24000	
	ख) मेशिनबाट उत्पादित ईटा (१-नं.)	हजार	17375	18000	18000	
	ग) स्थानीय चिम्नी भट्टाको ईटा (१-नं.)	"	13965	14500	14500	
	ग) स्थानीय चिम्नी भट्टाको ईटा (२-नं.)	"	12180	12500	12500	
	घ) तराई को १ नं.ईटा	"	18050	19000	19000	
	ङ) स्थानीय ठाडो भट्टाको ईटा	"	7500	8000	8000	
	(ड) सिमेन्ट को ईटा					
	BK108N	"	15450	15450	15450	
	BK118As	"	16274	16274	16274	
	च) Concrete block					
	size (40*15*20) cm	गोटा	37	37	37	
	size (40*10*20) cm	गोटा	32	32	32	
	size (39*14*19) cm(Ocm or equivalent)	गोटा	50	50	50	
	Cellular light weight concrete(CLC) block					
	Size 24*8*4"	गोटा	162	162	162	
	Size 24*8*6"	"	236	236	236	
2	क्ले टायलहरू					
2.1	छानामा छाउने					
	क) मेशिनबाट उत्पादित टायल	गोटा	18	18	18	
	ख) चिम्नी भट्टाको टायल	"	16	16	16	
	ग) मेशिनबाट उत्पादित धुरी	"	32	32	32	
	घ) चिम्नी भट्टाको धुरी	"	26	26	26	
2.2	मुईमा/ कौसीमा छाप्ने टायल:					
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	10	10	10	
	ख) चिम्नी भट्टाको क्ले टायल	"	9	9	9	
3	ढुंगाको काम (Stone work)					
3.1	Rubble Stone					
	क) फोरुवा ढुंगा (खानीको)	घ.मि.	1600	1700	1700	
	(ख) ठुलो साइजको खोलाको ढुंगा (River Stone)	घ.मि.	1400	1500	1500	
3.2	छापने ढुङ्गा (Flag stone)					
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	व.फि	84	90	90	
	ख) १ 1/2" सम्म बाक्लो " "	"	105	110	110	
	ग) २" सम्म बाक्लो ढुङ्गा " "	व.फि	120	125	125	
	घ) २ 1/2" सम्म बाक्लो ढुङ्गा " "	"	130	135	135	
	ङ) २ 3/4" - ३" सम्म बाक्लो ढुङ्गा " "	"	160	165	165	
4	विभिन्न प्रकारको बालुवा					



Handwritten signature or initials.

Handwritten signatures and dates at the bottom of the page.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	क) खानीकोवालुवा (Quarry sand)	घ.मि.	1965	2000	2000	
	ख) खोला/नदीको वालुवा (River sand)	"	1965	2000	2000	
	ग) भवनको भूईं कोठामा पुर्न, सोलिडको Void filling गर्न प्रयोग गरिने वालुवा	"	925	950	950	
5	क्रसरबाट उत्पादित विभिन्न साइजको रोडा	घ.मि.	1965	2000	2000	
6	फुटालेको ढुङ्गाको गिट्टी					
	क) सबै साइजको गिट्टी	घ.मि.	1965	2000	2000	
7	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री					
	क) विभिन्न साइजको खोलाको ग्राभेल	घ.मी.	1400	1450	1450	
	ख) स्थानीय खानी ग्राभेल	घ.मी.	1220	1250	1250	
	ग) ढुगांको धुलो (Stone dust)	घ.मी.	830	830	830	
8	विभिन्न साइजका खोलाको Screening गरेको River pebbles(gravel)					
	क) ४०-८० मि.मि. साइज	घ.मी.	1630	1630	1630	
	ख) ५-४० मि.मि. साइज	घ.मी.	1615	1615	1615	
9	फिल्टर सामग्री					
	४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन	घ.फि.	70	70	70	
10	सडक कालो पत्रे गर्ने कामको सामग्रीहरु					
	i) ८०/१०० ग्रेडको विटुमीन	के.जी	99.1	113	113	
	ii)CRMB-DIGO 55 Bitumen	"	98	108	108	
	iii) Bitumen VG-10 (New M.S.drum Packed)	"	99.1	113	113	
	iv) Bitumen VG-30 (New M.S.drum Packed)	"	100.7	114	114	
	v) Packed bitumen emulsion को काम					
	छिटो जम्ने (RS 60%)	"	87	96	96	
	छिटो जम्ने (RS 65%)	"	92.3	102	102	
	छिटो जम्ने (RS 70%)	"	97.7	108	108	
	मध्यम जम्ने (MS 60%)	"	87.9	97	97	
	मध्यम जम्ने (MS 65%)	"	92.0	101	101	
	ढीलो जम्ने (SS60%)	"	89.2	98	98	
	Slurry Seal with 60% bitumen	"	92.5	102	102	
	Cut Back (MC 30)	"	137.9	152	152	
	Cut Back (MC 70)	"	129.3	142	142	
	Cut Back (MC 800)	"	126.4	139	139	
	vi) सडक कालोपत्रे गर्दा विटुमीन नउष्कीनको लागि प्रयोग गर्ने सामान Anti stripping agent	"	380	415	415	
	vii) कालोपत्रे सडक Pot hole टान्नको लागि प्रयोग गरिने Pre-coated Aggregate सामग्री	"	30	33	33	
	viii) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री					
	a) B.S. Grade	के.जि	170	187	187	
	b) Most Grade	"	188	207	207	
	c) Glass beads	"	154	169	169	
11	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरु					
11.1	नेपालबाट उत्पादित विभिन्न ब्रान्डका ओ.पि.सी. सिमेन्ट NS #49 (प्रतिवोरा ५० के.जी.)	ब्याग	800	800	700	



Handwritten signature or initials.

Handwritten signature or initials.

Handwritten signature or initials.

Handwritten signature or initials.

Handwritten signature or initials.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
11.2	भारतबाट उत्पादित विभिन्न ब्रान्डका ओ.पि.सी. सिमेन्ट (प्रतिबोरा ५० के.जी.)	"	-	-	-	
11.3	हेटौडा सिमेन्ट (५० के.जी. ओ.पि.सी.)	"	-	-	-	
11.3	उदयपुर सिमेन्ट (५० के.जी. ओ.पि.सी.)	"	-	-	-	
11.3	नेपालबाट उत्पादित विभिन्न ब्रान्डका पि.पि.सी. सिमेन्ट (प्रतिबोरा ५० के.जी.)	"	700	700	600	
11.4	सेतो सिमेन्ट (40kg/bag)	"	1230	1230	1230	
11.5	लोड अनलोड चार्ज	"	12	13	13	
12	Ready made Premix Concrete (Supplying laying all complete work)					
12.1	Panchakanya , MAW or equivalent					
	M 15	घ. मि	13800	13800	13800	
	M 20	"	14400	14400	14400	
	M 25	"	15000	15000	15000	
	M 30	"	16000	16000	16000	
13	फलामको डण्डीहरु :					
	(क) विभिन्न साइजका TMT Bar					
	a) 8 mm dia	के.जी	98.7	101	101	
	b) 10,12,16,20, 25mm dia	"	96.08	98	98	
	c) 28,32 mm dia	"	97.13	99	99	
	(ख) विभिन्न साइजको TOR Steel					
	a) 8mm dia TOR steel	"	93.39	95	95	
	b) 10-25mm TOR steel	"	90.13	92	92	
	c) 28-32mm TOR steel	"	93.39	95	95	
	(ग) विभिन्न साइजका TOR Steel					
	a) 4.75, 7 mm dia	"	98.86	101	101	
	(घ) Binding Wire (डण्डी बाँध्नेतार)	"	111.95	114	114	
14	विभिन्न किसिमका काठहरु					
	(ख) ८' देखि १२' सम्मको सालकाठ नेपाली	क्यू.फि.	6260	6260	6260	
	(ग) १२ फिट देखि माथिको साल काठ नेपाली	क्यू.फि.	6550	6550	6550	
	(घ) साज काठ	क्यू.फि.	2500	2500	2500	
	(ङ) जामुन काठ	क्यू.फि.	2135	2135	2135	
	(च) सल्लाको काठ	क्यू.फि.	1130	1130	1130	
	(छ) सिसौ काठ	क्यू.फि.	2300	2300	2300	
	(ज) जंगली सिसौ काठ ,,	क्यू.फि.	5270	5270	5270	
	(झ) स्थानीय कुकाठ (फर्मा प्रयोजनको लागि Mixed wood)	क्यू.फि.	950	950	950	
	(ञ) काठ दाउरा	के.जी	12	12	12	
14.2	कुदिएको काठको काम तयारी					
	i) भन्याङ्गको रेलिङ तथा बार्दली आदिमा कुदिएको स्थानीय सिसौ काठको हुक्का (2'-6"x3"x3")	गांटा	821	821	821	
	ii) भन्याङ्गको रेलिङ तथा बार्दली आदिमा कुदिएको जंगली स्पेशल सिसौ काठको हुक्का (2'-6"x3"x3")	"	895	895	895	
	iii) भन्याङ्गको रेलिङ तथा बार्दली आदिमा कुदिएको सिसौ काठको हेण्ड रेल (3"x4")	र.फि.	746	746	746	
	iv) भन्याङ्गको रेलिङको घुम्ने ठाउँमा कुदिएको सिसौ काठको गोलो हेण्ड रेल (3"x4")	गांटा	3282	3282	3282	



Handwritten signatures and notes at the bottom of the page, including the name 'श्री. अ. क. शर्मा' and other illegible signatures.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"X ८") साल काठमा टुँडाल बनाउने काम	"	10443	10443	10443	
	vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"X ८") साल काठमा टुँडाल बनाउने काम	"	11935	11935	11935	
	vii) विभिन्न बुट्टा तथा देवी देवताको मुर्ति कुँदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	2238	2238	2238	
	viii) घोडाको आकृति गरि कुँदिएको ४"X ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम ।	गोटा	5221	5221	5221	
	ix) सामान्य प्रकारको कुँदिएको सालको काठको आँधी भ्याल तयारी	व.फि.	746	746	746	
	x) मध्यम प्रकारको कुँदिएको सालको काठको आँधी भ्याल तयारी	"	1044	1044	1044	
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँधी भ्याल तयारी लक सहित	"	2238	2238	2238	
	xii) विशेष प्रकारको कुँदिएको सालको काठको आँधी भ्याल तयारी लक नभएको	"	1417	1417	1417	
	xiii) ३"X १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	522	522	522	
	xiv) कुँदिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"X ५"को कार्नेस विम आदि तयारी गर्ने कार्य	"	895	895	895	
	xv) ४"X ५"को साल काठको नाग बुट्टा कुँद तयारी गरी जडान गर्ने कार्य	"	746	746	746	
15	Wooden Parquet Flooring					
	i) Shisam wood 150mm*30mm*8mm	व.फि.	179	188	188	
	ii)Wall panelling (with wood frame) sisam wood. (75mm*16mm)	"	597	625	625	
16	विभिन्न मोटाईको प्लाइउडहरु					
16.1	Commercial					
	(क) ३ मी.मी	व.फि.	20	20	20	
	३.५ मी.मी.	"	23	23	23	
	(ख) ४ मी.मी	"	24	24	24	
	(ग) ६ मी.मी	"	38	39	39	
	(घ) ८ मी.मी	"	42	43	43	
	(ङ) १२ मी.मी	"	64	65	65	
	(च) १९ मी.मी B/B	"	93	95	95	
	छ) १८ मी.मी PLY	"	96	98	98	
16.2	P/F. Water Proof					
	क) ४ मी.मी	व.फि.	40	40	40	
	ख) ६ मी.मी	व.फि.	55	55	55	
	ग) ८ मी.मी.	"	60	60	60	
	घ) ९ मी.मी.	"	66	66	66	
	(ङ) १२ मी.मी	"	76	76	76	
	च) १९ मी.मी PLY	"	125	125	125	
	छ) १९ मी.मी B/B	"	105	105	105	
16.3	Natural Teak Plywood					
	One side lamination					



Handwritten signature or initials.

Handwritten signatures and notes at the bottom of the page.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	(क) ३ मी.मी	व.फि	58	58	58	
	(ख) ४ मी. मी (Group Match of in 5 pcs)	"	76	76	76	
	४ मी. मी (Regular)	"	66	66	66	
	४ मी. मी (Crown)	"	44	44	44	
	४ मी. मी (Beri)	"	50	50	50	
	४ मी. मी (Whitest line)	"	40	40	40	
	४ मी. मी (Beach)	"	47	47	47	
	४ मी. मी (Recon 18 No.)	"	37	37	37	
	(ग) ६ मी.मी	"				
16.4	DECORATIVE (THICKER)					
	6 OST	व.फि	-			
	6 BST	"	-			
	9 OST	"	-			
	9 BST	"	-			
	12 OST	"	-			
	12 BST	"	-			
	19 B/B OST	"	-			
	19 B/B BST	"	-			
	18 OST	"	-			
	18 BST	व.फि	-			
17	Ready made Door					
17.1	38 mm th. Redimade solid core door shutter					
	Plain	व.फि	233	233	233	
	One side teak	"	262	262	262	
	Both side teak	"	294	294	294	
	One side teak waterProof	"	286	286	286	
	Both side teak waterProof	"	317	317	317	
17.2	30 to 32 mm th. Redimade solid core door shutter					
	Plain	व.फि	190	190	190	
	One side teak	"	213	213	213	
	Both side teak	"	239	239	239	
	One side teak waterProof	"	233	233	233	
	Both side teak waterProof	"	258	258	258	
17.3	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)					
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	183	183	183	
	Readymade door shutter Recon, Special (1 side teak)	"	248	248	248	
	Readymade door shutter Recon, ordinary (1 side teak)	"	209	209	209	
	Readymade door shutter Recon, Special (1 side teak)	"	281	281	281	
17.4	Wooden Listry					
	1/2" wide	र.फि.	14	14	14	
	3/4" wide	"	18	18	18	
	1.5" wide	"	29	29	29	
	Decorative	"	40	40	40	
17.5	Infill Material Thai Gypsum, Shera or equivalent					



Handwritten signatures and notes at the bottom of the page, including the number '२०' and various scribbles.


सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	431	431	431	
	Frame U - Studs(0.55mm*0.75mm*3m)	"	431	431	431	
	Board 9 mm	"	2524	2524	2524	
	Roofing Board 6mm (1.5mX.6m)	"	695	695	695	
	Fiber mess tape (for 90mm/roll)	"	340	340	340	
	PU sasuage rod	"	2039	2039	2039	
18	Prelaminated Particle Board					
18.1	Plain Particle Board (Exteriors Grade)					
	(क) ९ मी .मी	व.फि	37	37	37	
	(ख) १२ मी. मी.	"	41	41	41	
	(ग) १८ मी.मी.	"	53	53	53	
	(घ) २५ मी.मी	"	71	71	71	
18.2	One side lamination Melamined faced (Exteriors Grade)					
	(क) ९ मी .मी	व.फि	74	74	74	
	(ख) १२ मी. मी.	"	83	83	83	
	(ग) १८ मी.मी.	"	98	98	98	
	(घ) २५ मी.मी	"	127	127	127	
18.3	Both side lamination Melamined faced (Exteriors Grade)					
	(क) ९ मी .मी	व.फि	83	83	83	
	(ख) १२ मी. मी.	"	95	95	95	
	(ग) १८ मी.मी.	"	110	110	110	
	(घ) २५ मी.मी	"	139	139	139	
18.4	Plain Particle Board (Interiors Grade)					
	(क) ९ मी .मी	व.फि	27	27	27	
	(ख) १२ मी. मी.	"	31	31	31	
	(ग) १८ मी.मी.	"	46	46	46	
	(घ) २५ मी.मी	"	59	59	59	
18.5	One side lamination Melamined faced (Interiors Grade)					
	(क) ३ मी .मी	व.फि	40	40	40	
	(ख) ६ मी .मी	"	57	57	57	
	(ग) ९ मी .मी	"	65	65	65	
	(घ) १२ मी. मी.	"	74	74	74	
	(ङ) १८ मी.मी.	"	86	86	86	
	(च) २५ मी.मी	"	107	107	107	
18.6	Both side lamination Melamined faced (Interiors Grade)					
	(क) ३ मी .मी	व.फि	46	46	46	
	(ख) ६ मी .मी	"	62	62	62	
	(ग) ९ मी .मी	"	74	74	74	
18.7	One side lamination Melamined faced (Interiors Grade)MDF					
	(क) ३ मी .मी	व.फि	46	46	46	
	(ख) ४ मी .मी	"	53	53	53	
	(ग) ६ मी .मी	"	65	65	65	
	(घ) ९ मी .मी	"	85	85	85	
	(ङ) १२ मी .मी	"	95	95	95	
	(च) १८ मी .मी	"	122	122	122	



Handwritten signature or initials.

Handwritten notes and signatures at the bottom of the page.


सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	(छ) २५ मी .मी	"	169	169	169	
18.8	Both side lamination Melaminéd faced (Interiors Grade)MDF Century & equivalent					
	(क) ३ मी .मी	व.फि	53	53	53	
	(ख) ४ मी .मी	"	59	59	59	
	(ग) ६ मी .मी	"	73	73	73	
	(घ) ९ मी .मी	"	91	91	91	
	(ङ.) १२ मी .मी	"	101	101	101	
	(च) १८ मी .मी	"	128	128	128	
	(छ) २५ मी .मी	"	173	173	173	
18.9	Alstone Hybrid Board (WPC Board) Century & equivalent					
	(क) ६ मी .मी (१२२० x २४४०)	व.फि	168	168	168	
	(ख) १२ मी .मी	"	269	269	269	
	(ग) १८ मी .मी	"	407	407	407	
19	Other HardBoard/ Sunmica & Formaica)					
19.1	(क) सनमाईका (4' x 8')	पाता	486	486	486	
	(ख) फोरमाईका	व.फि	75	75	75	
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	"	44	44	44	
19.2	Alstone Hybrid Board					
	(क) ६ मी .मी size (1220*2440) mm	व.फि	162	162	162	
	(ख) १२ मी .मी size (1221*2440) mm	"	307	307	307	
	(ग) १८ मी .मी size (1222*2440) mm	"	427	427	427	
20	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate					
	i) Iron Square Pipe	के.जी	95	97	97	
	ii) विभिन्न साइजको MS Angle	"	102	104	104	
	iii) विभिन्न साइजको Black Pipe	"	95	97	97	
	iv) विभिन्न साइजको Channel	"	104	106	106	
	v) विभिन्न साइजको I-Beam	"	106	108	108	
	vi) विभिन्न साइजको MS plate	"	101	103	103	
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	102	104	104	
	viii) विभिन्न मोटाइको Black sheet	"	96	98	98	
21	G.I. Wire					
	i) 8 gauge					
	a) medium class	"	110	116	116	
	b) heavy duty	"	115	121	121	
	c) Comercial wire	"	102	107	107	
	ii) 10 gauge					
	a) medium class	"	110	116	116	
	b) heavy duty	"	115	121	121	
	c) Comercial wire	"	102	107	107	
	iii) 12 gauge					
	a) medium class	"	110	116	116	
	b) heavy duty	"	115	121	121	



Handwritten signature or initials.

Handwritten signatures and notes at the bottom of the page.

सि.नं.	विवरण	ईकाई	दररेट मु.ब.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	c) Comercial wire	"	102	107	107	
22	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गेवियन बाक्स तयारी					
	क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferi Box Gabion)	M2	275	300	300	
	Note:					
	MBG = Maccaferi Box Gabion					
	10x12/3 0/3 9/2.4/ZN = Mesh type/Mesh wire dia /Selvedge wire dia /Lacing wire dia./Type of coating					
	ZN = Heavy galvanized					
	PVC = PVC coated					
23	Barbed Wire (काँटेतार)					
	12 guage commercial,Medium duty	के.जी	98	100	100	
	U-hook for barbed wire fencing	गोटा	1	1	1	
	Fabrication of chain link mesh of size					
	1"x1" 12 guage	बर्ग मी.	697	711	711	
	1.5"x1.5" 12 guage	"	652	665	665	
	2"x2" 10 guage	"	517	527	527	
	3"x3" 10 guage	"	423	431	431	
	4"x4" 10 guage	"	337	344	344	
24	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)					
	(क) सेतो सादा जस्तापाता (G P Sheet)					
	0.2 mm (30 guage light)	बण्डल	4200	4284	4370	
	0.22 mm (30 guage Medium)	"	4600	4692	4786	
	0.24 mm (30 guage Heavy)	"	4900	4998	5098	
	0.26 mm (28 guage light)	"	5150	5253	5358	
	0.28 mm (28 guage Medium)	"	5500	5610	5722	
	0.31 mm (28 guage Heavy)	"	6025	6146	6268	
	0.35 mm (26 guage light)	"	6675	6809	6945	
	0.38 mm (26 guage Medium)	"	7000	7140	7283	
	0.41 mm (26 guage Heavy)	"	7675	7829	7985	
	0.45 mm (24 guage light)	"	8330	8497	8667	
	0.50 mm (24 guage Medium)	"	9150	9333	9520	
	0.52 mm (24 guage Heavy)	"	9475	9665	9858	
	0.75 mm	"	13600	13872	14149	
	(ख) रंगिन जस्तापाता					
	0.2 mm (30 guage light)	बण्डल	5500	5610	5722	
	0.22 mm (30 guage Medium)	"	5875	5993	6112	
	0.24 mm (30 guage Heavy)	"	6200	6324	6450	
	0.26 mm (28 guage light)	"	6540	6671	6804	
	0.28 mm (28 guage Medium)	"	6925	7064	7205	
	0.31 mm (28 guage Heavy)	"	7445	7594	7746	
	0.35 mm (26 guage light)	"	8230	8395	8562	
	0.38 mm (26 guage Medium)	"	8640	8813	8989	
	0.41 mm (26 guage Heavy)	"	9350	9537	9728	
	0.45 mm (24 guage light)	"	10000	10200	10404	
	0.50 mm (24 guage Medium)	"	10900	11118	11340	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the right and several smaller ones on the left and center.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	0.52 mm (24 guage Heavy)	"	11275	11501	11731	
	0.75 mm	"	15830	16147	16470	
	(ग) ग्याल्मानाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)					
	0.2 mm (30 guage light)	बण्डल	4200	4284	4370	
	0.22 mm (30 guage Medium)	"	4550	4641	4734	
	0.24 mm (30 guage Heavy)	"	4860	4957	5056	
	0.26 mm (28 guage light)	"	5110	5212	5316	
	0.28 mm (28 guage Medium)	"	5450	5559	5670	
	0.31 mm (28 guage Heavy)	"	5960	6079	6201	
	0.35 mm (26 guage light)	"	6625	6758	6893	
	0.38 mm (26 guage Medium)	"	6950	7089	7231	
	0.41 mm (26 guage Heavy)	"	7600	7752	7907	
	0.45 mm (24 guage light)	"	8270	8435	8604	
	0.50 mm (24 guage Medium)	"	9100	9282	9468	
	0.52 mm (24 guage Heavy)	"	9420	9608	9801	
	0.75 mm	"	13600	13872	14149	
	(घ) जस्ता पाता को घुरी (Ridge Cover) Specified thickness are thickness of base metal.					
	0.20 mm	बण्डल	1430	1459	1488	
	0.22 mm	"	1550	1581	1613	
	0.24 mm	"	1660	1693	1727	
	0.26 mm	"	1740	1775	1810	
	0.28 mm	"	1860	1897	1935	
	0.31 mm	"	2025	2066	2107	
	0.35 mm	"	2240	2285	2330	
	0.38 mm	"	2350	2397	2445	
	0.41 mm	"	2570	2621	2674	
	(ङ) ४ फिट * ८ फिट को जि.आई. प्लेन सिट					
	1.1 mm	पिस	2900	2958	3017	
	0.90 mm	"	2400	2448	2497	
	0.80 mm	"	2175	2219	2263	
	0.75 mm	"	2040	2081	2122	
	0.70 mm	"	1905	1943	1982	
	0.62 mm	"	1705	1739	1774	
	0.55 mm	"	1530	1561	1592	
	0.50 mm	"	1390	1418	1446	
	0.48 mm	"	1340	1367	1394	
	0.45 mm	"	1270	1295	1320	
	0.40 mm	"	1140	1163	1186	
	0.37 mm	"	1060	1081	1103	
	0.35 mm	"	1010	1030	1051	
	0.30 mm	"	890	908	926	
	0.28 mm	"	840	857	874	
	(च) ४ फिट * ८ फिट को रइजिन प्लेन सिट					
	0.90 mm	पिस	2645	2698	2752	
	0.80 mm	"	2395	2443	2492	
	0.75 mm	"	2285	2331	2377	



Handwritten signatures and notes at the bottom of the page, including a date '२० ११/१२/२०८०' and other illegible markings.

सि.नं.	विवरण	ईकाई	दररेट मु.ब.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	0.70 mm	"	2175	2219	2263	
	0.62 mm	"	1950	1989	2029	
	0.55 mm	"	1760	1795	1831	
	0.50 mm	"	1620	1652	1685	
	0.48 mm	"	1540	1571	1602	
	0.45 mm	"	1490	1520	1550	
	0.40 mm	"	1360	1387	1415	
	0.37 mm	"	1260	1285	1311	
	0.35 mm	"	1210	1234	1259	
	0.30 mm	"	1070	1091	1113	
	0.28 mm	"	1023	1043	1064	
	GI EXPANDED METAL MESH					
	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.	129	132	134	
	1.20 mm मोटाई र 4' चौडाई भएको जाली	"	180	184	187	
	1.00 mm मोटाई र 3' चौडाई भएको जाली	"	110	112	114	
	1.00 mm मोटाई र 4' चौडाई भएको जाली	"	150	153	156	
	0.90 mm मोटाई र 3' चौडाई भएको जाली	"	100	102	104	
	0.90 mm मोटाई र 4' चौडाई भएको जाली	"	159	162	165	
25	UPVC Roofing Sheet Sunrise or Equivalent brand (3mm thick)					
25.1	UPVC Roofing Sheet with PMMA coating & Mesh (Regular)	व.मि.	1440	1440	1440	
25.2	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)	"	1496	1496	1496	
25.3	Ridge cover Regular Profile 1.10 R.m.	र.मि.	1288	1288	1288	
25.4	Ridge cover Tile Profile 0.78 R.m.	"	1288	1288	1288	
25.5	UPVC Clip	गोटा	26	26	26	
25.6	self tapping screw 3"	"	26	26	26	
25.7	self tapping screw 2.5"	"	10	10	10	
25.8	self tapping screw 2"	"	10	10	10	
25.9	self tapping screw 1.5"	"	8	8	8	
26	एल्मिनियम प्लेन सिट					
	(क) २६ गेज	व.फि.	29	29	29	
	(ख) ३० गेज	"	27	27	27	
27	विभिन्न प्रकारको जालीहरु (Netting)					
	(क) मसिनो खालको Mosquito proof जाली	व.मी	119	121	121	
	(ख) बालुवा चाल्ने जाली	"	124	126	126	
	(ग) कुखुरे जाली (Chicken wire mesh)	"	76	78	78	
	(घ) ब्रास क्रसिङ्ग जाली	"	195	199	199	
	ड. स्टील जाली (crossing)	"	157	160	160	
	च मसिनो खालको steel Mosquito proof जाली	"	270	275	275	
28	फलामबाट निर्मित सामानहरु					
a	M.S. Grill बनाई जडान गर्ने काम	के.जी	144	147	147	
b	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.फि.	515	525	525	
c	१६-१८ गेजको फलामे रोसिङ्ग सटर बनाई जडान गर्ने	व.फि.	360	367	367	
d	फलामे रोसिङ्ग सटर १६-१८ गेज जडान गरिने स्ट्रोन सटर बनाई जडान गर्ने	"	453	462	462	



Handwritten signatures and marks at the bottom of the page, including a large signature on the right and several smaller ones on the left.

सि.नं.	विवरण	ईकाई	दररेट मु.व.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			बा.व. ०७८/०७९	बा.व. ०७९/०८०	आ.व. ०८०/०८१	
e	फलामे रोलिङ सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	"	515	525	525	
f	१६ गेज पातावाट कम्पाउण्ड बालको गेट बनाई जडान गर्ने (१० X ५०X ५ mm) को फ्रेम समेत)	"	670	683	683	
g	३"-४" व्यासको Iron Black Pipeमा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भन्याङ्ग (Spiral Staircase)तयार गरी जडान समेत (भन्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	3142	3205	3205	
h	फलामे सामाग्रीको फेब्रिवेशन तथा जडान कार्य	के.जी.	46	47	47	
i	All type of general MS structural works	व.फी.	175	179	179	
j	Truss & roofing works Plain sheet 26 gauge	"	206	210	210	
k	Truss & roofing works colour sheet 26 gauge	"	242	247	247	
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	196	200	200	
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गोटा	1998	2038	2038	
n	Steel Structural (Light gauge) frame work for building (as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rebet,screw erection fitting and essembly charges) all complete work Panchakanya or equivalent company	व.फि.	793	809	809	
29	Glass सीसा					
29.1	Plain सादा (सेतो)					
	(क) ३ मी.मी.	व.फि.	52	52	52	
	(ख) ३.५ मी.मी.	व.फि.	58	58	58	
	(ग) ४ मी.मी.	व.फि.	66	66	66	
	(घ) ५ मी.मी. "	"	89	89	89	
	(ङ) ६ मी.मी. "	"	103	103	103	
	(च) ८ मी.मी. "	"	173	173	173	
29.2	Printed Glass (बुट्टेदार सिसा)					
	(क) ३ मी.मी.	"	47	47	47	
	(ख) ४ मी.मी. " "	"	55	55	55	
29.3	Poly Fibre Glass					
	(क) ६ मी.मी.	"	150	150	150	
29.4	Black Color Glass					
	(क) ३ मी.मी.	व.फि.	89	89	89	
	(ख) ४ मी.मी.	"	96	96	96	
	(ग) ५ मी.मी.	"	109	109	109	
	(घ) ६ मी.मी.	"	150	150	150	
	(ङ) ८ मी.मी.	"	219	219	219	
	(च) १० मी.मी.	"	314	314	314	
	(छ) १२ मी.मी.	"	355	355	355	



Handwritten signatures and notes at the bottom of the page, including the name 'गणेश' and other illegible text.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
29.5	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने					
	(क) ५ मि.मि बाक्लो	व.फि.	107	107	107	
29.6	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture					
	(क) ४ मी.मी. बाक्लो	व.मि.	5753	5753	5753	
29.7	विभिन्न रंगको Reflector Glass (शिशा)					
	५ मी.मी मोटो	व.फि.	171	171	171	
	Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिसा भएमा ५० % थप रकम लाग्ने छ।					
30	Corrugated/Plain Fiber Glass Sheet					
	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	112	112	112	
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	125	125	125	
	(ख) १.२ मी.मी. मोटो प्लेन	"	125	125	125	
	१.२ मी.मी. मोटो कोरोगेटेड	"	143	143	143	
	(ग) २ मी.मी. मोटो प्लेन	"	212	212	212	
	२ मी.मी. मोटो कोरोगेटेड	"	250	250	250	
	(घ) ३ मी. मी. मोटो प्लेन	"	287	287	287	
	३ मी. मी. मोटो कोरोगेटेड	"	375	375	375	
	(ङ) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm)	Rm	69	69	69	
	(च) Fiber Glass छानाको लागि Ribet nut	no.	7	7	7	
31	भ्याल ढोकामा लाग्ने Fixture हरु					
	Iron बाट बनेका					
	Hinge (कब्जा)					
	(क) ३" साइज	गोटा	15	15	16	
	(ख) ४" साइज	"	28	29	30	
	(ग) ५" साइज	"	43	44	45	
	(घ) ६" साइज	"	56	57	58	
	Locking Set (L-drop)					
	300 mm	गोटा	260	265	266	
	225 mm	"	227	232	233	
	150 mm	"	195	199	200	
	Aluminum बाट बनेका					
	Towerbolt (छेस्कीनी)					
	(क) ३" लामो	गोटा	20	20	21	
	(ख) ४" लामो	"	40	41	42	
	(ग) ६" लामो	"	67	68	69	
	(घ) ८" लामो	"	80	82	83	
	(ङ) १०" लामो	"	94	96	97	
	(च) १२" लामो	"	107	109	110	
	Handle (हतकल)					
	Ordinary	गोटा	32	33	34	
	Special	"	47	48	49	
	Brass बाट बनेका					
	Hinge (कब्जा)					
	2" x 1/2"	गोटा	63	64	65	
	2 1/2 x 3/4"	"	71	72	73	
	3" x 3/4"	"	87	89	90	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the right side and several smaller ones on the left and center.

सि.नं.	विवरण	इकाई	दररेट नु.व.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	2" x 3/4"	"	71	72	73	
	2 1/2" x 3/4"	"	79	81	82	
	3" x 3/4"	"	87	89	90	
	3" x 1"	"	189	193	194	
	4" x 1"	"	284	290	291	
	5" x 1"	"	379	387	388	
	6" x 1"	"	458	467	468	
	Towerbolt (डेस्कीनी)					
	(क) ३" लामो	गोटा	142	145	146	
	(ख) ४" लामो	"	189	193	194	
	(ग) ६" लामो	"	284	290	291	
	(घ) ८" लामो	"	379	387	388	
	(ङ) १०" लामो	"	473	482	483	
	(च) १२" लामो	"	568	579	580	
	Handle (हतकल)					
	6" Brass handle	गोटा	150	153	154	
	8" Brass handle	"	458	467	468	
	10" Brass handle	"	947	966	967	
	Brass 5"	"	142	145	146	
	Brass 6"	"	221	225	226	
	Locking Set (L-drop)					
	(क) ८" लामो	गोटा	947	966	1014	
	(ख) १०" लामो	"	1562	1593	1673	
	(ग) १२" लामो	"	1735	1770	1858	
	Special Fittings					
	एल ड्रप :-					
	८" लामो	गोटा	1062	1083	1137	
	१०" लामो	"	1199	1223	1284	
	१२" लामो	"	1249	1274	1338	
	ह्याण्डल :-					
	८" लामो	"	1249	1274	1338	
	टावर बोल्ड :-					
	६" लामो	"	225	230	241	
	८" लामो	"	300	306	321	
	१०" लामो	"	375	383	402	
	डबल कलर (गोल्ड सिल्भर/ब्याक सिल्भर)					
	एल ड्रप :-					
	८" लामो	गोटा	892	910	955	
	१०" लामो	"	1130	1153	1210	
	१२" लामो	"	1249	1274	1338	
	ह्याण्डल :-					
	६" लामो	"	250	255	268	
	८" लामो	"	375	383	402	
	Mortice Lock					
	Ordinary	गोटा	625	638	669	
	Chinese	"	416	424	446	
	Indian Godrej Company	"	2557	2608	2739	
	Brass	"	1130	1153	1210	
	Door Spring (Door Closer)					



Handwritten signatures and initials in the bottom left corner.

Handwritten text: ०११/११/११

Handwritten signature and initials in the bottom center.

Handwritten signature and initials in the bottom right corner.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	Ordinary	गोटा	178	182	191	
	hydraulic	"	1874	1911	2007	
	Other Door/Windows fixtures					
	Window I-hook	गोटा	18	18	19	
	Gate Hook					
	4" Gate hook	गोटा	31	32	33	
	5" Gate hook	"	35	36	37	
	6" Gate hook	"	42	43	44	
	Brass Gate hook		75	77	78	
	Door stopper					
	Diamond	गोटा				
	Butterfly	"	148	151	159	
	Bell catch 2" size	"	196	200	210	
	C.P. handle	"	425	434	455	
	Power coated handle	"	406	414	435	
	Brass coated handle	"	874	891	936	
	Door stopper, single brass stopper	सेट	100	102	107	
	Door stopper double brass stopper	"	178	182	191	
32	बिबिध सामग्रीहरु					
	Hold fast different sizes (7 nos./Kg.)	के.जी.	125	125	125	
	Nails (different sizes)	के.जी.	112	112	112	
	सालका काठको खाधान्न राख्ने पुराना तख्ता(पुनः प्रयोग हुने)	घ.फि.	721	721	721	
	कवाडी फलामे सामानहरु(बन्चरो, घन, छिना आदि फलामे सामान)	के.जी.	26	26	26	
	प्रयोग गर्न नसकिने पुराना मेसीन(टाइपराइटर, डीलीड मेसीन, डीलीड विट)	के.जी.	21	21	21	
	Nut and Bolts	गोटा	29	29	29	
	Nut and Bolts (different sizes)	के.जी.	165	165	165	
	Sandpaper (खाग्सी)	गोटा	6	6	6	
	विभिन्न साइजको जे-हुक, यु-हुक	के.जी.	137	137	137	
	२" साइज रुफिङ्ग नेल्स	गोटा	7	7	7	
	३" साइज रुफिङ्ग नेल्स	"	10	10	10	
	Screw Brass			0	0	
	20mm	गोटा	2	2	2	
	25mm	"	3	3	3	
	35mm	"	4	4	4	
	50mm	"	12	12	12	
	75mm	"	15	15	15	
	Screw Steel					
	20mm	"	1	1	1	
	25mm	"	2	2	2	
	35mm	"	2	2	2	
	50mm	"	7	7	7	
	75mm	"	8	8	8	
	विटुमीन वासर	गोटा	3	3	3	
	Roofing bitumen (रुफिङ्ग अलकत्रा)	के.जी.	93	93	93	
	५०० गेज प्लाष्टिक सिट	व.मी.	31	31	31	
	ISI Mark Trafelt (२०मी. × १मी.)	रोल	2472	2472	2472	
	Plasticfelt (२०मी. × १मी.)	"	2318	2318	2318	
	१८-२० फिट लामो बांस	गोटा	204	204	204	



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	मैन पालिस	के.जि.	206	206	206	
	अवजालिक एसिड	"	118	118	118	
	जूट वा पोलिथिनको खाली बोरा	गोटा	18	18	18	
	माटो (ढुवानि बाहेक)	घ.मि.	268	268	268	
	सबग्रेडमा राख्ने माटो(In Capping layer Granular soil)	घ.मि.	464	464	464	
	भुस	के.जि.	5	5	5	
	गोवर	"	5	5	5	
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	93	93	93	
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	98	98	98	
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	9	9	9	
	Water (पानी टयांकरबाट ढुवानी)					
	३ कि.मी. सम्म को दुरीमा	लिट्र	0.26	0.26	0.26	
	३ कि.मी. देखि माथीको दुरीमा	लिट्र	0.31	0.31	0.31	
33	स्टेनलेस स्टील पाइप					
	३/४" व्यास भएको १६ गेज मोटाई	मी.	194	198	198	
	१" व्यास भएको १६ गेज मोटाई	"	243	248	248	
	१ १/४" व्यास भएको १६ गेज मोटाई	"	309	315	315	
	१ १/२" व्यास भएको १६ गेज मोटाई	"	346	353	353	
	२" व्यास भएको १६ गेज मोटाई	"	508	518	518	
	स्टील रेलीड. steel Raling को बार लगाउने कार्य(२ इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe)	र.फी.	1168	1191	1191	
34	मार्बल चिप्स					
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि.प्रति बोरा)	बोरा	170	170	170	
	(ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	170	170	170	
	(ग) क्रेजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	181	181	181	
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	153	153	153	
35	मार्बल (Marble)					
35.1	राजस्थानी मार्बल					
	१३ मी.मी बाक्लो राजस्थानी	ब.फि.	158	161	161	
	१६ मी.मी बाक्लो राजस्थानी	"	164	167	167	
35.2	ग्रेनाइट					
	१२ मी.मी बाक्लो ग्रेनाइट	"	297	303	303	
	१६ मी.मी बाक्लो ग्रेनाइट	ब.फि.	303	309	309	
	१९ मी.मी बाक्लो ग्रेनाइट	ब.फि.	346	353	353	
35.3	Kota Stone					
	1" thick	ब.फि.	142	145	145	
	3/4" thick	ब.फि.	130	133	133	
35.4	Sand stone (for rubbing Marble)	गोटा	72	73	73	
36	Porcelain Glazed/Terrazo Mosaic Tiles					
36.1	Porcelain Glazed Tiles					
	ग्लेज टायल्स (१२ " X ८ ") सम्मको ।	ब.फि.	-	-	-	
	ग्लेज टायल्स (१२ " X १२ ") माथीको ।	"	-	-	-	
	Cotto Tiles	"	126	126	126	
	Kajaria, Vermura, Somany, Orient Tile or equivalent	"	85	85	85	
	Ordinary floor and wall Tile	"	54	54	54	




Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	Border Tile (२ " x ८ ")	र.फि.	43	43	43	
	Border Tile (२ " x ८ ")	व.फि.	178	178	178	
	Indian Ceramic Wall Tile (31*45cm)	"	180	180	180	
	Indian Ceramic Border Tile (31*45cm)	"	180	180	180	
	Indian Ceramic Floor Tile (31*45cm)	"	150	150	150	
	Flooring tile GVT Somany/Swastik/Victory / Espanoi or equivalent					
	24"X24" GVT	व.फु.	165	165	165	
	24"X24" GRES Virtified (Digital floor)	"	144	144	144	
	12"X12" GRES homogeous Virtified parking tile	"	106	106	106	
	24"X24" Virtified	"	111	111	111	
	Flooring tile Everest/Victory /Swastik /Espanoi or equivalent					
	16"X16 "	व.फु.	98	98	98	
	12"X12"	"	88	88	88	
	12"X12" (White/Ivery)	"	77	77	77	
	2"X2"(Digital)	"	129	129	129	
	12"X24" (Wall)	"	134	134	134	
	12"X18" (Wall)	"	103	103	103	
36.2	LG Floors Tiles					
	L.G. Deluxe Tiles (300x300x2mm)	व.फु.	-	-	-	
	L.G. Deco Tiles (450x450x3mm)	"	-	-	-	
	L.G. Deco Wood (100x920x3mm)	"	-	-	-	
	Fittings for Tiles	"	14	14	14	
	Fittings for Tiles on stairs	"	16	16	16	
	Dendrite for tiles	लि.	371	371	371	
36.3	ELITE / FORBO FLOORING COATING					
	ELITE MICRO FINISH FLOORING (INCLUDED ALL FINISH)	व.फि.	361	361	361	
	ELITE HERMETIC HEAT FLOORING (INCLUDED ALL FINISH)	"	361	361	361	
	ELITE REFLECTOR FLOORING(INCLUDED ALL FINISH)	"	383	383	383	
	SARLON VINYL ACOUSTIC FLOORING	"	427	427	427	
	SCRATCH FABRIC FALSE CEILING	"	232	232	232	
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	"	62	62	62	
	Forbo marmoleum flooring 2mm thick all fitting work	"	403	403	403	
37	Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.					
	a) POP Molding 1" to 1½"	र.फि.	238	238	238	
	b) Up to 5" wide	र.फि.	285	285	285	
	c) Up to 8" wide	र.फि.	393	393	393	
	d) Above 8" wide	र.फि.	161	161	161	
	37.1					



Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	19	19	19	
	(ख) विभिन्न प्रकारको रंगिन चुन	"	36	36	36	
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	39	39	39	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	74	74	74	Equivalent Asian, Berger & other company.
	(थ) सिमेन्ट प्राइमर सेतो	"	268	268	268	
	(छ) उड प्राइमर (Wood Primer)	लिट्र	376	376	376	
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिट्र	525	525	525	
	च) नेपाल रेडको म्याट फिनिसिङ्ग	लिट्र	506	506	506	
	(ज) कोरुगेटेड रुफ Paint	"	476	476	476	
	(झ) तयारी अल्मुनियम पेन्ट	"	546	546	546	
	(ञ) तयारी वार्नेस	"	440	440	440	
	(ट) तयारी वार्नेर सेन्थेटिक	"	340	340	340	
	(ठ) भारतीय थिनर	"	231	231	231	
	ड) उड एण्ड ग्लास पुटिन	के.जी	131	131	131	
	ढ) मेटल पुटिन	"	155	155	155	
	ण) चुना पेन्ट गर्न राख्ने गम	"	203	203	203	
	त) नेपाली थिनर	लिट्र	218	218	218	
	(द) तारपिन तेल	"	214	214	214	
	(ध) रेड अकसाइड पेन्ट (Red oxide Paint)	"	262	262	262	
	(न) उड प्रिजरभेटिव पेन्ट	"	228	228	228	
	(प) Black Japan Paint	"	286	286	286	
	(फ) राम तिलक	के.जि.	56	56	56	
	(ब) गेरु रंग	के.जि.	137	137	137	
	(भ) चप्रा पालिस	के.जि.	916	916	916	
	(म) तयारी वासेवल डिस्टेम्पर	लि.	223	223	223	Equivalent Asian, Berger & other company.
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लि.	526	526	526	
	य) तयारी वेदरकोट पेन्ट (exterior)	लि.	631	631	631	
	(र) Road Marking Paint	"	579	579	579	
	(ल) लिनसिड आयल (linsed Oil)	"	196	196	196	
	(व) स्थानीय स्पीट	लि.	118	118	118	
	(स) मोविकल/फेविकल	के.जि.	262	262	262	
	(ष) Tata Red Oxide Paint	"	262	262	262	
	(ह) गद्दा चुन (ईण्डीयन)	"	22	22	22	
	(झ) Wall putty equivalent Asian, Berger & other company.	के.जि.	69	69	69	
	(ञ) Plaster of Parish (POP)	के.जि.	23	23	23	
	wood keeper (chapara type)	लि.	550	550	550	
	Redoxide zink cromate primer For Bridge	लि.	463	463	463	
	Silk Breathless easy	लि.	1216	1216	1216	
	Road divider (polythene)	गोटा	1622	1622	1622	
	Dust bin (polythene) 165 ltr	गोटा	3083	3083	3083	
	Wall putty Epoxy flooring					
	wall plast wall putty (40kg)	Bag	1306	1306	1306	



माननीय

२५

२५

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component	व.मी.	2082	2082	2082	
	2mm Epoxy Antistatic Floor coating for OT((4 layer & 9 component	"	3688	3688	3688	
	Epoxy Paint for Operation theater	"	11509	11509	11509	
37.2	Decorative Painting Material Acro & equivalents					
A	Specialized paints(Dr. wallz)					
1	Acro Bio-guard (Anti bacterial Hospital Paint)	लिटर	1099	1099	1099	
2	Acro Elastocrab (Anti carbonisation paint)	"	762	762	762	
B	Texture paints					
1	Mediterrano	के.जि	176	176	176	
2	Stucco Veneziano	"	1639	1639	1639	
3	Velvetino	"	4305	4305	4305	
4	Travertino	"	412	412	412	
5	Gtone plaster	"	121	121	121	
6	Colorato (Multi color)	"	921	921	921	
7	Pearl skin texture	"	149	149	149	
8	TS 52 Spray white	"	199	199	199	
9	Rustic	"	159	159	159	
10	Rockart	लिटर	159	159	159	
11	Manhattan	के.जि	238	238	238	
12	Sabbia	"	238	238	238	
13	Sandy Stone	"	174	174	174	
14	Insulplast	"	237	237	237	
15	Poly Under White	"	264	264	264	
16	Antica(Top coat)	"	1267	1267	1267	
17	T.C 100(Top coat)	"	728	728	728	
18	Dekorica White	"	2631	2631	2631	
19	Poly Plaster	"	107	107	107	
20	Granite tone	"	165	165	165	
21	Graffiato	"	159	159	159	
22	Elligance stone	"	189	189	189	
23	Marmorino Base	के.जि	412	412	412	
24	Acro fine	लिटर	181	181	181	
25	Marmocastro base	के.जि	139	139	139	
26	Selva Granite	"	215	215	215	
27	Romart	"	239	239	239	
C	Weathercoat paints					
1	Guard	लिटर	503	503	503	
2	Guard -3x	"	588	588	588	
3	Shield	"	322	322	322	
4	Acrotex matt	"	510	510	510	
5	Ext wall Primer	"	238	238	238	
D	Emulsion Paints					
1	silk Emulsion paints	"	522	522	522	
2	Aqualin Int.Emulsion	"	280	280	280	
3	pearl Emulsion paints	"	772	772	772	
4	int. wall Primer	"	172	172	172	
E	Acrylic Washable Distemper	"	142	142	142	
F	Acro gold Enamel	"	512	512	512	
G	Universal primer (wood primer)	"	313	313	313	
H	Red oxide metal primer	"	276	276	276	
I	Construction Chemical / waterproof coating system					



Handwritten signatures and marks at the bottom of the page, including a large signature on the right and several smaller ones on the left.

सि.नं.	विवरण	ईकाई	दररेट मु.व.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	crack sill	"	387	387	387	
	crack fill A+B	"	170	170	170	
	Silicon Bases water repellent impregnation					
	Acropreg	"	466	466	466	
	Acropreg W	"	619	619	619	
	Wall putty	के.जि	39	39	39	
37.3	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works					
1	Acro Spanezia maestro finishes texture					
1.1	Mediterrano texture	ब.फि	128	128	128	
1.2	Traventino texture	"	195	195	195	
1.3	Velvetino texture	"	167	167	167	
1.4	Gtone plaster and Colorato texture(Multicolour texture)	"	133	133	133	
1.5	Stucco veneziano texture	"	140	140	140	
1.6	Pearl skin texture	"	120	120	120	
1.7	Marmorino texture	"	156	156	156	
2	Acro texture					
2.1	Acro spray flat/Acro spray dews texture	ब.फि	75	75	75	
2.2	Featherglow/Royal touch/Superfine/Ceratex texture	"	74	74	74	
2.3	Rustic texture	"	99	99	99	
2.4	Rockart texture	"	93	93	93	
2.5	Graffiato texture	"	103	103	103	
2.6	Marmocastro texture	"	90	90	90	
2.7	Marmoplast texture	"	90	90	90	
2.8	Sabbia texture	"	112	112	112	
2.9	Manhattan texture	"	112	112	112	
2.10	Sandy stone texture	"	154	154	154	
2.11	Selva Granite texture	"	116	116	116	
2.12	Elligance stone texture	"	107	107	107	
2.13	Granite tone texture	"	98	98	98	
2.14	Romaart texture	"	124	124	124	
2.15	Insulplast texture	"	135	135	135	
3	Acro Bio-guard (Hospital Paint)	"	54	54	54	
4	Acro Ellastocarb(anti carbonisation paint)	"	38	38	38	
1	EXTERIOR SURFACE WEATHERCOAT PAINTS					
	1.ACROGUARD 3X	ब.फि	23	23	23	
	2. ACROGUARD	"	21	21	21	
	3. ACROSHIELD	"	17	17	17	
	4. ACROTEX MATT	"	31	31	31	
2	INTERIOR SURFACE EMULSION PAINTS					
	1. ACROPEARL EMULSION PAINTS	ब.फि	24	24	24	
	2. ACROSILK EMULSION PAINTS	"	20	20	20	
	3. AQUALIN EMULSION PAINTS	"	16	16	16	
	4. AQUALIN ACRYLIC WASHABLE DISTEMPER	"	11	11	11	
	5. ACRO GOLD ENAMEL PAINTS	"	18	18	18	
	Expansion joint					




Handwritten signatures and initials at the bottom of the page, including a large signature on the right and several smaller ones on the left.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
1	Horizontal Area fixing clips' affixed aluminium joint covers VEDA FRANCE Series JDH 5.2.050 standard load.	RM	15450	15450	15450	
2	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers VEDA FRANCE CJV-180 Alu.	RM	12875	12875	12875	
3	Extruded Aluminium Joint Covers VEDA FRANCE CJE- PF flat.	RM	14935	14935	14935	
4	Folded Joint Covers VEDA France Series CJP a silver anodized coating.	RM	18025	18025	18025	
5	Vertical Joints Standard and Seismic interior use VEDA FRANCE Series JDV 4.2	RM	25750	25750	25750	
6	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.4 flat.	RM	13390	13390	13390	
7	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.6 flat.	RM	19055	19055	19055	
8	Vertical Joints VEDA FRANCE Series JDV 4.10 / 4.12 flat	RM	28840	28840	28840	
9	Suspended Ceiling Joints VEDA FRANCE Series JDV 4.14	RM	12360	12360	12360	
10	Floor Joint VEDA FRANCE Series JDH 5.2 standard loads.	RM	21115	21115	21115	
11	Floor Joint VEDA FRANCE Series JDH 5.4 standard loads.	RM	33475	33475	33475	
12	Floor Joint VEDA FRANCE Series JDH 5.8 standard loads.	RM	36050	36050	36050	
13	Floor Joint VEDA FRANCE Series JDH 5.26 heavy loads.	RM	38625	38625	38625	
14	CAR Park Joint VEDA FRANCE Series JDH 5.30 standard loads(15 to 35mm)	RM	16480	16480	16480	
15	CAR Park Joint VEDA FRANCE Series JDH 5.32 standard loads (40 to70mm)	RM	31930	31930	31930	
16	BED Affixed Control Joints VEDA FRANCE Series JF 1700	RM	19313	19313	19313	
17	BED Affixed Control Joints VEDA FRANCE Series JF LUXE 2700	RM	29355	29355	29355	
18	BED Affixed Control Joints VEDA FRANCE Series JF Deco.	RM	9270	9270	9270	
19	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/1	RM	1545	1545	1545	
20	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/2	RM	2060	2060	2060	
21	Adhesive Affixed Control Joints VEDA FRANCE Series JF 1600	RM	15450	15450	15450	
22	Stair Nosing VEDA France MDM VD 320/550/1010	RM	9785	9785	9785	
38	Wall Paper					
	Wall paper (10m.x 0.53m)	रोल	1236	1236	1236	
	Fittings for wall paper	व फि	7	7	7	
	White glue for wall paper	लि	108	108	108	
39	Eradication of peepal & other plants					
	a) Stem up to 1" thickness	गोटा	-	-	-	
	b) Stem up to 1"-2" thickness	-	-	-	-	
	c) Stem up to 2"-3" thickness	-	-	-	-	
	d) Stem up to 3"-4" thickness	-	-	-	-	
40	Gypsum board					



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones across the bottom.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
40.1	Supplying and fixing of Thai gypsum board application work					
	i) फल्स सिलिङ्ग गर्ने	व.फि	-	-	-	
	ii)Water resistant false ceiling	"	-	-	-	
	iii)Wall partition	"	119	119	119	
	iv)Wall paneling	"	79	79	79	
	v)Metalized polited laminated Board (MPL) board	"	76	76	76	
	12.5mm thick Gypsum Board False ceiling including all necessary material	"	70	70	70	
41	Calcium Silicate Board supplying & fitting all complete work					
41.1	Solid Infill wall (Shera, Everest or Thai Gypsum or equivalent					
	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	3793	3793	3793	
41.2	Solid Infill wall (Chinese or equivalent)					
	Solid infill wall 3"	व.मी.	1770	1770	1770	
41.3	Solid Infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+-2 kg /cu mtr					
	Solid infill wall 50mm	व.मी.	3288	3288	3288	
42	Interlocking Cement Concrete Block(Not less than M20 RCC Block)					
	a) Curb stone (M 25)	र.मि.	1101	1123	1123	
	25 mm thick C.C. Tile (Grey color)					
	Burfi , Round , Boby Checker	Sqft	42	42	42	
	25 mm thick C.C. Tile (Red color)					
	Burfi , Round , Boby Checker	Sqft	44	44	44	
	50 mm thick CC Block (Grey color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	51	51	51	
	50 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	52	52	52	
	60 mm thick CC Block (Grey color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	53	53	53	
	60 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	55	55	55	
	70 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	61	61	61	
	60 mm thick CC Block (Ocm or equivalent)					
	Brick type (23*11*6cm)non colour	Nos	10	10	10	
	Hexagon (22*22 cm) non colour	"	23	23	23	
	Hexagon (22*22 cm) colour	"	25	25	25	
	Square paver (30*30*4.5cm)non colour	"	32	32	32	
	Square paver (30*30*4.5cm)colour	"	34	34	34	



Handwritten signatures and initials are present at the bottom of the page, including names like 'S. P. Singh' and 'S. P. Singh'.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	inter block(24*13*6cm)	..	14	14	14	
	Isave paver (20*16*6cm)	..	16	16	16	
	supply of concrete Block different items United concrete or other Equivailent					
	Hollow Block (16"*8"*6")	Nos	78	78	78	
	Hollow Block (16"*8"*4")	..	69	69	69	
	Corner Hollow Block (16"*8"*6")	..	89	89	89	
	Lintel Block (16"*8"*6")	..	89	89	89	
	Pavers Block (fish or other shape) 60mm thick	..	20	20	20	
	concrete Brick (9"*4"*2.5")	..	13	13	13	
	Concrete Prefabricated Frames M40 Concrete standard (इयाल ढोकाका चौकोस, आर्क, भन्टीलेसन)	प्रति रनिड फुट	199	199	199	
43	छानामा टाइलको बुझा काटने र पानी पट्टी कार्य					
	(१.४) भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १"बाक्लो प्लाष्टरमा रफिड टाइलको बुझा काटने सामान सहित (तयारी)	व.मि.	-	-	-	
	१"×३" साइजको (१.४) भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम (तयारी)	र.मी	-	-	-	
44	Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting					
	i) Heritage granular	व.फि	100	100	100	
	ii) Heritage flakes	..	124	124	124	
	iii) Heritage granite finish	..	108	108	108	
	iv) Heritage Top coat (plastic lamination)	..	29	29	29	
45	UPVC Profile Door and Window/ Wall partition					
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.					
	UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरु					
	i) Single glazing					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	7215	7215	7215	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	..	6664	6664	6664	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	..	7493	7493	7493	




Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
4	UPVC Casement window (frame,60*60 mm, sash 60*78 mm, white colour with 5mm glass)	..	7493	7493	7493	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	..	8214	8214	8214	
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	..	8328	8328	8328	
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	..	8884	8884	8884	
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	..	8884	8884	8884	
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	..	8606	8606	8606	
10	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	..	9991	9991	9991	
11	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	Sqm	8626	8626	8626	
11	UPVC 60x64mm white colour casement window with 5mm glass pannele	..	9796	9796	9796	
12	UPVC110x64mm x9mmthick board and 5mm tjck glass pannel white colour	..	10353	10353	10353	
12	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	..	10717	10717	10717	
13	UPVC60x60mm white colour swing door with 5mm glass pannel	..	6727	6727	6727	
ii) Double glazing						
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	9435	9435	9435	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	..	8935	8935	8935	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	..	9718	9718	9718	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	..	9718	9718	9718	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	..	10439	10439	10439	
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	..	10547	10547	10547	
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	..	11103	11103	11103	
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	..	10825	10825	10825	
9	Supply & fixing of 80*50 mm white colour casement window	..	9611	9611	9611	



Handwritten signatures and initials at the bottom of the page, including names like 'A. B. B.', 'D. B.', 'S. B.', 'K. B.', 'J. B.', and 'G. B.'.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
46	Prefab Panel for wall Partition solid wall panel (ESWP) or Equivalent					
46.1	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum, everest solid wall panel non asbestos including 1.1 mm thick GI chennel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete					
	a) 40 mm thick	..				
	b) 50 mm thick	..	232	232	232	
	c) 75 mm thick	Sq .m.	294	294	294	
46.2	False ceiling/ partition/ external cladding of everest or equivalent fibre designer board					
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	91	91	91	
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	271	271	271	
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	237	237	237	
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	302	302	302	
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	Sqft	266	266	266	
	Supplying, making, fixing of 50mm thick full height of partirion with everest RAPICON wall panels	Sqft	211	211	211	
	Supplying, making, fixing of 75mm thick full height of partirion with everest RAPICON wall panels	Sqft	279	279	279	
46.3	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft	-	-	-	
46.4	Cement board Aerocon C Board CK Birala , Everest or equivalent					
	6 mm thick	Sqft	33	33	33	
	8 mm thick	Sqft	41	41	41	
	10 mm thick	Sqft	52	52	52	
	12 mm thick	Sqft	62	62	62	
46.5	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire					
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	381	381	381	




Handwritten signatures and initials are present at the bottom of the page, including names like 'S. Singh', 'A. Singh', and 'P. Singh'.

सि. नं.	विवरण	इकाई	दररेट मु. अ. क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ. व. ०७८/०७९	आ. व. ०७९/०८०	आ. व. ०८०/०८१	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	412	412	412	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	509	509	509	
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or equivalent	Sqft	109	109	109	
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent					
	50 mm thick	Sqft	255	255	255	
	75 mm thick	Sqft	337	337	337	
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	274	274	274	
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	278	278	278	
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	243	243	243	
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	310	310	310	
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.5 frame system for design load) confirming to IS 14862 : 2000	Sqft	348	348	348	
47	Aluminium & Steel Door & Window					
47.1	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.					
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88x38x1.20) mm and 5 mm glass.	व. फि	499	509	509	



Handwritten signatures and initials are present at the bottom of the page, including names like 'S. B. B.', 'M. B. B.', and others.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	"	536	547	547	
	Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass.	"	523	533	533	
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	"	561	572	572	
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	"	645	658	658	
	Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass.	"	403	411	411	
	Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass.	"	403	411	411	
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	"	499	509	509	
	Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass.	"	447	456	456	
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	611	623	623	
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	611	623	623	
	Siding windows 2 track in naturally anodized color section of (88×38×1.10)mm 5 mm glass.	"	357	364	364	
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	"	474	483	483	
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	"	474	483	483	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	"	474	483	483	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	449	458	458	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी.समेत सादा	"	492	502	502	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको ।	"	542	553	553	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा)	"	542	553	553	



Handwritten signatures and initials are present at the bottom of the page, including names like 'S. Singh', 'R. Singh', and others, along with some illegible scribbles.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X१०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको ।	"	492	502	502	
	102 series windows					
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	ब.फि	521	531	531	
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	"	595	607	607	
	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	438	447	447	
	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	"	140	143	143	
	90 series windows			0	0	
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6*5' or avg area 30 sqft per window)	"	490	500	500	
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6*5' or avg area 30 sqft per window)	"	517	527	527	
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	412	420	420	
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2*4'6")	"	140	143	143	
	78 series windows					
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6*4'6" or avg area 27 sqft per window)	"	430	439	439	
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6*5' or avg area 30 sqft per window)	"	459	468	468	
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	385	393	393	
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2*4'6")	"	127	130	130	
	Casement window and doors					



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.ब.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	"	504	514	514	
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	547	558	558	
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	696	710	710	
	Partition work					
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	329	336	336	
	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	350	357	357	
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	377	385	385	
	Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	469	478	478	
	Structure glazing					
	Providing and fixing aluminum structure glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	"	525	536	536	
	Providing and fixing aluminum structure glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	"	609	621	621	
	Providing and fixing aluminum structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	740	755	755	
48	Aluminium composite panel					
48.1	Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing ALSTRONG, PRIME BOND,ALUTUF , INDO BOND or equivalent					
	3 mm , .20 mm black core	ब.फि	350	357	357	
	3 mm , .25 mm black core	"	359	366	366	
	3 mm , .30 mm black core	"	372	379	379	
	4 mm , .25 mm black core	"	381	389	389	
	4 mm , .30 mm black core	"	372	379	379	
	4 mm , .50 mm black core	"	394	402	402	
	4 mm , .25 mm Vergin core	"	403	411	411	




Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	4 mm , .30 mm vergin core	"	372	379	379	
	4 mm , .50 mm vergin core	"	403	411	411	
48.2	फाइबरका निर्माण सामग्रीहरुको विवरण					
1	WPC Single Toilet Hollow Door Board					
	(Size up to 14 sq. ft.) (32 mm)	प्रति स्क्वायर फिट	660	660	660	
	Embossing Without Film	प्रति स्क्वायर फिट	765	765	765	
	With Hot-stamping Film	प्रति स्क्वायर फिट	810	810	810	
2	WPC Single Room Hollow Door Board (Size from 15 sq. ft. to 18 sq. ft.) (32 mm)					
	Embossing Without Film	प्रति स्क्वायर फिट	660	660	660	
	With Hot-stamping Film	प्रति स्क्वायर फिट	765	765	765	
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट	810	810	810	
3	WPC Double Hollow Door Board (Small) (Size from 19 sq. ft. to 22 sq. ft.)(32 mm)					
	Embossing Without Film	प्रति स्क्वायर फिट	660	660	660	
	With Hot-stamping Film	प्रति स्क्वायर फिट	765	765	765	
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट	810	810	810	
4	WPC Double Hollow Door Board (Medium) (Size from 23 sq. ft. to 26 sq. ft.) (32 mm)					
	Embossing Without Film	प्रति स्क्वायर फिट	660	660	660	
	With Hot-stamping Film	प्रति स्क्वायर फिट	765	765	765	
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट	810	810	810	
5	WPC Double Hollow Door Board (Big) (Size from 27 sq. ft. to 32 sq. ft.) (32 mm)					
	Embossing Without Film	प्रति स्क्वायर फिट	660	660	660	
	With Hot-stamping Film	प्रति स्क्वायर फिट	765	765	765	
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट	810	810	810	
6	SMC Manhole Covers					
	Frame*Cover : 880mm*700mm-Round-Yellow and Grey (50 Ton Capacity)	प्रति गोटा	32050	32691	32691	
	Frame*Cover : 725mm*600mm-Round-Yellow and Grey (40 Ton Capacity)	प्रति गोटा	23685	24159	24159	
	Frame*Cover : 670mm*570mm-Round-Yellow and Grey (30 Ton Capacity)	प्रति गोटा	14100	14382	14382	
	Frame*Cover : 400mm*300mm-Square-Yellow and Grey (7.5 Ton Capacity)	प्रति गोटा	7280	7426	7426	
	Frame*Cover : 400mm*300mm-Square-Yellow and Grey (5 Ton Capacity)	प्रति गोटा	3520	3590	3590	
	Frame*Cover : 670mm*570mm-Square Jali-Yellow and Grey (5 Ton Capacity)	प्रति गोटा	12270	12515	12515*	
	Frame*Cover : 570mm*475mm-Square-Yellow and Grey (5 Ton Capacity)	प्रति गोटा	7850	8007	8007	
	Frame*Cover : 670mm*625mm-Square-Yellow and Grey (Overlapping 50 Ton Capacity)	प्रति गोटा	20000	20400	20400	
	Frame*Cover : 570mm*525mm-Square-Yellow and Grey (Overlapping 15 Ton Capacity)	प्रति गोटा	12000	12240	12240	



Handwritten signatures and initials are present at the bottom of the page, including a large signature in the center and several smaller ones on the left and right sides.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	Frame*Cover : 725mm*600mm-Round-Yellow and Grey (10 Ton Capacity)	प्रति गोटा	18300	18666	18666	
	Frame*Cover : 570mm*475mm-Square-Yellow and Grey (2 Ton Capacity)	प्रति गोटा	6730	6865	6865	
7	Fiber Door-Single					
	Single (Model : Khapa, Galaxy, Namaste D and Four Square)	प्रति स्क्वायर फिट	1090	1090	1090	
	Single (Model: Kalash, New Flower and Peacock)	प्रति स्क्वायर फिट	1315	1315	1315	
	Double (Model : Glass Art)	प्रति स्क्वायर फिट	1635	1635	1635	
	Double (Model : Old Murti)	प्रति स्क्वायर फिट	1850	1850	1850	
	Double (Model : New Murti)	प्रति स्क्वायर फिट	2050	2050	2050	
8	Fiber Door Frame					
	Thickness : 100 and 110 mm	प्रति रनिङ्ग फिट	435	435	435	
9	Fiber Window or Ventilation Frame					
	Thickness : 110 mm	प्रति रनिङ्ग फिट	455	455	455	
10	Fiber Window Panel					
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	प्रतिगोटा	4740	4740	4740	
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	प्रतिगोटा	4530	4530	4530	
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	प्रतिगोटा	4980	4980	4980	
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	प्रतिगोटा	4740	4740	4740	
11	Fiber Window Net Panel					
	Non-Overlapping (Size: 4.5 sq.ft. to 7.5 sq.ft.)	प्रतिगोटा	4500	4500	4500	
12	Fiber Ventilation Panel					
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Blue, Black, Green	प्रतिगोटा	3540	3540	3540	
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Clear	प्रतिगोटा	3360	3360	3360	
13	Fiber Ventilation Net Panel					
	(Size: 3 Sq.ft. to 4.5 sq.ft.)	प्रतिगोटा	3360	3360	3360	
14	Fiber Plain Sheet					
	(Thickness : 1.2 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट	100	100	100	
	(Thickness : 1.5 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट	120	120	120	
	(Thickness : 1.8 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट	145	145	145	
	(Thickness : 2 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट	155	155	155	
	(Thickness : 2.5 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट	195	195	195	
	(Thickness : 3 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट	240	240	240	
15	Fiber Corrugated Sheet					
	Fiber S span Thickness 2mm, width 42"	प्रति रनिङ्ग फिट	640	640	640	
	Normal Corrugation (Thickness : 0.6 mm)-Clear	प्रति रनिङ्ग फिट	125	125	125	
	Normal Corrugation (Thickness : 0.8 mm)-Clear	प्रति रनिङ्ग फिट	170	170	170	
	Fiber Heritage Sheet Width 34" Thickness 2 mm	प्रति रनिङ्ग फिट	485	485	485	
16	Sandwich PUF Roofing Panel					
	30mm Thickness	प्रति वर्ग फिट	285	285	285	
	40mm Thickness	प्रति वर्ग फिट	310	310	310	
	50mm Thickness	प्रति वर्ग फिट	335	335	335	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the right and several smaller ones on the left.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
17	Sandwich PUF Wall Panel					
	40mm Thickness	प्रति वर्ग फिट	295	295	295	
	50mm Thickness	प्रति वर्ग फिट	320	320	320	
	75mm Thickness	प्रति वर्ग फिट	380	380	380	
	100 mm Thickness	प्रति वर्ग फिट	455	455	455	
	125 mm Thickness	प्रति वर्ग फिट	505	505	505	
	150mm Thickness	प्रति वर्ग फिट	560	560	560	
18	Metal Tile Roofing Sheet					
		प्रति बन्डल	22150	22150	22150	
		प्रति बन्डल	24550	24550	24550	
19	CZU Chanel					
	C Z U (2mm Thickness/ C Z U (1.8mm Thickness(210mm))	प्रति के जी	205	205	205	
		प्रति के जी	210	210	210	
20	Ridge Cap (0.4 Thickness)	प्रति रनिङ्ग फिट	200	200	200	
21	Gutter					
	0.50 mm Thickness (Size- 0.30 mm Thickness (Size- 0.40) mm Thickness (Size- 12")	प्रति रनिङ्ग फिट	95	95	95	
		प्रति रनिङ्ग फिट	165	165	165	
		प्रति रनिङ्ग फिट	115	115	115	
		प्रति रनिङ्ग फिट	165	165	165	
22	Polycarbonate Corrugated Sheet					
	1 mm Thickness	प्रति वर्ग फिट	100	100	100	
	1.25mm Thickness	प्रति वर्ग फिट	120	120	120	
	1.5 mm Thickness	प्रति वर्ग फिट	145	145	145	
	1.75mm Thickness	प्रति वर्ग फिट	165	165	165	
	2 mm Thickness	प्रति वर्ग फिट	190	190	190	
	2.5 mm Thickness	प्रति वर्ग फिट	230	230	230	
23	Polycarbonate Plain Sheet					
	1 mm Thickness	प्रति वर्ग फिट	85	85	85	
	1.5 mm Thickness	प्रति वर्ग फिट	130	130	130	
	2 mm Thickness	प्रति वर्ग फिट	175	175	175	
	2.5 mm Thickness	प्रति वर्ग फिट	215	215	215	
	3 mm Thickness	प्रति वर्ग फिट	260	260	260	
	4 mm Thickness	प्रति वर्ग फिट	350	350	350	
	5 mm Thickness	प्रति वर्ग फिट	435	435	435	
	6 mm Thickness	प्रति वर्ग फिट	525	525	525	
	8 mm Thickness	प्रति वर्ग फिट	700	700	700	
	10 mm Thickness	प्रति वर्ग फिट	880	880	880	
	12 mm Thickness	प्रति वर्ग फिट	1055	1055	1055	
49	Water proofing (chemicals & Treatment)works					
1	CONCRETE ADMIXTURES (Chemical)					
1.1	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by.wt. cement	Kg.	166	166	166	
1.2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formladehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	Kg.	299	299	299	



Handwritten signatures and notes at the bottom of the page, including the name 'S. Prasad' and other illegible signatures.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
1.3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose :0.2 to 1.6 % by wt of cement	Kg.	495	495	495	
1.5	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 -2007, IS 2645 Dose :0.4 to 2% by wt of cement	Kg.	303	303	303	
1.6	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	935	935	935	
1.7	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	935	935	935	
1.8	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose :0.2 to 2 % by wt of cement	Kg.	1375	1375	1375	
1.9	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg.	165	165	165	
1.1	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	Kg.	275	275	275	
1.11	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	Kg.	385	385	385	
1.12	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free]	Kg.	330	330	330	
1.13	Retarding Superplasticizer for Concrete [Napthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	248	248	248	
1.14	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 -1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	495	495	495	
1.15	Resin ,Multi /polycarboxylate ether cholride free less alkali super plasticizer and micro siloica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	650	650	650	
2	CONCRETE ADMIXTURES (Mineral)					



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
2.1	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	315	331	331	
2.2	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	94	98	98	
3	JOINT SEALANTS & SYSTEMS					
3.1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	Kg.	2396	2396	2396	
3.2	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	Kg.	2396	2396	2396	
3.3	One Component Low Viscosity Primer For Polysulfide Sealant	Kg.	3993	3993	3993	
3.4	Two Component Pour Grade Polyurethane Sealant for Joints	Kg.	2662	2662	2662	
3.5	Low Viscosity Primer For Polyurethane Sealant	Kg.	3993	3993	3993	
3.6	High Performance Hybrid Silyl Sealant (290 ml per set)	set	1597	1597	1597	
3.7	Butyl Tape for various Applications	RM	166	166	166	
3.8	Waterproofing Joint Tape [120 mm]	RM	666	666	666	
3.9	Waterproofing Joint Tape [200 mm]	RM	865	865	865	
3.10	NBR based Waterproofing Joint Tape [200 mm]	RM	5324	5324	5324	
3.11	Joint Tape Epoxy Adhesive	Kg.	3993	3993	3993	
3.12	Glass Fiber Joint Tape	RM.	300	300	300	
3.13	Waterproofing / Expansion Joint Tape [100 mm]	RM.	1997	1997	1997	
3.14	Waterproofing / Expansion Joint Tape [200 mm]	RM.	3594	3594	3594	
3.15	Construction Joint Tape [100 mm]	RM.	1065	1065	1065	
3.16	Construction Joint Tape [100 mm]	RM.	865	865	865	
3.17	Cross Linked Premoulded Compressive Joint Filler [25 mm]	Sq. M.	3261	3261	3261	
3.18	Cross Linked Premoulded Compressive Joint Filler [50 mm]	Sq. M.	6455	6455	6455	
3.19	Closed Cell Polymerbased Joint Filler [25 mm]	Sq. M.	1065	1065	1065	
3.2	Closed Cell Polymerbased Joint Filler [50 mm]	Sq. M.	1997	1997	1997	
4	INDUSTRIAL FLOORING SOLUTIONS					
4.1	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	Kg.	146	146	146	
4.2	Liquid Concrete Hardener & Dust Proofer	Kg.	499	499	499	
4.3	Anti Bacterial Floor & Wall Coating [Epoxy]	Kg.	2995	2995	2995	
4.4	Anti Bacterial Floor & Wall Coating [Polyurethane]	Kg.	3328	3328	3328	
4.5	Anti bacterial Floor & Wall Coating [Acrylic]	Kg.	2662	2662	2662	
4.6	Self Levelling Flooring System [Epoxy]	Kg.	1331	1331	1331	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
4.7	Self Levelling Flooring System [Polyurethane]	Kg.	1997	1997	1997	
4.8	Self Levelling Cementitious Flooring System	Kg.	399	399	399	
5	ENGINEERING GROUTS					
5.1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	Kg.	146	146	146	
5.2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	Kg.	135	135	135	
5.3	Hard wearing cementitious tile grout	Kg.	213	213	213	
5.4	Hard wearing epoxy based tile grout	Kg.	1331	1331	1331	
5.5	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg.	666	666	666	
5.6	High Strength Precision Grade, Non Shrink Structural Epoxy AnchorgROUT	Kg.	3328	3328	3328	
5.7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 ML Cartridge]	ML	5990	5990	5990	
5.8	Low Viscosity Injection Epoxy Grout	Kg.	8652	8652	8652	
5.9	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inchec per gallon	Kg.	18634	18634	18634	
5.10	Low Viscosity Acrylate Gel Injection Grout	Kg.	11314	11314	11314	
5.11	Low Viscosity Soil Stabilization Injection Grout	Kg.	18634	18634	18634	
6	BONDING ADHESIVES (Polymer & Epoxy Resin)					
6.1	Acrylic Bonding Agent For Concrete & Mortar	Kg.	865	865	865	
6.2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	Kg.	1131	1131	1131	
6.3	High Performanance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	Kg.	1597	1597	1597	
6.4	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	Kg.	2396	2396	2396	
7	FIBERS (Steel & Polypropylene)					
7.1	FIBERMESH MF [Monofilament PP Fibers]	Kg.	1331	1331	1331	
7.2	FIBERMESH FB [Collated PP Fibers]	Kg.	1730	1730	1730	
7.3	FIBERMESH MACRO [Structural PP Fibers]	Kg.	2662	2662	2662	
7.4	Loose steel Fibers	Kg.	333	333	333	
7.5	Glued Steel Fibers	Kg.	466	466	466	
7.6	Crimped Steel Fibers	Kg.	245	245	245	
8	SURFACE TREATMENT					
8.1	Protective, Decorative Anti Carbonation Coating	Kg.	1597	1597	1597	
8.2	Protective, Decorative Insulating Anti Carbonation Coating	Kg.	1797	1797	1797	
8.3	Concrete Penetrating Corrosion Inhibitor	Kg.	5990	5990	5990	
8.4	Protective Acrylic Sealer	Kg.	1997	1997	1997	
8.5	Protective Polyurethane Sealer	Kg.	2396	2396	2396	
8.6	Water Based Fire Retardant Coating	Kg.	1597	1597	1597	



Handwritten signatures and initials are present at the bottom of the page, including names like 'S. P. Singh' and 'S. P. Singh'.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
8.7	High Performance Water Repellent Paint	Ltr.	11979	11979	11979	
8.8	Concentrated & Emulsified Chemical Mould Release Agent	Ltr.	666	666	666	
8.9	Ready to use Chemical Mould Release Agent	Ltr.	532	532	532	
8.10	Concrete Curing Aid	Kg.	532	532	532	
8.11	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	700	700	700	
	CONCRETE REPAIRS					
9	Rust Remover & Passivator	Ltr.	1331	1331	1331	
9.1	Corrosion Inhibitor	Kg.	1331	1331	1331	
9.2	Micro Concrete [M55] for Permanant Repairs	Kg.	186	186	186	
9.3	Single Component Polymer Modified Cementitious Repair Mortar	Kg.	190	190	190	
9.4	Two Component Polymer Modified Cementitious Repair Mortar	Kg.	333	333	333	
9.5	Cementitious, Waterproof Crack Repair Mortar	Kg.	266	266	266	
9.6	Acrylic Based Crack Filling Putty	Kg.	1597	1597	1597	
9.7	Resin ,Polycoboxylate Base For ultra High Strenth Concrete Repairing Dose : Admixture 10% By Wt of Cement	Kg	700	700	700	
10	PREPACKED MORTARS					
10.1	Tile, Mabrble, Granite etc. Adhesive	Kg.	100	100	100	
10.2	Marble & Granite etc. Adhesive	Kg.	466	466	466	
10.3	Coarse and water resistant Readymix plastring Mortar	Kg.	90	90	90	
10.4	High Performanance Polymer Based Wall Putty (Skim Coat)	Kg.	70	70	70	
10.5	High Performanance Polymer Based Insulting Wall Putty (Skim Coat)	Kg.	90	90	90	
11	WATERPROOFING SYSTEMS, Bal endura or equivalent					
	INTEGRAL					
11.1	Integral Waterproofing Additive for Concrete & Plaster	Kg.	300	300	300	
11.2	Silica Cement Admixture / Microsilica / Silica Fume	Kg.	315	315	315	
	LIQUID APPLIED					
11.3	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	Kg.	932	932	932	
11.4	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 2 coats	Kg.	666	666	666	
11.5	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m2	Kg.	998	998	998	
11.6	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr.	750	750	750	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
11.7	Arcylic elastomeric exterior water, proof coating for exterior wall Dose :35 sqft/litre 2 coat	Ltr.	700	700	700	
11.8	Crystalline Based Waterproofing Systems	Kg.	363	363	363	
11.9	Fast Setting Plugging Compound for stopping running water	Kg.	424	424	424	
11.10	Polyurethane based Waterproofing Coating System	Kg.	1815	1815	1815	
11.11	Polymer Modified Bitumen based Waterproofing Coating System	Kg.	1452	1452	1452	
11.12	Epoxy Resin based Waterproofing Coating System	Kg.	1815	1815	1815	
11.13	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	kg	600	600	600	
PERFORMED						
11.14	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	2178	2178	2178	
11.15	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	Sq. M.	2420	2420	2420	
11.16	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	1210	1210	1210	
11.17	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	Sq. M.	1815	1815	1815	
11.18	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M.	1815	1815	1815	
11.19	1.2 mm High Polymer PVC Membranes	Sq. M.	2420	2420	2420	
11.2	PVC Adhesive	Kg.	3025	3025	3025	
11.21	1.2 mm EPDM Membranes	Sq. M.	2420	2420	2420	
11.22	EPDM Adhesive	Kg.	3025	3025	3025	
11.23	EPDM Primer	Kg.	3630	3630	3630	
11.24	2mm TPO Membranes	Sq. M.	4235	4235	4235	
11.25	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	968	968	968	
11.26	100% Synthetic Rubber Roof Coating	Kg.	5445	5445	5445	
12 SPECIALTY						
12.1	Antistripping Agent for Bitumen	Kg.	484	484	484	
12.2	Anti Termite [Imidacloprid 30.5%]	Kg.	9075	9075	9075	
12.3	Expanding Concrete Joint WATERSTOP	RM.	2420	2420	2420	
12.4	WB ADHESIVE Primer for Expanding Waterstop	2500	9075	9075	9075	
12.5	Swellable WATERSTOP	RM.	3025	3025	3025	
12.6	SEALGUARD PVC WATERSTOP - PVC Waterstops	RM.	3025	3025	3025	
12.7	Nodular Drain with Geotextile Roof Garden	Sq. M.	2420	2420	2420	
12.8	SEALGUARD GEOTEX [P] -Polyester Geotextile	Sq. M.	121	121	121	
12.9	THERMOSEAL XPS - Extruded Polystyrene Boards [25 mm]	Sq. M.	1331	1331	1331	
12.10	THERMOSEAL XPS - Extruded Polystyrene Boards [40 mm]	Sq. M.	2420	2420	2420	
13 STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING						
13.1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	R.M.	9680	9680	9680	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several initials and marks across the bottom.

सि.नं.	विवरण	ईकाई	दररेट मु.व.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			भा.व. ०७८/०७९	भा.व. ०७९/०८०	भा.व. ०८०/०८१	
13.2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	R. M.	12100	12100	12100	
13.3	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	Sq. M.	12100	12100	12100	
13.4	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	Sq. M.	18150	18150	18150	
13.5	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	Sq. M.	24200	24200	24200	
13.6	FRP [Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	Sq. M.	18150	18150	18150	
13.7	EPOXY PRIMER	Kg.	4235	4235	4235	
13.8	SATURANT	Kg.	3630	3630	3630	
13.9	LAMINATE ADHESIVE	Kg.	2420	2420	2420	
13.11	EPOXY TOPCOAT	Kg.	3630	3630	3630	
13.12	POLYURETHANE TOPCOAT	Kg.	4840	4840	4840	
13.13	Fiber anchor system 5to 10 mm	R. M.	2420	2420	2420	
13.14	Carbon Laminate [50 mm Wide 2 mm Thick]	R. M.	9680	9680	9680	
13.15	Carbon Laminate [75 mm Wide 2 mm Thick]	R. M.	12100	12100	12100	
14	Soil Stabiliser / Admixture			0	0	
14.1	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to0.4 % by wt of cement	kg	670	670	670	
15	Concrete curing compound					
15.10	Concrete Curing Aid	Kg.	453	453	453	
15.20	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	721	721	721	
50	परम्परागत निर्माण सामग्रीहरू :-					
	१) दचि अपा ठूलो ८"×२-३/८"×५"	गोटा	21	21	21	
	२) दचि अपा सानो ८३/८"×२-१/८"×४-१/४"	"	16	16	16	
	३) दचिअपा ठूलोको कुँ	"	25	25	25	
	४) दचिअपा सानोको कुँ अपा	"	21	21	21	
	५) माँ अपा ठूलो ८-७/८"×२-१/४"×५-३/४"	"	19	19	19	
	६) माँ अपा ठूलो 241x60x158 mm	"	24	24	24	
	७) मा अपा सानो ८-३/८"×२"×५"	"	15	15	15	
	८) धुरी चाङ्ग ठूलो ९-३/८"×५-१/२"×३/४	"	24	24	24	
	९) धुरी 230x295x25 mm	"	-	-	-	
	१०) धुरी चाङ्ग सानो	"	18	18	18	
	११) फिगटी नयाँ ८-३/४"×४"	गोटा	11	11	11	
	१२) फिगटी पुरानो	गोटा	7	7	7	
	१३) दुकु	गोटा	40	40	40	
	१४) Snake body brick traditional	गोटा	25	25	25	
	१५) Snake neck brick ,,	गोटा	74	74	74	
	१६) Snake head brick ,,	गोटा	145	145	145	
	क)साना	"	113	113	113	
	ख)ठूलो	"	227	227	227	
	१७) पेटीकोलागि दुङ्गा					
	क) १८"×१०"×४"		680	680	680	
	१८) नागोल ईटा	गोटा	19	19	19	




Handwritten signatures and notes at the bottom of the page, including a large signature on the right and smaller ones on the left.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	१९) ९"X ९"X १८ इन्च कुना ढुङ्गा	१ मि.	2266	2266	2266	
	२०) फःल्लोह अपा ठुलो 375x225x100mm	गोटा	170	170	170	
	२१) फःल्लोह अपा सानो 254x229x102mm	"	142	142	142	
	२२) तीनकुनै तेलिया ईटा (९"X९"X२-१/४"	"	14	14	14	
	२३) तीनकुनै तेलिया ईटा (६"X६"X२-१/४"	"	10	10	10	
	२४) चारकुनै तेलिया ईटा (८"X८"	"	19	19	19	
	२५) तेलिया ईटा (६"X६"	"	14	14	14	
	२६) बुट्टेदारी कर्निश इटा (काशीमोहरू)	"	28	28	28	
	२७) बुट्टेदारी कर्निश इटा कुना	"	42	42	42	
	२८) बुट्टेदारी कर्निश इटा ठुलो 222x273x76mm	"	170	170	170	
	२९) भ्याल माथिको कर्निश ईटा बुट्टेदारी	"	34	34	34	
	३०) काठको कर्निश माथिको इटा ११X६X२.५"	"	57	57	57	
	३१) कर्नर स्टोन : १०"X१०"X१४"	"	1586	1586	1586	
	३२) क) विचको न्याहाकल्लै १०"X७"X१४"	"	1076	1076	1076	
	३३) नागोल ढुङ्गा १८"X१०"X५	"	793	793	793	
	३४) भौ प्वा	गोटा	227	227	227	
	३५) तामा पाता. (नेपाली)	केजी	1076	1076	1076	
	तामा पाता (Indian)	केजी	1246	1246	1246	
	३६) पित्तल पाता	केजी	850	850	850	
	३७) पारो	ग्राम	170	170	170	
	३८) सूर्कि इटा कुट्टि धुलो बनाएको ।	टन	1360	1360	1360	
	३९) Wind bell हवा घण्टी ४"	गोटा	467	467	467	
	४०) न्हकल्लो बीचको	१ गोटा	1700	1700	1700	
	४१) पेटीढुङ्गा ४"	१ मि.	2039	2039	2039	
	४२) पेटीढुङ्गा ५"	१ मि.	2493	2493	2493	
	४५) श्री गणेश	गोटा	1133	1133	1133	
	४६) कुमार	गोटा	1133	1133	1133	
	४७) ढुङ्गो धारा	गोटा	1133	1133	1133	
	४८) ल्हाकै सेट	गोटा	2266	2266	2266	
	४९) नागबेली बुटा	गोटा	25	25	25	
	५०) नागबेली बुटा कुना	गोटा	37	37	37	
	५१) स्वा बुटा	गोटा	35	35	35	
	५२) चीर बुटा	गोटा	25	25	25	
	५३) कार्नेसफयो	गोटा	22	22	22	
	५४) कार्नेस गजुर पली	गोटा	34	34	34	
	५५) ठुलो कलशा	गोटा	170	170	170	
	५६) मसीनो सूर्कि	केजि	13	13	13	
	५७) खस्रो सूर्कि	केजि	8	8	8	
	५८) गह्रा चुन	के जि	25	25	25	
59	मा अपा (साइज 200x50x130)	गोटा	15	15	15	
60	दचि अपा (साइज 200x55x100)	"	18	18	18	
61	त्वा अपा (साइज 110x55x180)	"	18	18	18	
62	गोल अपा (साइज 120x55x80)	"	18	18	18	
63	गणेश अपा (साइज 200x250x35)	"	340	340	340	



Handwritten signatures and notes at the bottom of the page, including the name 'गणेश' and other illegible marks.

सि.नं.	विवरण	ईकाई	दररेट मु.ब.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			बा.व. ०७८/०७९	बा.व. ०७९/०८०	आ.व. ०८०/०८१	
64	कुमार अपा (साइज 200x250x35)	"	340	340	340	
65	तारा अपा (साइज 200x250x55)	"	340	340	340	
66	पञ्च बुद्ध अपा (साइज 170x230x55)	"	340	340	340	
67	कलस अपा (साइज 100x140x40)	"	57	57	57	
68	नागोल अपा (साइज 140x52x120)	"	20	20	20	
69	किसिमो अपा (साइज 230x55x100)	"	29	29	29	
70	सकली अपा (साइज 140x55x115)	"	25	25	25	
71	पानबुद्ध अपा (साइज 140x55x115)	"	25	25	25	
72	सानो फ बुद्ध अपा (साइज 180x55x30)	"	29	29	29	
73	ठूलो फ बुद्ध अपा (साइज 230x55x110)	"	29	29	29	
74	नयां फ बुद्ध अपा (साइज 230x55x110)	"	29	29	29	
75	साना ग बुद्ध अपा (साइज 140x50x110)	"	25	25	25	
76	ठूलो ग बुद्ध अपा (साइज 230x55x90)	"	29	29	29	
77	पुम्हा बुद्ध अपा (साइज 180x55x70)	"	29	29	29	
78	तिनकुने स्वाँ अपा (साइज 200x550x30)	"	29	29	29	
79	तिनकुने पलि अपा (साइज 200x550x90)	"	29	29	29	
80	साना स्वाँ अपा (साइज 140x50x110)	"	25	25	25	
81	ठूलो स्वाँ अपा (साइज 2300x55x90)	"	29	29	29	
82	नाग टाउको दांयाबायाँ (साइज 100x150x50)	"	142	142	142	
83	नाग घटी दांयाबायाँ (साइज 140x60x70)	"	74	74	74	
84	नाग जीउ (साइज 140x60x70)	"	25	25	25	
85	नाग कन्या/पुरुष (साइज 180x380x55)	"	567	567	567	
86	खाल नागोल (साइज 130x55x120)	"	20	20	20	
87	खाल फयो (साइज 130x55x135)	"	20	20	20	
88	लहरा बुद्ध (साइज 125x45x140)	"	25	25	25	
89	नग वेली (साइज 140x55x120)	"	25	25	25	
90	मिखाफुसी (साइज 140x55x120)	"	34	34	34	
91	पलियो दायां/बायां (साइज 130x55x120)	"	25	25	25	
92	नयां पलिफो (साइज 185x52x80)	"	29	29	29	
93	सिधा पलिफो (साइज 190x55x90)	"	29	29	29	
94	२" सिंह (साइज 95x5010)	"	34	34	34	
95	२"गरुड (साइज 95x50x100)	"	34	34	34	
96	धलिख्वा (साइज 95x50x100)	"	34	34	34	
97	श्रीयन्त्र (साइज 70x700x80)	"	45	45	45	
98	त्वा फयो (साइज 140x55x120)	"	20	20	20	
99	तारा बुद्ध पुरानो (साइज 180x55x80)	"	25	25	25	
100	तारा बुद्ध नयां (साइज 230x70x90)	"	29	29	29	
101	स्वाँफो तारा (साइज 220x55x90)	"	29	29	29	
102	सिक्री बुद्ध (साइज 220x55x80)	"	29	29	29	
103	न्हाय बुद्ध सानो (साइज 140x65x130)	"	29	29	29	
104	न्हाय बुद्ध ठूलो (साइज 140x100x130)	"	29	29	29	
105	न्गोल नागोल (साइज 2000x55x90)	"	20	20	20	
106	ठी बुद्ध (साइज 210x55x75)	"	29	29	29	
107	सानो/ठूलो (साइज)	"	29	29	29	
51	Security System					
	Steel Security Gate supply					
	Metal detector (black Scorpion Company)	मोट्टा	16995	16995	16995	
	Access Controller (Taiwanese)	मोट्टा	28840	28840	28840	
	Access Controller (Chainese)	मोट्टा	13905	13905	13905	
	Steel Security Door					



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the right and several smaller ones on the left.

सि.नं.	विवरण	इकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			भा.व. ०७८/०७९	भा.व. ०७९/०८०	भा.व. ०८०/०८१	
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	8683	8683	8683	
	Half leaf : - 50 mm, 70 mm, 100mm	Sqm	9930	9930	9930	
	Double leaf : - 50 mm, 70 mm, 100mm	Sqm	10419	10419	10419	
	Security System					
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रविधि)	गोटा	34333	34333	34333	
	ii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	20600	20600	20600	
	iii) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	12875	12875	12875	
	iv) Finger print access system with software	गोटा	36050	36050	36050	
	v) Security from Panic Alarm	गोटा	36050	36050	36050	
	vi) GPS (Global Positioning System) Device with software	गोटा	25749	25749	25749	
	vii) Automatic motor operator for water pump Survo , Manglam or Equivalent (पानी भरिएपछि स्वचालित रुपमा on/off हुने प्रणाली)					
	Up to 1/2 H.P.	गोटा	4326	4326	4326	
	1.0 H.P.	गोटा	5948	5948	5948	
	5 H.P.	गोटा	9734	9734	9734	
52	Bridge Materials					
	Elastomeric Bearing Pad					
	Free Type	NOS	20554	20965	20965	
	Fix end Dowel Type	"	48489	49459	49459	
	Expansion Joint Works					
	Single strip seal	Rm	9328	9515	9515	
	Slab seal(320*50)	"	19277	19663	19663	
	Thimbles					
	iv) Φ 13 mm thimble	Pc	72	73	73	
	v) Φ 26 mm thimble	Pc	361	368	368	
	vi) Φ 32 mm thimble	Pc	618	630	630	
	vii) Φ 36 mm thimble	Pc	1236	1261	1261	
	viii) Φ 40 mm thimble	Pc	1545	1576	1576	
	ix) Φ 13 mm Bulldog grip	Pc	72	73	73	
	x) Φ 26 mm Bulldog grip	Pc	361	368	368	
	xi) Φ 32 mm Bulldog grip	Pc	541	552	552	
	xii) Φ 36 mm Bulldog grip	Pc	670	683	683	
	xiii) Φ 40 mm Bulldog grip	Pc	670	683	683	
	xiv) Steel wire Rope (Right hand ordinary lay,WSC wire strand core,Tensile strength of wire 1570 N/mm ² , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched					
	xv) Wire mesh netting	m ²	412	420	420	
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	6695	6829	6829	
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	258	263	263	
	xviii) Bolts, Nuts & Washers (High friction Grip)	Kg	361	368	368	
	High tensile friction grip nut bolts	Kg	335	342	342	
	Galvanization					
	Zinc Above 98.5% purity	kg	309	315	315	
	Remain of Zinc anodes of 98.5%	kg	595	607	607	




Handwritten signatures and notes at the bottom of the page, including a large signature on the right and some scribbles on the left.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	Hydraucloric acid	Lit	41	42	42	
53	Concrete Post (Size 4"×4")					
	Length 7'	गोटा	874	874	874	
	Length 5'	"	437	437	437	
	Length 3'	"	219	219	219	
54	Sheet piling work : Providing, preparing and installing of piling of ms pipe and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	Sq.m.	2963	3022	3022	
55	Readymade RCC Door & windows frame (4"×2.75" of 1:1:1 concrete mixdesign safety plate all complete work.	Rft	232	232	232	
	" Ventilation	"	232	232	232	
	" Arc frame semi circular	"	464	464	464	

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
1	Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरु)					
	White glazed porcelain pan					
	i)530mm size white glazed without siphon	सेट	2524	2524	2524	
	ii)500 mm size white glazed without siphon	"	2741	2741	2741	
	iii)580 mm size orrisa Pan	"	3371	3371	3371	
	iii)580 mm size white glazed Indian pan	"	1049	1049	1049	
	iv) Siphon 'p' or 's' type	"	590	590	590	
	v) Asian Pan 51x40 Rectangular	"	2524	2524	2524	
	Porcelain Clay Cistern					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	"	3559	3559	3559	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	667	667	667	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	3698	3698	3698	
	Commode					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1587	1587	1587	
	ii) White glazed porcelain clay EWC regular commode with 's' \ p trap	"	1825	1825	1825	



Handwritten signatures and marks are present at the bottom of the page, including a large signature in the center and several smaller ones on the left and right sides.

सि.नं.	विवरण	इकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			बा.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.)		18119	18119	18119	
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)		28875	28875	28875	
	iv) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.)		20389	20389	20389	
	viii)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Bolan, Tita, Akwa or eqv.)		5252	5252	5252	
	ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.		8656	8656	8656	
	x) 600 to 900 mm Grab bar		6062	6062	6062	
	Bidet set					
	i) Porcelain clay white glaze Bidet.	सेट	3692	3692	3692	
	Urinal set					
	i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size (Hindware, Paryware, Somany, cera or eqv.)	सेट	4174	4174	4174	
	ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size .(Hindware, Paryware, Somany, cera or eqv.)		1880	1880	1880	
	iv)White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.)		1619	1619	1619	
	vi) Wall mounted Urinal with sensor complete set.(Duravit, Grohe, American standard and equivalent)		100291	100291	100291	
	Porcelain Clay Urinal Squatting Plate					
	i) white glaze squatting plate Small Size (45×35)cm	सेट	1212	1212	1212	
	ii) Porcelain clay white glaze squatting plate large size		1454	1454	1454	
	iii) Porcelain clay super color squatting plate large size.		2831	2831	2831	
	iv) Urinal Spreader		915	915	915	
	Wash basin					
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1095	1095	1095	
	ii) Porcelain clay white glaze wash basin (50×40) cm		1481	1481	1481	
	iv) Do but wash basin (45×32)cm		1065	1065	1065	



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1201	1201	1201	
	vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	"	8348	8348	8348	
	ix) white glazed porcelain clay 0-counter wash basin, complete. (Duravit, Grohe, American standard or equiv)	"	13776	13776	13776	
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	"	9785	9785	9785	
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	"	6232	6232	6232	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	"	20549	20549	20549	
	Pedestal:					
	i) Porcelain clay white glaze pedestal	"	1378	1378	1378	
	iii)White glazed Porcelain clay half pedestal complete set.	"	1670	1670	1670	
	iv) First color glazed Porcelain clay half pedestal complete set.	"	1973	1973	1973	
	v) Two piece pedestal with Basin" complete set.(Duravit, Grohe, American standard or equivalent)	"	13313	13313	13313	
	Urinal Partition					
	White glaze porcelain clay (68×30)cm division plate	"	1741	1741	1741	
	Lab sink					
	i) Porcelain clay white glaze large size	"	2222	2222	2222	
	ii) Porcelain clay white glaze small size	"	1653	1653	1653	
	iii) Porcelain clay janitor sink 58×71×43.5 size	"	27553	27553	27553	
	Kitchen sink					
	i) Porcelain clay large	सेट	3763	3763	3763	
	ii) Porcelain clay small	"	3409	3409	3409	
	iii) drain board white 53x45	"	1304	1304	1304	
	iii) Soap dish	"	661	661	661	
	iv) White glaze foot rest	"	419	419	419	
	v) White glaze Toilet paper holder	"	1157	1157	1157	
2	PVC Cistern Set					
	i) single flush	सेट	1973	1973	1973	
	ii) Deluxe single flush	"	2204	2204	2204	
	iii) Dual flush 6/3 lit. cistern complete set.	"	2966	2966	2966	
	iv) concealed cistern with plate complete set.(Viega, Geberit, American standard or equivalent)	"	16862	16862	16862	
	v) 32 mm pvc toilet trap set.	सेट	476	476	476	



Handwritten signatures and marks at the bottom of the page, including a large signature on the right and various scribbles and initials across the bottom.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	vi) 1.5x45 cm pvc pipe connector set.	"	143	143	143	
	vi) Bakelite toilet seat cover set.	"	276	276	276	
3	Stainless Steel Accessories etc.					
	Stainless steel Deep sink 45x45x30 size	"	18185	18185	18185	
	Stainless steel Orissa pan LP 210 size	"	8486	8486	8486	
	Stainless steel wash basin model 251 12" round size with pedestal	"	13262	13262	13262	
	Stainless steel wash basin 500 mm model 277 with complete set	"	10276	10276	10276	
	Stainless steel commode S trap with self closing complete set	"	17554	17554	17554	
	Wall mixer (single lever) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	14634	14634	14634	
	Bath tub (single lever)with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	18432	18432	18432	
	External Shower Wall mixer (single control) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	25764	25764	25764	
	Wall mixer (single control) bath faucet with hand shower(conceal system)(Grohe, Hansgrohe, American standard or equivalent)	"	15952	15952	15952	
	Wall mixer (single control) shower faucet (conceal system)(Jaquare, Somany, Essel or equivalent)	"	4182	4182	4182	
	conceal mixer faucet(Jaquare, Somany, Essel or equivalent)	"	6455	6455	6455	
	Stainless steel Angle valve(Grohe, Hansgrohe, American standard or equivalent)	"	827	827	827	
	Stainless steel two way Angle valve(Jaquare, Somany, Essel or equivalent)	"	1157	1157	1157	
	Stainless steel bowl 19"x16" diamond board 37" long	"	2673	2673	2673	
	Stainless steel bowl with diamond board 37" long	"	3660	3660	3660	
	Stainless steel bowl with ordinary board 37" long	"	2314	2314	2314	
	Stainless steel double bowl with double drain board 36" * 18 "size	"	13917	13917	13917	
	Stainless steel double bowl with single drain board ordinary	"	5786	5786	5786	
	Stainless steel p trap bottle trap for basin	"	2324	2324	2324	
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8408	8408	8408	
	Stainless steel Kitchen sink faucet(Jaquar, Somany, Essel or equivalent)	"	5565	5565	5565	



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8408	8408	8408	
	Stainless steel 1500mm flexible hose pipe(connection pipe)	"	1462	1462	1462	
	Stainless steel Hose ringer 1200 mm	"	1274	1274	1274	
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	"	1798	1798	1798	
	Stainless steel basin mixer(single control)(Grohe, hansgrohe, American standard or equivalent)	"	6943	6943	6943	
	Stainless steel single faucet for basin(Jaquar, Somany, Essel or equivalent)	"	4425	4425	4425	
	Stainless steel Sink 700*450*200	"	24246	24246	24246	
	Stainless steel Sink table top1200*600*300	"	33504	33504	33504	
	Steel Split clamp with washer all complete					
	75 mm dia	पिस	331	331	331	
	110 mm dia	"	441	441	441	
	160 mm dia	"	771	771	771	
	Stainless steel telephonic shower(Jaquare, Somany, Essel or equivalent)	गोटा	1240	1240	1240	
	Stainless steel shower with sliding bar(Jaquare, Somany, Essel or equivalent)	"	2976	2976	2976	
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	"	9785	9785	9785	
	Stainless steel bottle trap (Viega, Somany, Jaquar or equivalent)	"	647	647	647	
	Stainless steel towel bar 450 mm	"	1240	1240	1240	
	Stainless steel water tank fitting with all complete set (304 grade steel)					
	Capacity 500 ltr	set	12124	12124	12124	
	Capacity 1000 ltr	"	17699	17699	17699	
	Capacity 1500 ltr	"	27212	27212	27212	
	Capacity 2000 ltr	"	32743	32743	32743	
	Sinks Other Types:					
	Super lab sink					
	i) super lab sink large size	"	4313	4313	4313	
	ii) super lab sink small size	"	3401	3401	3401	
	Super kitchen sink					
	i) super kitchen sink large size	"	7465	7465	7465	
	ii) super kitchen sink small size	"	6756	6756	6756	
	Modern Sanitaryware: Grohe, Hansgrohe, American Standard or eqv.					
	iv) Hand dryer Germany	"	19397	19397	19397	
	v) Hand Drier Chinese	"	7164	7164	7164	



सि.नं.	विवरण	ईकाई	दररेट मु.ब.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	vi) Indian Mark Brand Flush valve	"	5731	5731	5731	
	xii)Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	"	35267	35267	35267	
	xv) European pattern liquid soap container stainless steel	"	6062	6062	6062	
	xvii)Looking Mirror Modi guard 450x600mm (18"x 24")	"	1459	1459	1459	
	European Pattern C.P. Grab Bar for disable					
	a) 30cm long bend type	"	4786	4786	4786	
	b) 45 cm long bend type	"	5012	5012	5012	
	c) 60 cm long bend type	"	6418	6418	6418	
5	C.P. Accessories(jaquar, somany, essel or equivalent)					
	1) Toilet paper holder	"	510	510	510	
	2) Soap dish	"	510	510	510	
	3) Towel rod ½"×18" size	"	510	510	510	
	4) Towel rod ¾" ×24" size	"	567	567	567	
	5) Glass shelf	"	680	680	680	
	6) C.P. bottle trap	"	1246	1246	1246	
	7) 32 mm×60cm long C.P flush pipe	"	510	510	510	
	8) 15 mm flush cock push type	"	1133	1133	1133	
	9) 15 mm dia. C.P. shower arm	"	976	976	976	
	10) 15 mm dia. C.P. spreader	"	940	940	940	
	11) 15 mm dia. C.P. wall mixture	"	5435	5435	5435	
	i) 3" dia. Shower rose , revolving type	"	906	906	906	
	ii) 4" dia. Shower rose , revolving type	"	1020	1020	1020	
	iii) Shower rose ordinary	"	567	567	567	
	iv) Shower rod 12" long	"	283	283	283	
	C.P. 15 mm dia. Angle Valve	"	1244	1244	1244	
	C.P. 15 mm dia Concealed Stop Cock	"	1807	1807	1807	
	C.P 15mm Bib Cock	"	1361	1361	1361	
	C.P. 15 mm dia swan neck Pillar Cock	"	1331	1331	1331	
	C.P. 15 mm dia Stop Cock	"	1331	1331	1331	
	C.P. 15 mm dia Sink Cock	"	1309	1309	1309	
	C.P. 15 mm dia Sink Mixture	"	4472	4472	4472	
	C.P. 32 mm dia Flush Valve	"	5404	5404	5404	
	C.P. 32 mm dia Waste Coupling for basin	"	424	424	424	
	C.P. 32 mm dia Waste Coupling for Urinal	-	689	689	689	
	C.P. Basin Mixture	सेट	4640	4640	4640	
	15 mm dia Bath Tub Spout with Wall Hinge	-	1731	1731	1731	
	C.P. Exclusive Shower Arm with Hinge	-	2014	2014	2014	



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	15 mm bath tub spout with bottom attachment of telephonic shower.	"	4169	4169	4169	
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	"	6849	6849	6849	
	C.P. flexible pipe	गोटा	181	181	181	
	C.P. Grating					
	i) 4" dia.	"	50	50	50	
	ii) 5" dia.	"	62	62	62	
	i) C.P. Toilet Paper Holder	"	929	929	929	
	ii) C.P. Soap Dish(Polyurethane)	"	1042	1042	1042	
	iii) C.P. Towel Rod 18"	"	1578	1578	1578	
	iv) C.P. Towel Rod 24"	"	1663	1663	1663	
	v) C.P. Glass Shelf 22"	"	2260	2260	2260	
	vi) C.P. Coat Hook Double	"	812	812	812	
	C.P. बाट निर्मित सामग्रीहरु(jaquar, somany, essel or equivalent)	"				
	i) C.P. Toilet Paper Holder	"	969	969	969	
	ii) C.P. Soap Dish(Polyurethane)	"	843	843	843	
	iv) C.P. Towel Rod 24"	"	1643	1643	1643	
	v) C.P. Glass Shelf 22"	"	2232	2232	2232	
	vi) C.P. Coat Hook Double	"	758	758	758	
	ix) C.P. Angle Cock					
	15mm C.P. Angle Cock	"	927	927	927	
	15 mm C.P. Angle Cock Long Thread	"	986	986	986	
	x) C.P. Conceal Stop Cock					
	i) 15 mm Reduced body	"	1136	1136	1136	
	ii) 15 mm Extra Heavy Body	"	1390	1390	1390	
	xi) C.P. Bib Cock					
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	"	2612	2612	2612	
	ii) 15mm C.P. Bib Cock	"	952	952	952	
	iii) 15mm C.P. Bib Cock with nozzle	"	1054	1054	1054	
	xii) C.P. Pillar Cock					
	i) 15 mm C.P. Pillar Cock With Aerator	"	1263	1263	1263	
	ii) 15mm Auto Closing Pillar Cock With Aerator	"	2527	2527	2527	
	i) 15mm C.P. Sink Cock	"	1600	1600	1600	
	ii) C.P. Sink Mixer	"	3966	3966	3966	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	"	3456	3456	3456	
	xv) C.P. Bottle Trap 32mm	"	1852	1852	1852	
	32 mm C.P. Conceal Flush Valve Dual Flow	"	3874	3874	3874	
	xvii) C.P. Waste Coupling					
	32 mm C.P. Waste Coupling H/T	"	446	446	446	
	32 mm C.P. Waste Coupling F/T	"	446	446	446	
	xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock	"	2694	2694	2694	
	xix) 15 mm C.P. Wall Mixer	"				




Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	15 mm C.P. Wall Mixer With Lower Bend Pipe	"	4463	4463	4463	
	15 mm C.P. Wall Mixer With Upper Bead Pipe	"	4463	4463	4463	
	xx) C.P. Basin Mixer	"				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"	3706	3706	3706	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"	3891	3891	3891	
	xxi) 15mm Bath Tub Spout with wall flange	"				
	15mm Bath Tub Spout with wall Flange	"	1263	1263	1263	
	15mm Bath Tub Spout with button attachment	"	2021	2021	2021	
	xxii) C.P. Casted Shower Arm with Flange	"				
	15 mm Casted Shower Arm Light	"	673	673	673	
	15 mm Casted Shower Arm Heavy	"	1094	1094	1094	
	xxiii) 15 mm Telephonic Hand Shower					
	With 1.50 m. PVC Tube	"	1791	1791	1791	
	With 1.5 Flexible Tube	"				
	xxiv) Auto closing urinal flush valve					
	15mm presmatic auto closing urinal flush valve	गोटा	3224	3224	3224	
	xxiv) Other accessories					
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	गोटा	4834	4834	4834	
	15 mm Braided Hose for E.W.C.	"	298	298	298	
	15 mm Health Faucet (Commode Spray)	"	1146	1146	1146	
	15 mm pillar cock with 200 mm extended lever handle	"	1515	1515	1515	
	15 mm Bib cock with 200 mm extended lever handle	"	1598	1598	1598	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	"	5956	5956	5956	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	"	5776	5776	5776	
	Sensor mixer for wash basin (Battery operated)	"	20481	20481	20481	
	Wall mounted Sensor mixer for operation theater (Battery operated)	"	20481	20481	20481	
	Sensor conceal type flushing valve for Western commode (battery operated)	"	16221	16221	16221	
	Sensor valve for Urinal	"	10651	10651	10651	
	Basin cock Sensor	"	14418	14418	14418	
	15mm U shaped sink cock	"	1712	1712	1712	
	Sink Mixture with U shape swinging	"	3358	3358	3358	




Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.ब.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	15mm metallic Health Faucet (Commode Spray)	"	2171	2171	2171	
7	Electric & Solar Geyser					
	i) 10 lit. cap. electric water heater	गोटा	11241	11241	11241	
	ii) 25 lit cap. " " "	"	17331	17331	17331	
	iii) 35 lit cap " " "	"	21546	21546	21546	
	iv) 50 lit cap " " "	"				
	v)15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	12124	12124	12124	
8	C.I. Manhole Cover including frame.					
8.1	Square Frame (in outer dia)					
	Medium Duty					
	i) 10" × 10" (4 Kg.)	सेट	669	669	669	
	ii) 12" × 12" (5 Kg.)	"	836	836	836	
	iii) 14" × 14" (7 Kg.)	"	1171	1171	1171	
	v) 16" × 16" (10 Kg.)	"	1673	1673	1673	
	vi) 18" × 18" (14 Kg.)	"	2509	2509	2509	
	viii) 20" × 20" (16 Kg.)	"	2677	2677	2677	
	ix) 22" × 22" (20 Kg.)	"	3346	3346	3346	
	x) 24" × 24" (24 Kg.)	"	4294	4294	4294	
	xi) 27" × 27" (31 Kg.)	"	5186	5186	5186	
	Heavy Duty			0	0	
	iii) 14" × 14" (14 Kg.)	"	2342	2342	2342	
	ix) 22" × 22" (22 Kg.)	"	3681	3681	3681	
	xi) 27" × 27" (45 Kg.)	"	7528	7528	7528	
8.2	Rounded Manhole Cover (Outer dia.)			0	0	
	Medium class			0	0	
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	9092	9092	9092	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"	12123	12123	12123	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"	15154	15154	15154	
	iv) 22" dia. Medium class. (125 Kg.)	"	19397	19397	19397	
	v) 22" dia. Heavy class. (208Kg.)	"	28974	28974	28974	
	vi) 24" dia. Medium class. (40 Kg.)	"	6207	6207	6207	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"	7759	7759	7759	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	"	11153	11153	11153	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	"	13578	13578	13578	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17942	17942	17942	
	xi) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17942	17942	17942	
8.3	C.I. Tank Cover Locking Types					
	Round					
	18" (8 Kg.)	सेट	1673	1673	1673	
	20" (12 Kg.)	"	2454	2454	2454	
	22" (14 Kg.)	"	2788	2788	2788	
	24" (16 Kg.)	"	3346	3346	3346	



Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	28" (24 Kg.)	"	5019	5019	5019	
	Square					
	18" x 18" (13 Kg.)	सेट	2788	2788	2788	
	24" x 24" (50 Kg.)	"	10038	10038	10038	
	Rectangular					
	18" x 24" (27 Kg.)	सेट	5577	5577	5577	
8.4	C.I. Gully Gratings & Jali					
	Round Jali Strip Medium Duty					
	4"	सेट	100	100	100	
	5"	"	134	134	134	
	6"	"	178	178	178	
	10"	"	613	613	613	
	Square Jali Strip Medium Duty					
	4" x 4"	सेट	89	89	89	
	5" x 5"	"	112	112	112	
	6" x 6"	"	134	134	134	
	9" x 9"	"	390	390	390	
	10" x 10"	"	502	502	502	
	12" x 12"	"	725	725	725	
	C.I. Gully Gratings					
	i) 15" x 18" Medium (18 Kg.)	सेट	3681	3681	3681	
	ii) 15" x 18" Heavy (25 Kg.)	सेट	5019	5019	5019	
	Grit Cover					
	फलामे एङ्गलको फ्रेममा फलामे पतिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जहान गर्ने काम (विभिन्न साइजमा)	के.जी.	162	162	162	
	Aluminum Grating 4" dia.	गोटा	42	42	42	
9	G.I. Water Tank (17 Gauge)					
	i) 100 gls	गोटा	8317	8317	8317	
	ii) 200 gls	"	13066	13066	13066	
	iii) 300 gls	"	16434	16434	16434	
	iv) 400 gls	"	19730	19730	19730	
	v) 500 gls	"	23036	23036	23036	
	G.I. Water Tank (16 BWG TATA Sheet)					
	i) 100 gls	गोटा	8773	8773	8773	
	ii) 200 gls	"	13267	13267	13267	
	iii) 300 gls	"	17615	17615	17615	
	iv) 400 gls	"	21106	21106	21106	
	v) 500 gls	"	24597	24597	24597	
10	Roof Top PVC Water Tank					
	i) 200 lit – 5000 lit cap.	ली.	11	11	11	
	ii) 5000 lit – 10,000 lit cap	"	12	12	12	
	iii) Horizontal PVC water tank	"	12	12	12	
11	Water Pumps/Hand Pumps					
	Indian mark-III, Deep Well Hand Pump					
	6 No. hand pump	गोटा	1582	1582	1582	
	Water Pump :					
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	10885	10885	10885	
	ii) ½ H.P. water pump mono block	"	6258	6258	6258	
	iii) 1.0 H.P. water pump Multistage	"	14258	14258	14258	
	iv) 1.0 H.P. water pump (mono block type)	"	9465	9465	9465	



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	v) 2.0 H.P. water pump	"	22587	22587	22587	
	vi) 2.0 H.P.3 phase water pump	"	23847	23847	23847	
	vii) 5.0 HP 3 phase water pump	"	28656	28656	28656	
	Jet Water Pump					
	i) 1.10 H.P.	सेट	21630	21630	21630	
	ii) Double Stage jet 1.10 H.P.		25956	25956	25956	
	ii) 1.5 H.P.	"	29201	29201	29201	
	Super Sunction					
	i) ½ H.P.	सेट	8922	8922	8922	
	ii) 0.75 H.P.	"	8328	8328	8328	
	iii) 1.0 H.P.	"	14276	14276	14276	
	water Pump (Grundross, pentan,					
	i) 1.0 H.P. single pump set with	सेट	18202	18202	18202	
	ii) 2 H.P. single pump set "	"	29233	29233	29233	
	Fire pump					
	Submersible Pump (Italian)					
	i) 1.0 H.P.	"	26089	26089	26089	
	ii) 2.0 H.P.	"	48397	48397	48397	
	Electric Water Pump (Chinese)					
	i) ½ H.P.	"	1703	1703	1703	
	ii) ¾ H.P.	"	2219	2219	2219	
	iii) 1.0 H.P.	"	3270	3270	3270	
	Submersible Pump Sarvo/Bimal or equivalent					
	i) ½ H.P open well type	"	16655	16655	16655	
	ii) 1.1 H.P open well type	"	24388	24388	24388	
	iii) 1.5 H.P open well type	"	29741	29741	29741	
	Vertical Submersible Pump Sarvo/Bimal or equivalent					
	i) 1.1 H.P	"	27254	27254	27254	
	iii) 1.5 H.P	"	32932	32932	32932	
12	Fire fighting equipment and accessories (safeguard india or equiv)					
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30m winding up to 170° U-shape hose reel carrier with drum set	सेट	-	-	-	
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel, minimax	"	-	-	-	
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pope with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve =8500	"	-	-	-	
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	"	-	-	-	
13	Fire extinguisher ABC stored Pressure बापतकलिन बागनागी हुंदा प्रयोग गरिने उपकरण (safeguard india or equivalent)					



Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.ब.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			बा.व. ०७८/०७९	बा.व. ०७९/०८०	बा.व. ०८०/०८१	
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा	-	-	-	
	ii) 2 kg size ABC	गोटा	-	-	-	
	iii) 3.0kg size ABC	"	-	-	-	
	iii) 5.0kg size ABC	"	-	-	-	
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	युनिट	-	-	-	
	v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill	"	-	-	-	
	vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill	"	-	-	-	
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	"	-	-	-	
	viii) 2.5 kg size ABC	"	-	-	-	
	ix) Co ₂ Type fire extinguisher 6.80 lit	"	-	-	-	
	x) Foam type fire extinguisher 9 lit capacity	गोटा	-	-	-	
14	Insulation for hot water pipe 'Acroflex'			0	0	
	15mm Insulation 6 mm wall thickness	र.मी	-	-	-	
	20mm Insulation 6 mm wall thickness	"	-	-	-	
	25mm Insulation 6 mm wall thickness	"	-	-	-	
	32mm Insulation 6 mm wall thickness	"	-	-	-	
15	ACRYLIC GLASS SHELF			0	0	
	i) Acrylic glass shelf best quality	सेट	-	-	-	
	ii) Acrylic glass shelf ordinary	"	-	-	-	
	iii) Shower curtain	"	-	-	-	
16	Water Purification System			-	-	
	Euro Guard Water purification system (one litre per minute)	युनिट	-	-	-	
	Euro-guard water purification system (hi-flow 3 lit/min)	"	-	-	-	
	AQUA-ALO water purifier (1.0 lit/min)	"	-	-	-	
	AQUA-power water purifier	"	-	-	-	
	RO feed pump	सेट	-	-	-	
	Fire Sprinkler	"	-	-	-	
	Supply, installation, testing and commisioning of Aeration system (FRP Tray type)	"	-	-	-	
	Supply, installation, testing and commisioning of Dual Media Filter (DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" Ø)	"	-	-	-	
	Supply, installation, testing and commisioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	"	-	-	-	
	Filter Media for existing filtration system			-	-	
	Pebbles	के.मी.	-	-	-	
	Coarse silex	-	-	-	-	
	Gravel	-	-	-	-	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	Golden sand	..	-	-	-	
	Anthracite	..	-	-	-	
	MNo2	..	-	-	-	
	Activated Carbon	..	-	-	-	
	Motor starter switch	..	-	-	-	
	Pressure sensor switch for water tank(Italian)	..	-	-	-	
17	विभिन्न साइजको Bath tub .fiber (Duravit, grohe, American standard or equiv)					
	a) Bath tub – 3'6" Medium	सेट	-	-	-	
	Bath tub – 3'6" Heavy	..	-	-	-	
	b) Bath tub – 4'0" Medium	..	6705	6705	6705	
	Bath tub 4'0" Heavy	..	7787	7787	7787	
	c) Bath Tub – 4'6" Medium	..	8111	8111	8111	
	Bath tub – 4'6" Heavy	..	8137	8137	8137	
	d) Bath tub – 5'0" Medium	..	8868	8868	8868	
	Bath tub 5'0" Heavy	..	29355	29355	29355	
	e) Bath Tub – 5'6" Medium	..	7957	7957	7957	
	Bath tub – 5'6" Heavy	..	9373	9373	9373	
	f) Bath Tub – 6'0" Medium	..	12875	12875	12875	
	Bath tub – 6'0" Heavy	..	36823	36823	36823	
18	Shower Tray 3'0"×3'0"	गोटा	500	500	500	
	Pipes and fittings					
19	PPR Pipe (Poly propylene random co- polymer pipe Panchakanya , Nepatop or Eqv.)					
	1) PP-R Pipe (PN-10)					
	20mm outer, 1.9 mm thick, 0.107 kg/m	र.मि	63	63	63	
	25mm 2.3 mm thick 0.164kg/m	..	95	95	95	
	32mm 2.9 mm thick 0.26kg/m	..	152	152	152	
	40mm 3.7 mm thick 0.412kg/m	..	239	239	239	
	50mm 4.6 mm thick 0.638kg/m	..	372	372	372	
	63 mm 8.6 mm thick 0.638kg/m	..	588	588	588	
	75 mm	..	820	820	820	
	90 mm	..	1181	1181	1181	
	110 mm	..	1751	1751	1751	
	2) PP-R Pipe (PN-16)					
	20mm 2.80 mm thick 0.148kg/m	..	84	84	84	
	25mm 3.50 mm thick 0.26kg/m	..	131	131	131	
	32mm 3.7 mm thick 0.230kg/m	..	209	209	209	
	40mm 5.50 mm thick 0.575kg/m	..	335	335	335	
	50mm 6.90 mm thick 0.896kg/m	..	521	521	521	
	63 mm 4.6 mm thick 0.638kg/m	..	820	820	820	
	75 mm	..	1169	1169	1169	
	90 mm	..	1670	1670	1670	
	110 mm	..	2501	2501	2501	
	3) PP-R Pipe (PN-20)					
	20mm 3.4 mm thick 0.172 kg/m	..	100	100	100	
	25mm 4.20 mm thick 0.266kg/m	..	155	155	155	
	32mm 5.40 mm thick 0.434kg/m	..	252	252	252	
	40mm 6.70mm thick 0.671kg/m	..	390	390	390	
	50mm 8.30 mm thick 1.04kg/m	..	605	605	605	
	63mm 8.6mm thick 1.04kg/m	..	960	960	960	
	75 mm	..	1361	1361	1361	

Handwritten signatures and stamps are present at the bottom of the page, including a circular official stamp on the right side.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	90 mm	"	1955	1955	1955	
	110 mm	"	2915	2915	2915	
	PP-R Pipe Accessories :					
	Elbow (90⁰)					
	20mm	गोटा	13	13	13	
	25mm	"	27	27	27	
	32mm	गोटा	45	45	45	
	40mm	"	95	95	95	
	50mm	"	159	159	159	
	63 mm	"	280	280	280	
	75 mm	"	526	526	526	
	90 mm	"	888	888	888	
	110 mm	"	1653	1653	1653	
	Equal Tee					
	20mm	"	18	18	18	
	25mm	"	32	32	32	
	32mm	"	56	56	56	
	40mm	"	109	109	109	
	50mm	"	185	185	185	
	63mm	"	337	337	337	
	75 mm	"	584	584	584	
	90 mm	"	1069	1069	1069	
	110 mm	"	1858	1858	1858	
	Coupler					
	20mm	गोटा	11	11	11	
	25mm	"	13	13	13	
	32mm	"	27	27	27	
	40mm	"	52	52	52	
	50mm	"	86	86	86	
	63 mm	"	151	151	151	
	75 mm	"	292	292	292	
	90 mm	"	432	432	432	
	110 mm	"	788	788	788	
	45 Degree Elbow					
	20 mm	"	18	18	18	
	25 mm	"	30	30	30	
	32 mm	"	46	46	46	
	40 mm	"	86	86	86	
	50 mm	"	144	144	144	
	63 mm	"	238	238	238	
	75 mm	"	467	467	467	
	90 mm	"	788	788	788	
	110 mm	"	1378	1378	1378	
	Union (Plastic)					
	20mm	गोटा	70	70	70	
	25mm	"	119	119	119	
	32mm	"	192	192	192	
	40mm	"	290	290	290	
	50mm	"	456	456	456	
	63mm	"	544	544	544	
	Reducing Coupler					
	25mm*20mm	"	14	14	14	
	32mm*20mm	"	19	19	19	
	32mm*25mm	"	21	21	21	
	40mm*20mm	"	31	31	31	
	40mm*25mm	"	37	37	37	
	40mm*32mm	"	44	44	44	



Handwritten signatures and notes at the bottom of the page, including the name 'गुणिलाल' and other illegible text.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	50mm*20mm	"	58	58	58	
	50mm*25mm	"	64	64	64	
	50mm*32mm	"	69	69	69	
	50mm*40mm	"	76	76	76	
	63mm*32mm	"	117	117	117	
	63mm*40mm	"	122	122	122	
	63mm*50mm	"	131	131	131	
	75mm*40mm	"	195	195	195	
	75mm*50mm	"	239	239	239	
	75mm*63mm	"	241	241	241	
	90mm*50mm	"	483	483	483	
	90mm*63mm	"	521	521	521	
	90mm*75mm	"	614	614	614	
	110mm*75mm	"	818	818	818	
	110mm*90mm	"	949	949	949	
	Reducing Tee					
	25*20*25 mm	"	26	26	26	
	32*20*32 mm	"	42	42	42	
	32*25*32 mm	"	45	45	45	
	40*20*40 mm	"	66	66	66	
	40*25*40 mm	"	69	69	69	
	40*32*40 mm	"	76	76	76	
	50*20*50 mm	"	88	88	88	
	50*25*50 mm	"	93	93	93	
	50*32*50 mm	"	151	151	151	
	50*40*50 mm	"	161	161	161	
	63*32*63 mm	"	199	199	199	
	63*40*63 mm	"	193	193	193	
	63*50*63 mm	"	214	214	214	
	75*50*75 mm	"	439	439	439	
	75*63*75 mm	"	458	458	458	
	90*63*90 mm	"	926	926	926	
	90*75*90 mm	"	993	993	993	
	110*75*110 mm	"	1622	1622	1622	
	110*90*110 mm	"	1700	1700	1700	
	Reducing Elbow					
	25mm*20mm	"	22	22	22	
	32mm*20mm	"	32	32	32	
	32mm*25mm	"	41	41	41	
	High Footed Pipe Clip					
	20mm	गोटा	14	14	14	
	25mm	"	17	17	17	
	32mm	"	22	22	22	
	40mm	"	25	25	25	
	50mm	"	34	34	34	
	63 mm	"	39	39	39	
	Low Footed Pipe Clip					
	20mm	"	7	7	7	
	25mm	"	8	8	8	
	32mm	"	14	14	14	
	40mm	"	19	19	19	
	50mm	"	30	30	30	
	63 mm	"	38	38	38	
	"Y" type Pipe Clip					
	20mm	"	25	25	25	
	25mm	"	25	25	25	
	32mm	"	34	34	34	
	40 mm	"	48	48	48	



Handwritten signatures and notes at the bottom of the page, including the name 'गोटा' and other illegible text.

सि.नं.	विवरण	डाँकाई	दररेट मु.ब.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	End Plug (short)					
	20mm	"	14	14	14	
	25mm	"	22	22	22	
	32mm	"	34	34	34	
	End Plug with Ring					
	20mm	"	25	25	25	
	End Plug (long)					
	20mm	"	10	10	10	
	End Cap					
	20mm	"	14	14	14	
	25mm	"	22	22	22	
	32mm	"	34	34	34	
	40mm	"	53	53	53	
	50mm	"	88	88	88	
	63 mm	"	164	164	164	
	75 mm	"	246	246	246	
	Cross Tee					
	20mm	"	25	25	25	
	25mm	"	36	36	36	
	32mm	"	64	64	64	
	Short Passover					
	20mm	"	70	70	70	
	25mm	"	99	99	99	
	32mm	"	143	143	143	
	Long Bypass					
	20mm	"	93	93	93	
	25mm	"	135	135	135	
	32mm	"	191	191	191	
	Male Tee					
	20mmx1/2"	"	145	145	145	
	25mmx1/2"	"	142	142	142	
	25mmx3/4"	"	176	176	176	
	32mmx1/2"	"	219	219	219	
	32mmx3/4"	"	224	224	224	
	32mmx1"	"	401	401	401	
	Female Tee					
	20mmx1/2"	"	108	108	108	
	25mmx1/2"	"	122	122	122	
	25mmx3/4"	"	160	160	160	
	32mmx1/2"	"	181	181	181	
	32mmx3/4"	"	200	200	200	
	32mmx1"	"	323	323	323	
	Male elbow					
	20mmx1/2"	"	139	139	139	
	25mmx1/2"	"	143	143	143	
	25mmx3/4"	"	174	174	174	
	32mmx1/2"	"	188	188	188	
	32mmx3/4"	"	205	205	205	
	32mmx1"	"	396	396	396	
	Female elbow					
	20mmx1/2"	"	105	105	105	
	25mmx1/2"	"	148	148	148	
	25mmx3/4"	"	136	136	136	
	32mmx1/2"	"	200	200	200	
	32mmx3/4"	"	229	229	229	
	32mmx1"	"	281	281	281	
	Male Coupling					



Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	इकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	20mmx1/2"	"	136	136	136	
	20mmx3/4"	"	163	163	163	
	25mmx1/2"	"	130	130	130	
	25mmx3/4"	"	164	164	164	
	32mmx1/2"	"	182	182	182	
	32mmx3/4"	"	23	23	23	
	32mmx1"	"	385	385	385	
	40mmx1-1/4"	"	548	548	548	
	50mmx1-1/2"	"	828	828	828	
	63mmx2"	"	1201	1201	1201	
	75mmx2-1/2"	"	329	329	329	
	Female Coupling					
	20mmx1/2"	"	102	102	102	
	20mmx3/4"	"	125	125	125	
	25mmx1/2"	"	114	114	114	
	25mmx3/4"	"	128	128	128	
	32mmx1/2"	"	123	123	123	
	32mmx3/4"	"	131	131	131	
	32mmx1"	"	300	300	300	
	40mmx1-1/4"	"	482	482	482	
	50mmx1-1/2"	"	626	626	626	
	63mmx2"	"	922	922	922	
	75mmx2-1/2"	"	1822	1822	1822	
	Male Union					
	20mmx1/2"	"	245	245	245	
	25mmx3/4"	"	352	352	352	
	32mmx1"	"	506	506	506	
	40mmx1 ^{1/4} "	"	977	977	977	
	50mmx1/2"	"	1342	1342	1342	
	63mmx2"	"	3117	3117	3117	
	Female Union					
	20mmx1/2"	"	238	238	238	
	25mmx3/4"	"	346	346	346	
	32mmx1"	"	487	487	487	
	40mmx1 ^{1/4} "	"	746	746	746	
	50mmx1/2"	"	1253	1253	1253	
	63mmx2"	"	2372	2372	2372	
	Stop Valve					
	a) 20 mm	"	288	288	288	
	b) 25 mm	"	381	381	381	
	c) 32 mm	"	462	462	462	
	d) 40mm	"	610	610	610	
	e)50 mm	"	1013	1013	1013	
	f) 63 mm	"	1461	1461	1461	
	Male base elbow					
	20mm x 1/2"	"	139	139	139	
	25mm x 3/4"	"	180	180	180	
	Female base elbow					
	20mm x 1/2"	"	147	147	147	
	25mm x 1/2"	"	175	175	175	
	25mm x 3/4"	"	162	162	162	
	Metal Ball valve (double)					
	20mmx1/2"	"	657	657	657	
	25mmx3/4"	"	887	887	887	
	32mmx1"	"	1284	1284	1284	
	40mmx1-1/4"	"	3257	3257	3257	
	50mmx1-1/2"	"	4586	4586	4586	



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	Metal Ball valve (Single)					
	20mmx1/2"	"	648	648	648	
	25mmx3/4"	"	872	872	872	
	32mmx1"	"	1274	1274	1274	
	Conceal Valve (Lux)					
	20mm	"	755	755	755	
	Conceal Valve (Nor)					
	20mm	"	719	719	719	
	Ball Valve (Plastic)					
	20mm	"	112	112	112	
	25mm	"	151	151	151	
	32mm	"	244	244	244	
	40mm	"	478	478	478	
	50mm	"	614	614	614	
	63 mm	"	1091	1091	1091	
	Ball Valve (Brass)					
	20mm	"	311	311	311	
	25mm	"	441	441	441	
	32mm	"	738	738	738	
	40mm	"	1762	1762	1762	
21	CPVC Pipes & Fittings for hot and cold water distribution system cpvc means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajay, marvel or eqv.					
	CPVC Pipe SDR 13.5 (22.5 Kg/cm2)					
	1/2" dia	Rm	115	115	115	
	3/4" dia	"	160	160	160	
	1" dia	"	210	210	210	
	1-1/4" dia	"	261	261	261	
	1-1/2" dia	"	366	366	366	
	2" dia	"	559	559	559	
	CPVC Pipe SDR 11 (28.1 Kg/cm2)					
	1/2" dia	"	133	133	133	
	3/4" dia	"	178	178	178	
	1" dia	"	248	248	248	
	1-1/4" dia	"	300	300	300	
	1-1/2" dia	"	418	418	418	
	2" dia	"	677	677	677	
	CPVC Pipe SDR 11.0 (Hilltake, Panchakanya, Mangalam flow life or eqv.)					
	1/2" dia	Rm	126	126	126	
	3/4" dia	"	168	168	168	
	1" dia	"	234	234	234	
	1-1/4" dia	"	289	289	289	
	1-1/2" dia	"	402	402	402	
	2" dia	"	679	679	679	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	"	365	365	365	
	3/4"	"	486	486	486	
	1"	"	588	588	588	
	1-1/4"	"	1371	1371	1371	
	1-1/2"	"	1643	1643	1643	
	2"	"	2117	2117	2117	



Handwritten signatures and notes at the bottom of the page, including the name 'श्री १/१/११' and other illegible scribbles.

सि.नं.	विवरण	ईकाई	दररेट मु.ब.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	CPVC Reducer Brass Coupling	गोटा				
	3/4" X 1/2"	"	138	138	138	
	1" X 1/2"	"	181	181	181	
	CPVC Tee	गोटा				
	1/2"	"	36	36	36	
	3/4"	"	77	77	77	
	1"	"	117	117	117	
	1-1/4"	"	220	220	220	
	1-1/2"	"	320	320	320	
	2"	"	687	687	687	
	CPVC Reducer Tee	गोटा				
	1/2" x 1/2" x 3/4"	"	70	70	70	
	3/4" x 3/4" x 1/2"	"	107	107	107	
	3/4" x 1/2" x 3/4"	"	134	134	134	
	3/4" x 1/2" x 1/2"	"	153	153	153	
	1" x 1" x 3/4"	"	161	161	161	
	1-1/2" x 1-1/2" x 1"	"	251	251	251	
	2" x 2" x 1"	"	436	436	436	
	1-1/4" x 1-1/4" x 1/2"	"	142	142	142	
	1-1/4" x 1-1/4" x 1"	"	153	153	153	
	2" x 2" x 1/2"	"	428	428	428	
	1" x 1" x 1/2"	"	100	100	100	
	CPVC Brass FPT Tee	गोटा				
	1/2" x 1/2" x 1/2"	"	120	120	120	
	3/4" x 3/4" x 1/2"	"	125	125	125	
	1" x 1" x 1/2"	"	139	139	139	
	1-1/4" x 1-1/4" x 1-1/4"	"	501	501	501	
	1-1/4" x 1-1/4" x 1/2"	"	272	272	272	
	CPVC Elbow 90°	गोटा				
	1/2"	"	25	25	25	
	3/4"	"	52	52	52	
	1"	"	95	95	95	
	1-1/4"	"	179	179	179	
	1-1/2"	"	267	267	267	
	2"	"	572	572	572	
	CPVC Reducer Elbow 90°					
	3/4" X 1/2"		53	53	53	
	CPVC Brass FPT Elbow 90°	गोटा				
	1/2" x 1/2"	"	84	84	84	
	3/4" x 1/2"	"	97	97	97	
	3/4" x 3/4"	"	111	111	111	
	1" X 1/2"	"	215	215	215	
	1" X 1"	"	596	596	596	
	1-1/4" x 1-1/4"	"	774	774	774	
	CPVC Elbow 45°	गोटा				
	1/2"	"	30	30	30	
	3/4"	"	54	54	54	
	1"	"	77	77	77	
	1-1/4"	"	136	136	136	
	1-1/2"	"	197	197	197	
	2"	"	427	427	427	
	CPVC Male Adapter (CPVC Threads)	गोटा				




Handwritten signatures and notes at the bottom of the page, including the name 'गोटा' and other illegible text.

सि.नं.	विवरण	इकाई	दररेट मु.ब.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	1/2"	"	22	22	22	
	3/4"	"	39	39	39	
	1"	"	59	59	59	
	1-1/4"	"	106	106	106	
	1-1/2"	"	149	149	149	
	2"	"	290	290	290	
	CPVC Reducing Male Adapter (CPVC Threads)	गोटा				
	3/4" x 1/2"	"	41	41	41	
	CPVC Male Adapters (Brass Threads)					
	1/2"	"	206	206	206	
	3/4"	"	267	267	267	
	1"	"	421	421	421	
	1-1/4"	"	926	926	926	
	1-1/2"	"	1080	1080	1080	
	2"	"	2224	2224	2224	
	CPVC Reducing Male Adapter (Brass Threads)					
	3/4" x 1/2"	"	229	229	229	
	CPVC Female Adapter (CPVC Threads)					
	1/2"	"	31	31	31	
	3/4"	"	51	51	51	
	1"	"	77	77	77	
	CPVC Female Adapters Brass Threads	गोटा				
	1/2"	"	198	198	198	
	3/4"	"	269	269	269	
	1"	"	349	349	349	
	1-1/4"	"	917	917	917	
	1-1/2"	"	1020	1020	1020	
	2"	"	1994	1994	1994	
	CPVC Caps					
	1/2"	"	13	13	13	
	3/4"	"	25	25	25	
	1"	"	37	37	37	
	1-1/4"	"	72	72	72	
	1-1/2"	"	106	106	106	
	2"	"	225	225	225	
	CPVC Union					
	1/2"	"	270	270	270	
	3/4"	"	398	398	398	
	1"	"	471	471	471	
	1-1/4"	"	862	862	862	
	1-1/2"	"	942	942	942	
	2"	"	1352	1352	1352	
	CPVC Cross Tee					
	1/2"	"	49	49	49	
	3/4"	"	106	106	106	
	CPVC Step Over Bend					
	1/2"	"	63	63	63	
	3/4"	"	104	104	104	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	"	661	661	661	
	3/4"	"	805	805	805	



Handwritten signatures and notes at the bottom of the page, including the name 'राम शर्मा' and other illegible text.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	1"	"	921	921	921	
	1-1/4"	"	1879	1879	1879	
	1-1/2"	"	2391	2391	2391	
	2"	"	3075	3075	3075	
	CPVC Flow Guard Adhesive Solution					
	50ML	"	199	199	199	
	118ML	"	329	329	329	
	237ML	"	533	533	533	
	473ML	"	838	838	838	
	946ML	"	1471	1471	1471	
	Plastic Strap					
	1/2"	"	5	5	5	
	3/4"	"	5	5	5	
	1"	"	8	8	8	
	1-1/4"	"	11	11	11	
	1-1/2"	"	15	15	15	
	2"	"	18	18	18	
	Metal Strap					
	1/2"	"	13	13	13	
	3/4"	"	16	16	16	
	1"	"	21	21	21	
	1-1/4"	"	25	25	25	
	1-1/2"	"	27	27	27	
	2"	"	29	29	29	
	Tee Holder					
	1/2" X 1/2" X 1/2"	"	5	5	5	
	3/4" X 3/4" X 1/2"	"	8	8	8	
	Elbow Holder					
	1/2" X 1/2"	"	5	5	5	
	1/2" X 3/4"	"	7	7	7	
	Snap Fix Repair Coupling					
	1/2"	"	229	229	229	
	3/4"	"	248	248	248	
	End plug threaded 1/2"	"	11	11	11	
21	MS SEAMLESS PIPES					
	-PIPES: ASTM-A-106 Gr.'B'/SA-106Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239					
	MS PIPE SEAMLESS SIZE OD (MM)					
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	"	411	420	420	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	"	493	503	503	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	"	618	631	631	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	"	763	778	778	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	"	873	890	890	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	"	1121	1144	1144	
	73mm OD 3" SCH.40, 5.16 .mm thickness	"	1723	1757	1757	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	"	2255	2300	2300	



Handwritten signatures and notes at the bottom of the page, including the name 'शुभिला' and other illegible text.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	"	2914	2972	2972	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	"	3210	3275	3275	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	"	4347	4434	4434	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	"	5643	5756	5756	
22	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)					
	Single Socket (R/R)	Mtr	410	410	410	
	Single Socket (R/R)	"	762	762	762	
	Single Socket (R/R)	"	821	821	821	
	Single Socket Self Fit	"	1058	1058	1058	
	Single Socket Self Fit	"	1294	1294	1294	
	Single Socket Self Fit	"	1778	1778	1778	
	Single Socket Self Fit	"	2093	2093	2093	
	Single Socket Self Fit	"	2795	2795	2795	
	Single Socket Self Fit	"	3331	3331	3331	
	Long Radius Bend - 45 Degree	Pc	1083	1083	1083	
	Long Radius Bend - 45 Degree	"	1977	1977	1977	
	Long Radius Bend - 45 Degree	"	3569	3569	3569	
	Long Radius Bend - 45 Degree	"	6921	6921	6921	
	Long Radius Bend - 60 Degree	"	1193	1193	1193	
	Long Radius Bend - 60 Degree	"	2186	2186	2186	
	Long Radius Bend - 60 Degree	"	4010	4010	4010	
	Long Radius Bend - 60 Degree	"	7593	7593	7593	
	Long Radius Bend - 90 Degree	"	585	585	585	
	Long Radius Bend - 90 Degree	"	1413	1413	1413	
	Long Radius Bend - 90 Degree	"	2606	2606	2606	
	Long Radius Bend - 90 Degree	"	4874	4874	4874	
	Long Radius Bend - 90 Degree	"	8980	8980	8980	
	Fab. Coupler	"	168	168	168	
	Fab. Coupler	"	404	404	404	
	Fab. Coupler	"	869	869	869	
	Fab. Coupler	"	1700	1700	1700	
	Fab. Coupler	"	3127	3127	3127	
	End Cap	"	360	360	360	
	End Cap	"	592	592	592	
	End Cap	"	945	945	945	
	End Cap	"	1380	1380	1380	
	Equal Tee	"	10303	10303	10303	
	Equal Tee	"	5929	5929	5929	
	Equal Tee	"	3291	3291	3291	
	Gully Trap with grating	"	962	962	962	
	Rodding Point	"	570	570	570	
	Adjustable Bend 7 Degree to 37.5 Degree	"	608	608	608	
	Adjustable Bend 7 Degree to 87.5 Degree	"	834	834	834	
	Inspection Chamber Body	"	3000	3000	3000	
	Inspection Chamber Riser	"	1490	1490	1490	
	Inspection Chamber Lid with Cover	"	2829	2829	2829	




Handwritten signatures and notes at the bottom of the page, including a large signature on the right and some scribbles on the left.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	Inspection Chamber Body	"	8284	8284	8284	
	Inspection Chamber Riser	"	2634	2634	2634	
	Inspection Chamber Lid with Cover	"	4395	4395	4395	
23	GEBERIT					
	Geberit Products					
	Concealled Cisterns 9cm	"	7431	7431	7431	
	Concealled Cisterns Kombo fix 8cm	"	9103	9103	9103	
	Dual Flush Actuator Plate Shiny Chrome	"	3646	3646	3646	
	Concealled Cisterns 12cm	"	9140	9140	9140	
	Dual Flush Actuator Plate Shiny Chrome	"	3646	3646	3646	
	Traps for Wash Basins	"	1004	1004	1004	
	Sensor for Urinal 9V DC	"	25764	25764	25764	
	Sensor for Urinal 230V AC	"	25764	25764	25764	
	control box for urinal sensor	"	7078	7078	7078	
	Sensor Faucet Cold / Mixed water 6V DC	"	32159	32159	32159	
	Sensor Faucet Cold / Mixed water 230V AC	"	32159	32159	32159	
24	PVC Lead Free White Pipes SCHEDULE 40					
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564					
	PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)	m.				
	1/2" dia. (42.19 Kg/cm2)	"	114	114	114	
	3/4" dia. (33.75 Kg/cm2)	"	147	147	147	
	1" dia. (31.64 Kg/cm2)	"	226	226	226	
	1-1/4" dia. (26.01 Kg/cm2)	"	279	279	279	
	1-1/2" dia. (23.20 Kg/cm2)	"	342	342	342	
	2" dia. (19.69 Kg/cm2)	"	485	485	485	
	2-1/2" dia. (21.09 Kg/cm2)	"	678	678	678	
	3" dia. (18.28 Kg/cm2)	"	856	856	856	
	4" dia. (15.47 Kg/cm2)	"	1256	1256	1256	
	6" dia. (12.66 Kg/cm2)	"	2616	2616	2616	
	PVC Tee - Soc	गोटा				
	1/2"	"	32	32	32	
	3/4"	"	44	44	44	
	1"	"	69	69	69	
	1-1/4"	"	109	109	109	
	1-1/2"	"	143	143	143	
	2"	"	221	221	221	
	2-1/2"	"	633	633	633	
	3"	"	831	831	831	
	4"	"	1503	1503	1503	
	6"	"	8336	8336	8336	
	PVC Reducer Tee - Soc	गोटा				
	3/4 x 1/2	"	63	63	63	
	1 x 1/2	"	97	97	97	
	1 x 3/4	"	97	97	97	



Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	इकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	1-1/2 X 1/2	"	329	329	329	
	1-1/2 X 3/4	"	329	329	329	
	1-1/2 X 1	"	329	329	329	
	1-1/2 X 1-1/4	"	329	329	329	
	2 X 1/2	"	406	406	406	
	2 X 3/4	"	406	406	406	
	2 X 1	"	406	406	406	
	2 X 1-1/4	"	406	406	406	
	2 X 1-1/2	"	406	406	406	
	2-1/2 X 1/2	"	1043	1043	1043	
	2-1/2 X 3/4	"	1043	1043	1043	
	2-1/2 X 1	"	1043	1043	1043	
	2-1/2 X 1-1/4	"	1043	1043	1043	
	2-1/2 X 1-1/2	"	1043	1043	1043	
	2-1/2 X 2	"	1043	1043	1043	
	3 X 1/2	"	1523	1523	1523	
	3 X 3/4	"	1523	1523	1523	
	3 X 1	"	1523	1523	1523	
	3 X 1-1/4	"	1523	1523	1523	
	3 X 1-1/2	"	1523	1523	1523	
	3 X 2	"	1523	1523	1523	
	3 X 2-1/2	"	1523	1523	1523	
	6 X 1-1/4	"	8007	8007	8007	
	6 X 1-1/2	"	8007	8007	8007	
	6 X 2	"	8007	8007	8007	
	6 X 2-1/2	"	8007	8007	8007	
	6 X 3	"	8007	8007	8007	
	6 X 4	"	8007	8007	8007	
	PVC Brass Tee - Soc x Fipt SCH 80	गोटा				
	1/2"	"	161	161	161	
	3/4"	"	292	292	292	
	3/4" X 1/2"	"	237	237	237	
	1" X 1/2"	"	420	420	420	
	PVC 90° Elbow - Soc	गोटा				
	1/2"	"	26	26	26	
	3/4"	"	30	30	30	
	1"	"	53	53	53	
	1-1/4"	"	93	93	93	
	1-1/2"	"	109	109	109	
	2"	"	167	167	167	
	2-1/2"	"	496	496	496	
	3"	"	594	594	594	
	4"	"	1216	1216	1216	
	6"	"	5121	5121	5121	
	PVC Brass 90° Elbow Soc x Fipt SCH 80	गोटा				
	1/2"	"	173	173	173	
	3/4"	"	242	242	242	
	3/4" X 1/2"	"	250	250	250	
	PVC 45° Elbow - Soc	गोटा				
	1/2"	"	55	55	55	
	3/4"	"	86	86	86	



Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	1"	"	102	102	102	
	1-1/4"	"	143	143	143	
	1-1/2"	"	180	180	180	
	2"	"	234	234	234	
	2-1/2"	"	669	669	669	
	3"	"	1040	1040	1040	
	4"	"	1866	1866	1866	
	6"	"	5135	5135	5135	
	PVC Coupling - Soc	गोटा				
	1/2"	"	17	17	17	
	3/4"	"	26	26	26	
	1"	"	41	41	41	
	1-1/4"	"	56	56	56	
	1-1/2"	"	76	76	76	
	2"	"	117	117	117	
	2-1/2"	"	247	247	247	
	3"	"	386	386	386	
	4"	"	604	604	604	
	6"	"	2420	2420	2420	
	PVC Reducer Coupling - Soc	गोटा				
	3/4 X 1/2	"	42	42	42	
	1 X 3/4	"	73	73	73	
	1-1/2 X 1-1/4	"	131	131	131	
	2 X 1-1/2	"	208	208	208	
	4 x 2	"	1392	1392	1392	
	4 X 3	"	1392	1392	1392	
	6 X 4	"	2895	2895	2895	
	PVC Reducer Bushing - (Flush Style)	गोटा				
	3/4 X 1/2	"	35	35	35	
	1 X 1/2	"	50	50	50	
	1 X 3/4	"	50	50	50	
	1-1/4 X 1/2	"	86	86	86	
	1-1/4 X 3/4	"	86	86	86	
	1-1/4 X 1	"	86	86	86	
	1-1/2 X 1/2	"	90	90	90	
	1-1/2 X 3/4	"	90	90	90	
	1-1/2 X 1	"	90	90	90	
	1-1/2 X 1-1/4	"	90	90	90	
	2 X 1/2	"	165	165	165	
	2 X 3/4	"	165	165	165	
	2 X 1	"	165	165	165	
	2 X 1-1/4	"	165	165	165	
	2 X 1-1/2	"	165	165	165	
	2-1/2 X 1-1/4	"	232	232	232	
	2-1/2 X 1-1/2	"	232	232	232	
	2-1/2 X 2	"	232	232	232	
	3 X 1-1/2	"	344	344	344	
	3 X 2	"	344	344	344	
	3 X 2-1/2	"	344	344	344	
	4 X 2	"	676	676	676	
	4 X 3	"	676	676	676	



Handwritten signatures and notes at the bottom of the page, including the name 'S. K. Singh' and other illegible text.

सि.नं.	विवरण	ईकाई	दररेट मु.ब.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			बा.व. ०७८/०७९	बा.व. ०७९/०८०	बा.व. ०८०/०८१	
	6 X 2	"	2271	2271	2271	
	6 X 3	"	2271	2271	2271	
	6 X 4	"	2271	2271	2271	
	PVC Cap - Soc	गोटा				
	1/2"	"	24	24	24	
	3/4"	"	30	30	30	
	1"	"	42	42	42	
	1-1/4"	"	60	60	60	
	1-1/2"	"	66	66	66	
	2"	"	79	79	79	
	2-1/2"	"	254	254	254	
	3"	"	278	278	278	
	4"	"	633	633	633	
	6"	"	2498	2498	2498	
	PVC Union - Soc With EPDM O-Ring Seal	गोटा				
	1/2"	"	254	254	254	
	3/4"	"	291	291	291	
	1"	"	298	298	298	
	1-1/4"	"	960	960	960	
	1-1/2"	"	1001	1001	1001	
	2"	"	1350	1350	1350	
	2-1/2"	"	1889	1889	1889	
	3"	"	3018	3018	3018	
	4"	"	4178	4178	4178	
	PVC Male Adaptor - Soc x MBSP	गोटा				
	1/2"	"	46	46	46	
	3/4"	"	54	54	54	
	1"	"	71	71	71	
	1-1/4"	"	87	87	87	
	1-1/2"	"	121	121	121	
	2"	"	156	156	156	
	2-1/2"	"	545	545	545	
	3"	"	648	648	648	
	4"	"	1025	1025	1025	
	6"	"	2359	2359	2359	
	PVC Brass Male Adapter - Soc x Mipt SCH 80	गोटा				
	1/2"	"	262	262	262	
	3/4"	"	350	350	350	
	1"	"	527	527	527	
	PVC Female Adaptor - Soc x FBSP	गोटा		0	0	
	1/2"	"	59	59	59	
	3/4"	"	61	61	61	
	1"	"	64	64	64	
	1-1/4"	"	167	167	167	
	1-1/2"	"	245	245	245	
	2"	"	238	238	238	
	PVC Brass Female Adapter - Soc x Fipt SCH 80	गोटा				
	1/2"	"	220	220	220	
	3/4"	"	311	311	311	
	1"	"	399	399	399	




Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	PVC Ball Valve - Soc	गोटा				
	1/2"	"	881	881	881	
	3/4"	"	1048	1048	1048	
	1"	"	1466	1466	1466	
	1-1/4"	"	1985	1985	1985	
	1-1/2"	"	3027	3027	3027	
	2"	"	3828	3828	3828	
	2-1/2"	"	6323	6323	6323	
	3"	"	10018	10018	10018	
	4"	"	16556	16556	16556	
	6"	"	35961	35961	35961	
	PVC Adhesive Solution (Med. Bonded 705)	गोटा				
	118ML	"	306	306	306	
	237ML	"	439	439	439	
	473ML	"	795	795	795	
	946ML	"	1308	1308	1308	
	PVC Adhesive Solution (Heavy Bonded 717)	गोटा				
	118ML	"	492	492	492	
	237ML	"	649	649	649	
	473ML	"	1138	1138	1138	
	946ML	"	1969	1969	1969	
25	Rainwater Collection System sintex or Prince Brand Roof)					
	140 mm Dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	159	159	159	
	JOINT BRACKET To connect two lengths of roof water	Pc.	257	257	257	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	352	352	352	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	432	432	432	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	432	432	432	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	95	95	95	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	305	305	305	



Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	77	77	77	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	50	50	50	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	32	32	32	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	77	77	77	
	RUBBER GASKET To provide leak proof joints.	Pc.	30	30	30	
	75 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	63	63	63	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	38	38	38	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	126	126	126	
	180 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	302	302	302	
	JOINT BRACKET To connect two lengths of roof water	Pc.	358	358	358	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	518	518	518	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	592	592	592	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	592	592	592	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	140	140	140	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water.	Pc.	424	424	424	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	108	108	108	



Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	इकाई	दररेट मु.ब.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			बा.व. ०७८/०७९	बा.व. ०७९/०८०	आ.व. ०८०/०८१	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	91	91	91	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	51	51	51	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	110	110	110	
	RUBBER GASKET To provide leak proof joints.	Pc.	41	41	41	
	110 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	68	68	68	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	44	44	44	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	243	243	243	
	250 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	585	585	585	
	JOINT BRACKET To connect two lengths of roof water	Pc.	614	614	614	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	965	965	965	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1387	1387	1387	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1387	1387	1387	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	302	302	302	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	802	802	802	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	300	300	300	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	164	164	164	



Handwritten signatures and notes at the bottom of the page, including the name 'गणेश' and other illegible text.

सि.नं.	विवरण	ईकाई	दररेट मु.ब.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			बा.व. ०७८/०७९	बा.व. ०७९/०८०	आ.व. ०८०/०८१	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	122	122	122	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	318	318	318	
	RUBBER GASKET To provide leak proof joints.	Pc.	166	166	166	
	160 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	82	82	82	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	191	191	191	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	437	437	437	
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems			0	0	
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY			0	0	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	247	247	247	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	438	438	438	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	262	262	262	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	470	470	470	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	447	447	447	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	673	673	673	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	473	473	473	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	696	696	696	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	959	959	959	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1196	1196	1196	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1022	1022	1022	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1350	1350	1350	
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY					
	DWV Bend 45 Degree 75 mm size	pcs	140	140	140	
	DWV Bend 87.5 Degree	"	177	177	177	
	DWV Bend 87.5 Degree with Door	"	81	81	81	
	DWV Socket Plug	"	189	189	189	
	DWV Cleansing Pipe	"	114	114	114	
	DWV Coupler	"	202	202	202	
	DWV Single Tee	"	222	222	222	
	DWV Single Tee with Door	"	349	349	349	
	DWV Cross Tee	"	491	491	491	
	DWV Cross Tee with Door	"	361	361	361	



Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	DWV Double 'Y'	"	481	481	481	
	DWV Double 'Y' with Door	"	226	226	226	
	DWV Single 'Y'	"	288	288	288	
	DWV Single 'Y' with Door	"	12	12	12	
	DWV Pipe Clip	"	25	25	25	
	DWV Vent Cowel	"	230	230	230	
	DWV Bend 45 Degree 110mm size	"	282	282	282	
	DWV Bend 87.5 Degree	"	323	323	323	
	DWV Bend 87.5 Degree with Door	"	103	103	103	
	DWV Socket Plug	"	370	370	370	
	DWV Cleansing Pipe	"	206	206	206	
	DWV Coupler	"	684	684	684	
	DWV Double 'Y'	"	808	808	808	
	DWV Double 'Y' with Door	"	566	566	566	
	DWV Cross Tee	"	642	642	642	
	DWV Cross Tee with Door	"	370	370	370	
	DWV Single Tee	"	437	437	437	
	DWV Single Tee with Door	"	453	453	453	
	DWV Single 'Y'	"	475	475	475	
	DWV Single 'Y' with Door	"	47	47	47	
	DWV Vent Cowel	"	161	161	161	
	DWV Reducer 110*75 mm	"	36	36	36	
	DWV Pipe Clip 110mm size	"	436	436	436	
	DWV W.C. Connectore (Straight type)	"	348	348	348	
	DWV W.C. Connectore (Bend type)	"	174	174	174	
	DWV Nahani Trap - 3" Height without Jali 75 mm	"	24	24	24	
	DWV Nahani Trap Jali	"	539	539	539	
	DWV P-Trap with Leap Ring 10*110 mm	"	773	773	773	
	DWV P-Trap with Leap Ring 25*110 mm	"	232	232	232	
	DWV Multi Floor Trap 4" w/o Jali 75 mm	"	470	470	470	
	DWV Reducer 60*110 mm	"	449	449	449	
	DWV Coupler 160mm size	"	1077	1077	1077	
	DWV Single Tee	"	1157	1157	1157	
	DWV Single Tee with Door	"	2016	2016	2016	
	DWV Single 'Y'	"	2118	2118	2118	
	DWV Single 'Y' with Door	"	742	742	742	
	DWV Bend 87.5 Degree	"	988	988	988	
	DWV Bend 87.5 Degree with Door	"	864	864	864	
	DWV Bend 45 Degree	"				
	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	584	584	584	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	-	606	606	606	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	-	630	630	630	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	-	593	593	593	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	-	604	604	604	



Handwritten signatures and notes at the bottom of the page, including the date '०१/११/०१' and various scribbles.


सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1078	1078	1078	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1120	1120	1120	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1163	1163	1163	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1096	1096	1096	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1116	1116	1116	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1688	1688	1688	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1718	1718	1718	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1746	1746	1746	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	2801	2801	2801	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2849	2849	2849	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2899	2899	2899	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	3709	3709	3709	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3773	3773	3773	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	3838	3838	3838	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	4583	4583	4583	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	4663	4663	4663	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4743	4743	4743	
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	583	583	583	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	598	598	598	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	613	613	613	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	594	594	594	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	605	605	605	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1077	1077	1077	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1109	1109	1109	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1139	1139	1139	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1097	1097	1097	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1116	1116	1116	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1688	1688	1688	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1718	1718	1718	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1747	1747	1747	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	2801	2801	2801	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2849	2849	2849	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	2898	2898	2898	



Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	3709	3709	3709	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3773	3773	3773	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	3838	3838	3838	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	4583	4583	4583	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4663	4663	4663	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4743	4743	4743	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	DWV Coupler SN-8 110mm	per pc	294	294	294	
	DWV Coupler SN-4 160 mm	"	708	708	708	
	DWV Coupler SN-4 200 mm	"	1447	1447	1447	
	DWV Coupler SN-4 250 mm	"	2697	2697	2697	
	DWV Coupler SN-2 315mm	"	4338	4338	4338	
	DWV Coupler SN-4 315 mm	"	4736	4736	4736	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1001	1001	1001	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2787	2787	2787	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5205	5205	5205	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	11668	11668	11668	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	27705	27705	27705	
26	Multilayer Composite Pipe (Sanghai, or eqv.)					
	Cold Water Pipe (White)					
	12-16 mm ½"	Rm	101	101	101	
	14-18 mm ½"	"	111	111	111	
	16-20 mm ½"	"	119	119	119	
	20-25 mm ¾"	"	180	180	180	
	26-32 mm 1"	"	281	281	281	
	32-40 mm 1¼"	"	446	446	446	
	41-50 mm 1½"	"	653	653	653	
	Hot Water Pipe (Orange)					
	12-16 mm ½"	Rm	111	111	111	
	14-18 mm ½"	"	123	123	123	
	16-20 mm ½"	"	141	141	141	
	20-25 mm ¾"	"	208	208	208	
	26-32 mm 1"	"	302	302	302	
	32-40 mm 1¼"	"	465	465	465	
	Gas Lines Pipe (Yellow)					
	12-16 mm ½"	Rm	87	87	87	
	14-18 mm ½"	"	87	87	87	
	MULTILAYER COMPOSITE Fittings					
	a. Equal Straight Union					
	½" ø (16mm ø)	गोटा	133	133	133	
	½" ø (18mm ø)	"	140	140	140	
	½" ø (20mm ø)	"	154	154	154	
	¾" ø (25 mm ø)	"	225	225	225	
	1" ø (32 mm ø)	"	351	351	351	
	1¼" ø (40 mm ø)	"	1296	1296	1296	
	1½" ø (50 mm ø)	"	1958	1958	1958	
	b. Unequal Straight Union					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	25 - 16 mm ø	"	252	252	252	
	25 - 18 mm ø	"	261	261	261	
	25 - 20 mm ø	"	275	275	275	
	32 - 16 mm ø	"	338	338	338	
	32 - 18 mm ø	"	356	356	356	
	32 - 20 mm ø	"	383	383	383	
	32 - 25 mm ø	"	410	410	410	
	40 - 32 mm ø	"	1121	1121	1121	
	50 - 20 mm ø	"	1634	1634	1634	
	50 - 32 mm ø	"	1958	1958	1958	
	50 - 40 mm ø	"	1845	1845	1845	
	c. Male Union					
	16mm x ½"M	गोटा	95	95	95	
	18mm x ½"M	"	110	110	110	
	20mm x ½"M	"	126	126	126	
	25mm x ½"M	"	153	153	153	
	25mm x ¾"M	"	194	194	194	
	25mm x 1"M	"	248	248	248	
	32mm x ¾"M	"	284	284	284	
	32mm x 1"M	"	311	311	311	
	32mm x 1½"M	"	315	315	315	
	40mm x 1"M	"	995	995	995	
	40mm x 1½"M	"	1030	1030	1030	
	50mm x 1"M	"	1563	1563	1563	
	50mm x 1¼"M	"	1590	1590	1590	
	50mm x 1½"M	"	2160	2160	2160	
	50mm x 2"M	"	1623	1623	1623	
	d. Female Straight Union					
	16mm x ½"F	गोटा	104	104	104	
	18mm x ½"F	"	113	113	113	
	20mm x ½"F	"	122	122	122	
	25mm x ½"F	"	162	162	162	
	25mm x ¾"F	"	194	194	194	
	25mm x 1"F	"	198	198	198	
	32mm x ½"F	"	203	203	203	
	32mm x ¾"F	"	207	207	207	
	32mm x 1"F	"	293	293	293	
	40mm x 1½"F	"	1168	1168	1168	
	50mm x 1¼"F	"	1575	1575	1575	
	50mm x 1½"F	"	2160	2160	2160	
	50mm x 2"F	"	1638	1638	1638	
	e. Equal Elbow					
	½"ø (16mm ø)	गोटा	126	126	126	
	½"ø (18mm ø)	"	153	153	153	
	½"ø (20mm ø)	"	207	207	207	
	¾" ø (25 mm ø)	"	315	315	315	
	1" ø (32 mm ø)	"	509	509	509	
	1¼" ø (40 mm ø)	"	1656	1656	1656	
	1½" ø (50 mm ø)	"	2565	2565	2565	
	f. Unequal Elbow					
	40 - 32 mm ø	"	1836	1836	1836	
	50 - 20 mm ø	"	2115	2115	2115	
	50 - 40 mm ø	"	2156	2156	2156	
	g. Female Elbow					
	16mm x ½"F	गोटा	167	167	167	
	18mm x ½"F	"	185	185	185	
	20mm x ½"F	"	203	203	203	



Handwritten signatures and notes at the bottom of the page, including the name 'शुभिल' and other illegible text.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	25mm x 1/2"F	"	225	225	225	
	25mm x 3/4"F	"	279	279	279	
	25mm x 1"F	"	306	306	306	
	32mm x 3/4"F	"	329	329	329	
	32mm x 1"F	"	410	410	410	
	50mm x 1 1/4"F	"	2115	2115	2115	
	h. Male Elbow					
	25mm x 3/4"M	"	225	225	225	
	25mm x 1"M	"	293	293	293	
	32mm x 3/4"M	"	221	221	221	
	32mm x 1"M	"	374	374	374	
	40mm x 1"M	"	1215	1215	1215	
	50mm x 1"M	"	1732	1732	1732	
	i. Equal Tee					
	1/2"ø (16mm ø)	गोटा	225	225	225	
	1/2"ø (18mm ø)	"	252	252	252	
	1/2"ø (20mm ø)	"	315	315	315	
	3/4" ø (25 mm ø)	"	455	455	455	
	1" ø (32 mm ø)	"	711	711	711	
	1 1/4" ø (40 mm ø)	"	2658	2658	2658	
	1 1/2" ø (50 mm ø)	"	3884	3884	3884	
	j. Unequal Tee					
	20 mm x 16 mm x 20 mm	"	203	203	203	
	20 mm x 18 mm x 20 mm	"	225	225	225	
	25 mm x 16 mm x 25 mm	"	338	338	338	
	25 mm x 18 mm x 25 mm	"	383	383	383	
	25 mm x 20 mm x 25 mm	"	396	396	396	
	32 mm x 16 mm x 32 mm	"	653	653	653	
	32 mm x 18 mm x 32 mm	"	675	675	675	
	32 mm x 20 mm x 32 mm	"	702	702	702	
	32 mm x 25 mm x 32 mm	"	720	720	720	
	40 mm x 32 mm x 32 mm	"	1967	1967	1967	
	40 mm x 32 mm x 40 mm	"	2278	2278	2278	
	50 mm x 20 mm x 50 mm	"	3105	3105	3105	
	50 mm x 32 mm x 32 mm	"	2047	2047	2047	
	50 mm x 32 mm x 50 mm	"	3137	3137	3137	
	50 mm x 40 mm x 40 mm	"	3147	3147	3147	
	50 mm x 40 mm x 50 mm	"	3595	3595	3595	
	k. Female Tee					
	16mm x 1/2"F x 16mm	गोटा	225	225	225	
	18mm x 1/2"F x 18mm	"	234	234	234	
	20mm x 1/2"F x 20mm	"	252	252	252	
	25mm x 1/2"F x 25mm	"	237	237	237	
	25mm x 3/4"F x 25mm	"	261	261	261	
	25mm x 1"F x 25mm	"	338	338	338	
	32mm x 1/2"F x 32mm	"	365	365	365	
	32mm x 3/4"F x 32mm	"	374	374	374	
	32mm x 1"F x 32mm	"	507	507	507	
	40mm x 3/4"F x 32mm	"	1496	1496	1496	
	50mm x 3/4"F x 40mm	"	2219	2219	2219	
	l. Equal Ball Valve Union					
	1/2"ø (16mm ø)	गोटा	262	262	262	
	1/2"ø (18mm ø)	"	291	291	291	
	1/2"ø (20mm ø)	"	383	383	383	
	3/4" ø (25 mm ø)	"	635	635	635	
	1" ø (32 mm ø)	"	882	882	882	
	1 1/4" ø (40 mm ø)	"	2882	2882	2882	



Handwritten signatures and notes at the bottom of the page, including the name 'श्री. अ. र. शर्मा' and other illegible signatures.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	1½" ø (50 mm ø)	"	4159	4159	4159	
	m. Female Ball Valve Union					
	16mm x ½"F	गोटा	244	244	244	
	18mm x ½"F	"	280	280	280	
	20mm x ½"F	"	313	313	313	
	20mm x ¾"F	"	351	351	351	
	25mm x ¾"F	"	653	653	653	
	25mm x 1"F	"	666	666	666	
	32mm x 1"F	"	702	702	702	
	n. Plug					
	1¼" ø (40 mm ø)	"	1440	1440	1440	
	1½" ø (50 mm ø)	"	1980	1980	1980	
	p. Wall Plated Female Elbow					
	16mm x ½"F	गोटा	189	189	189	
	18mm x ½"F	"	207	207	207	
	20mm x ½"F	"	225	225	225	
	q. Nipple					
	N 1/2F*1/2F	गोटा	49	49	49	
	N 1/2M*1/2M	"	49	49	49	
	N 3/4F*1/2F	"	68	68	68	
	N 1F*1/2F	"	77	77	77	
	N 1F*3/4F	"	87	87	87	
	N 3/4M*1/2M	"	68	68	68	
	N 1M*1/2M	"	77	77	77	
	N 1M*3/4M	"	87	87	87	
	N 1/2F*1/2M	"	59	59	59	
	N 1/2F*3/4M	"	68	68	68	
	N 1/2F*1M	"	107	107	107	
	N 1/2M*3/4F	"	68	68	68	
	N 1/2M*1F	"	112	112	112	
	N 3/4F*3/4M	"	87	87	87	
	N 3/4F*1M	"	96	96	96	
	N 3/4M*1F	"	127	127	127	
27	Supplying laying & jointing of Nepal Plastic (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually					
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	486	486	486	
	a.2) Failure chagre per well	सख्या	1350	1350	1350	
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	693	693	693	
	b.2) Failure chagre per well	सख्या	3600	3600	3600	
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1323	1323	1323	
	c.2) Failure chagre per well	सख्या	4680	4680	4680	
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1872	1872	1872	
	d.2) Failure chagre per well	सख्या	5400	5400	5400	
	Submercible pump installation fixing position with GI touching wire all complete work	सख्या	1575	1575	1575	
28	R.C.C. Hume Pipe & Hume Pipe Collar					
	PIPES					
	a) NP-2					
	150 mm dia.	र.मि	580	592	592	
	200 mm dia.	"	760	775	775	



Handwritten signatures and notes at the bottom of the page, including names like 'Raju', 'S. K. Sharma', and 'S. K. Sharma'.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	250 mm dia.	"	955	974	974	
	300 mm dia.	"	1290	1316	1316	
	350 mm dia.	"	1430	1459	1459	
	375 mm dia.	"	1565	1596	1596	
	400 mm dia.	"	1790	1826	1826	
	450 mm dia.	"	1900	1938	1938	
	500 mm dia.	"	2135	2178	2178	
	600 mm dia.	"	2800	2856	2856	
	700 mm dia.	"	3675	3749	3749	
	750 mm dia.	"	3975	4055	4055	
	800 mm dia.	"	4440	4529	4529	
	900 mm dia.	"	6000	6120	6120	
	1000 mm dia.	"	7000	7140	7140	
	1200 mm dia.	"	8540	8711	8711	
	1500 mm dia.	"	17950	18309	18309	
	b) NP-3					
	150 mm dia.	र.मि	1305	1331	1331	
	200 mm dia.	"	1740	1775	1775	
	250 mm dia.	"	2180	2224	2224	
	300 mm dia.	"	3440	3509	3509	
	350 mm dia.	"	3515	3585	3585	
	375 mm dia.	"	3750	3825	3825	
	400 mm dia.	"	4000	4080	4080	
	450 mm dia.	"	4715	4809	4809	
	500 mm dia.	"	5010	5110	5110	
	600 mm dia.	"	6190	6314	6314	
	700 mm dia.	"	7475	7625	7625	
	750 mm dia.	"	8590	8762	8762	
	800 mm dia.	"	9375	9563	9563	
	900 mm dia.	"	12150	12393	12393	
	1000 mm dia.	"	13500	13770	13770	
	1200 mm dia.	"	16080	16402	16402	
	1500 mm dia.	"	25270	25775	25775	
	R.C.C. Hume Pipe Collar					
	a) NP-2					
	150 mm dia.	गोटा	145	148	148	
	200 mm dia.	"	190	194	194	
	250 mm dia.	"	235	240	240	
	300 mm dia.	"	320	326	326	
	350 mm dia.	"	350	357	357	
	375 mm dia.	"	390	398	398	
	400 mm dia.	"	450	459	459	
	450 mm dia.	"	475	485	485	
	500 mm dia.	"	535	546	546	
	600 mm dia.	"	705	719	719	
	700 mm dia.	"	920	938	938	
	750 mm dia.	"	990	1010	1010	
	800 mm dia.	"	1100	1122	1122	
	900 mm dia.	"	1500	1530	1530	
	1000 mm dia.	"	1750	1785	1785	
	1200 mm dia.	"	2130	2173	2173	
	1500 mm dia.	"	4475	4565	4565	
	b) NP-3					
	150 mm dia.	"	325	332	332	
	200 mm dia.	"	435	444	444	



सि.नं.	विवरण	ईकाई	दररेट मु.ब.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	250 mm dia.	..	545	556	556	
	300 mm dia.	..	775	791	791	
	350 mm dia.		875	893	893	
	375 mm dia.		930	949	949	
	400 mm dia.	..	1000	1020	1020	
	450 mm dia.	..	1120	1142	1142	
	500 mm dia.	..	1250	1275	1275	
	600 mm dia.	..	1540	1571	1571	
	700 mm dia.	..	1860	1897	1897	
	750 mm dia.	..	2145	2188	2188	
	800 mm dia.	..	2340	2387	2387	
	900 mm dia.	..	3030	3091	3091	
	1000 mm dia.	..	3375	3443	3443	
	1200 mm dia.	..	4020	4100	4100	
	1500 mm dia.	..	6300	6426	6426	
	R.C.C.Spigot Pipes (Socket System)					
	a) NP-2					
	150 mm dia.	र.मि	-	-	-	
	200 mm dia.	..	-	-	-	
	250 mm dia.	..	-	-	-	
	300 mm dia.	..	-	-	-	
	350 mm dia.	..	-	-	-	
	400 mm dia.	..	-	-	-	
	450 mm dia.	..	-	-	-	
	500 mm dia.	..	-	-	-	
	600 mm dia.	..	-	-	-	
	700 mm dia.	..	-	-	-	
	750 mm dia.	..	-	-	-	
	800 mm dia.	..	-	-	-	
	900 mm dia.	..	-	-	-	
	1000 mm dia.	..	-	-	-	
	1200 mm dia.	..	-	-	-	
	b) NP-3					
	150 mm dia.	र.मि	1475	1505	1505	
	200 mm dia.	..	2000	2040	2040	
	250 mm dia.	..	2505	2555	2555	
	300 mm dia.	..	3600	3672	3672	
	350 mm dia.	..	-	-	-	
	400 mm dia.	..	4605	4697	4697	
	450 mm dia.	..	5170	5273	5273	
	500 mm dia.	..	5765	5880	5880	
	600 mm dia.	..	7120	7262	7262	
	700 mm dia.	..	8600	8772	8772	
	800 mm dia.	..	10780	10996	10996	
	900 mm dia.	..	13980	14260	14260	
	1000 mm dia.	..	15540	15851	15851	
	1200 mm dia.	..	18490	18860	18860	
	1500 mm dia.	..	29735	30330	30330	
	1600 mm dia.	..	34300	34986	34986	
	1800 mm dia.	..	45680	46594	46594	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several initials on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
29	High Density Polythene Pipe(PE:100) NS-40					
	Pipes of different sizes, series & pressure as per NS Standard					
	HDPE Pipe	Kg	275	280	290	
Double wall Corrugated (SN8) pipes for Sewage and Rain water(Non Pressure Pipes)						
1	100 mm dia	मिटर	500	520	520	
2	150mm dia	"	1000	1040	1040	
3	200mm dia	"	1500	1560	1560	
4	250mm dia	"	1900	1976	1976	
5	300mm dia	"	3160	3286	3286	
6	400mm dia	"	4070	4233	4233	
7	500mm dia	"	5350	5564	5564	
8	600mm dia	"	8370	8705	8705	
9	800mm dia	"	12375	12870	12870	
10	1000mm dia	"	17200	17888	17888	
30	UPVC (Pipe NS 206/046					
30.1	A) pipe 2.5 kg /cm² pressure					
a)	90 mm	र.मी	141	141	141	
b)	110 mm	"	209	209	209	
c)	125 mm	"	266	266	266	
d)	140 mm	"	328	328	328	
e)	160 mm	"	429	429	429	
f)	180 mm	"	549	549	549	
g)	200 mm	"	671	671	671	
30.2	B) PVC Pipe 4 kg / cm²					
a)	63mm	र.मी	112	112	112	
b)	75 mm	"	154	154	154	
c)	90 mm	"	219	219	219	
d)	110 mm	"	301	301	301	
e)	125 mm	"	415	415	415	
f)	140 mm	"	527	527	527	
g)	160 mm	"	683	683	683	
h)	180 mm	"	877	877	877	
i)	200 mm	"	1064	1064	1064	
30.3	C) PVC Pipe 6 Kg/ cm² pressure					
a)	40 mm	र.मी	66	66	66	
b)	50 mm	"	99	99	99	
c)	63 mm	"	159	159	159	
d)	75 mm	"	222	222	222	
e)	90 mm	"	320	320	320	
f)	110 mm	"	462	462	462	
g)	125 mm	"	616	616	616	
h)	140 mm	"	766	766	766	
i)	160 mm	"	982	982	982	
j)	180 mm	र.मी	1252	1252	1252	
k)	200 mm	"	1534	1534	1534	
30.4	C) PVC Pipe 10 Kg/ cm² pressure					
a)	20 mm	र.मी	25	25	25	
b)	25 mm	"	40	40	40	
c)	32mm	"	65	65	65	
d)	40 mm	"	98	98	98	
e)	50 mm	"	155	155	155	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	c) 63 mm	"	246	246	246	
	d) 75 mm	"	351	351	351	
	e) 90 mm	"	501	501	501	
	f) 110 mm	"	742	742	742	
	g) 125 mm	"	950	950	950	
	h) 140 mm	"	1199	1199	1199	
	i) 160 mm	"	1542	1542	1542	
	j) 180 mm	"	1966	1966	1966	
	k) 200 mm	"	2431	2431	2431	
30.5	UPVC fittings :					
	Coupler					
	50 mm	गोटा	31	31	31	
	75 mm	"	75	75	75	
	110 mm	"	128	128	128	
	Bend 87.5 degree					
	50 mm	गोटा	46	46	46	
	75 mm	"	108	108	108	
	110 mm	"	200	200	200	
	Bend 45 degree					
	50 mm	गोटा	45	45	45	
	75 mm	"	88	88	88	
	110 mm	"	158	158	158	
	Single Tee					
	50 mm	गोटा	68	68	68	
	75 mm	"	147	147	147	
	110 mm	"	279	279	279	
	Pipe clip					
	50 mm	गोटा	14	14	14	
	75 mm	"	28	28	28	
	110 mm	"	37	37	37	
	Bend 87.5 degree with door					
	75 mm	गोटा	139	139	139	
	110 mm	"	242	242	242	
	Single Tee with door					
	75 mm	गोटा	198	198	198	
	110 mm	"	369	369	369	
	Double Tee					
	75 mm	गोटा	322	322	322	
	110 mm	"	510	510	510	
	Double Tee with door					
	75 mm	गोटा	427	427	427	
	110 mm	"	662	662	662	
	Vent cowl					
	75 mm	गोटा	53	53	53	
	110 mm	"	87	87	87	
	Socket plug					
	75 mm	गोटा	66	66	66	
	110 mm	"	108	108	108	
	Single "Y"					
	75 mm	गोटा	168	168	168	
	110 mm	"	363	363	363	
	Single "Y" with door					
	75 mm	गोटा	230	230	230	



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	110 mm	"	438	438	438	
	Double "Y"					
	75 mm	गोटा	253	253	253	
	110 mm	"	499	499	499	
	Double "Y" with door					
	75 mm	गोटा	325	325	325	
	110 mm	"	523	523	523	
	Cleaning pipe					
	75 mm	"	147	147	147	
	110 mm	"	284	284	284	
	Reducer					
	110x 75 mm	"	131	131	131	
	75X50 mm	"	69	69	69	
	P -Trap					
	125mmx110mm	"	539	539	539	
	110mmx110mm	"	505	505	505	
	75mmx75mm	"	193	193	193	
	Multi-Floor -Trap					
	110mmx75mm	"	280	280	280	
	Nahani-Trap					
	110mmx75mm	"	255	255	255	
	W.C. Connector (bent type)	"	261	261	261	
	Square tile with jali	"	84	84	84	
	Round jali	"	38	38	38	
	End cap 50mm	"	25	25	25	
31.0	G.I Pipe threaded , 6 m. length with Cap					
	a) Light class					
	i. ½ " (15 mm)	र.मी	122	134	134	
	ii. ¾" (20 mm)	"	167	184	184	
	iii. 1" (25 mm)	"	235	259	259	
	iv. 1 ¼" (32 mm)	"	303	333	333	
	v. 1 ½ " (40 mm)	"	375	413	413	
	vi. 2" (50 mm)	"	574	632	632	
	vii. 2 ½ " (65 mm)	"	653	719	719	
	viii. 3" (80 mm)	"	768	845	845	
	ix. 4" (100 mm)	"	1104	1215	1215	
	x. 5" (125 mm)	"	1675	1843	1843	
	xi. 6" (150 mm)	"	2060	2266	2266	
	xii. 8" (200 mm)	"	2968	3265	3265	
	b) Medium class					
	i. ½ " (15 mm)	र.मी	145	164	164	
	ii. ¾" (20 mm)	"	183	206	206	
	iii. 1" (25 mm)	"	278	314	314	
	iv. 1 ¼" (32 mm)	"	363	410	410	
	v. 1 ½ " (40 mm)	र.मि	417	471	471	
	vi. 2" (50 mm)	"	572	646	646	
	vii. 2 ½ " (65 mm)	"	732	827	827	
	viii. 3" (80 mm)	"	909	1027	1027	
	ix. 4" (100 mm)	"	1764	1994	1994	
	x. 5" (125 mm)	"	1835	2073	2073	
	xi. 6" (150 mm)	"	2220	2508	2508	
	xii. 8" (200 mm)	"	3394	3835	3835	



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	c) Heavy duty					
	i. ½" (15 mm)	र.मि	173	195	195	
	ii. ¾" (20 mm)	"	216	244	244	
	iii. 1" (25 mm)	"	306	346	346	
	iv. 1 ¼" (32 mm)	"	417	471	471	
	v. 1 ½" (40 mm)	"	482	544	544	
	vi. 2" (50 mm)	"	707	799	799	
	vii. 2 ½" (65 mm)	"	883	998	998	
	viii. 3" (80 mm)	"	1042	1177	1177	
	ix. 4" (100 mm)	"	1603	1811	1811	
	x. 5" (125 mm)	"	2067	2336	2336	
	xi. 6" (150 mm)	"	1936	2188	3495	
	xii. 8" (200 mm)	"	3606	4075	4075	
32.0	G.I. Pipe fittings ISI or NS Standard					
	a) G.M. Gate valve					
	i. ½"	गोटा	882	970	970	
	ii. ¾"	"	1098	1208	1208	
	iii. 1"	"	1768	1945	1945	
	iv. 1 ¼"	"	2523	2775	2775	
	v. 1 ½"	"	3177	3495	3495	
	vi. 2"	"	5059	5565	5565	
	vii. 2 ½"	"	10460	11506	11506	
	viii. 3"	"	13005	14306	14306	
	ix. 4"	"	21301	23432	23432	
	b) G.M Check valve					
	i. ½"	गोटा	818	900	900	
	ii. ¾"	"	1100	1210	1210	
	iii. 1"	"	1627	1790	1790	
	iv. 1 ¼"	"	2405	2645	2645	
	v. 1 ½"	"	2782	3060	3060	
	vi. 2"	"	4614	5075	5075	
	vii. 2 ½"	"	9373	10311	10311	
	viii. 3"	"	12519	13771	13771	
	ix. 4"	"	17692	19461	19461	
	c) G.I. Elbow					
	i. ½"	गोटा	47	52	52	
	ii. ¾"	"	85	94	94	
	iii. 1"	"	134	147	147	
	iv. 1 ¼"	"	201	221	221	
	v. 1 ½"	"	283	312	312	
	vi. 2"	"	426	468	468	
	vii. 2 ½"	"	739	812	812	
	viii. 3"	"	1148	1263	1263	
	ix. 4"	"	1978	2176	2176	
	x. 5"	"	4897	5387	5387	
	xi. 6"	"	5893	6483	6483	
	d) G.I Tee					
	i. ½"	गोटा	73	81	81	
	ii. ¾"	"	117	128	128	
	iii. 1"	"	170	187	187	



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
iv.	1 ¼"	"	272	299	299	
v.	1 ½ "	"	376	413	413	
vi.	2"	"	615	676	676	
vii.	2 ½ "	"	965	1062	1062	
viii.	3"	"	1306	1436	1436	
ix.	4"	"	2372	2609	2609	
x.	5"	"	6564	7220	7220	
xi.	6"	"	7606	8367	8367	
e) G.I Union						
i.	½ "	गोटा	155	171	171	
ii.	¾"	"	218	240	240	
iii.	1"	"	320	352	352	
iv.	1 ¼"	"	440	484	484	
v.	1 ½ "	"	545	599	599	
vi.	2"	"	810	891	891	
vii.	2 ½ "	"	1658	1824	1824	
viii.	3"	"	2233	2457	2457	
ix.	4"	"	2942	3236	3236	
x.	5"	"	6564	7220	7220	
xi.	6"	"	7941	8735	8735	
f) G.I. Socket						
i.	½ "	गोटा	43	47	47	
ii.	¾"	"	67	73	73	
iii.	1"	"	91	100	100	
iv.	1 ¼"	"	141	155	155	
v.	1 ½ "	"	190	209	209	
vi.	2"	"	280	308	308	
vii.	2 ½ "	"	508	558	558	
viii.	3"	"	749	824	824	
ix.	4"	"	1297	1427	1427	
x.	5"	"	3240	3564	3564	
xi.	6"	"	4356	4791	4791	
g) C.I. Plug						
i.	½ "	गोटा	27	30	30	
ii.	¾"	"	36	40	40	
iii.	1"	"	45	50	50	
iv.	1 ¼"	"	90	99	99	
v.	1 ½ "	"	114	125	125	
vi.	2"	"	136	150	150	
vii.	2 ½ "	"	195	215	215	
viii.	3"	"	400	440	440	
ix.	4"	"	768	845	845	
h) Hex Nipple						
i.	½ "	गोटा	51	57	57	
ii.	¾"	"	79	87	87	
iii.	1"	"	128	141	141	
iv.	1 ¼"	"	199	219	219	
v.	1 ½ "	"	252	277	277	
vi.	2"	"	375	412	412	
vii.	2 ½ "	"	687	756	756	
viii.	3"	"	888	977	977	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
ix.	4"	"	1361	1497	1497	
j) Reducing Tee						
i.	¾"	गोटा	128	141	141	
ii.	1"	"	187	206	206	
iii.	1 ¼"	"	298	327	327	
iv.	1 ½"	"	414	455	455	
v.	2"	"	676	743	743	
vi.	2 ½"	"	1064	1170	1170	
vii.	3"	"	1438	1582	1582	
viii.	4"	"	2627	2890	2890	
x.	5"	"	7227	7949	7949	
xi.	6"	"	8366	9202	9202	
j) Reducing Elbow						
i.	¾"	गोटा	94	104	104	
ii.	1"	"	146	161	161	
iii.	1 ¼"	"	223	245	245	
iv.	1 ½"	"	314	345	345	
v.	2"	"	469	516	516	
vi.	2 ½"	"	809	890	890	
vii.	3"	"	1248	1373	1373	
viii.	4"	"	2209	2430	2430	
x.	5"	"	5388	5927	5927	
xi.	6"	"	6483	7131	7131	
j) Reducing socket						
i.	¾"	गोटा	74	81	81	
ii.	1"	"	99	109	109	
iii.	1 ¼"	"	154	170	170	
iv.	1 ½"	"	207	227	227	
v.	2"	"	309	340	340	
vi.	2 ½"	"	553	608	608	
vii.	3"	"	788	867	867	
viii.	4"	"	1422	1565	1565	
x.	5"	"	4067	4474	4474	
xi.	6"	"	4781	5260	5260	
K) Short bend						
i.	½"	गोटा	127	140	140	
ii.	¾"	"	195	215	215	
iii.	1"	"	300	330	330	
iv.	1 ¼"	"	577	635	635	
v.	1 ½"	"	873	960	960	
vi.	2"	"	1277	1405	1405	
vii.	2 ½"	"	3277	3605	3605	
viii.	3"	"	5082	5590	5590	
ix.	4"	"	7200	7921	7921	
l) Cross Tee						
i.	½"	गोटा	120	132	132	
ii.	¾"	"	171	188	188	
iii.	1"	"	269	296	296	
iv.	1 ¼"	"	467	513	513	
v.	1 ½"	"	560	616	616	
vi.	2"	"	908	998	998	
vii.	2 ½"	"	1531	1684	1684	



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
viii.	3"	"	2219	2441	2441	
ix.	4"	"	2995	3295	3295	
M) Tanki nipple						
i.	½"	गोटा	141	155	155	
ii.	¾"	"	196	216	216	
iii.	1"	"	292	321	321	
iv.	1 ¼"	"	440	484	484	
v.	1 ½"	"	560	616	616	
vi.	2"	"	908	998	998	
vii.	2 ½"	"	1747	1921	1921	
viii.	3"	"	2326	2559	2559	
ix.	4"	"	3086	3395	3395	
G.I. Nipple Medium Class ISI or NS						
2" Long						
i.	½"	गोटा	23	26	26	
ii.	¾"	"	35	38	38	
iii.	1"	"	47	51	51	
iv.	1 ¼"	"	63	69	69	
v.	1 ½"	"	76	84	84	
vi.	2"	"	117	128	128	
3" Long						
i.	½"	गोटा	35	38	38	
ii.	¾"	"	51	57	57	
iii.	1"	"	69	76	76	
iv.	1 ¼"	"	93	103	103	
v.	1 ½"	"	116	127	127	
vi.	2"	"	173	190	190	
vii.	2 ½"	"	237	261	261	
viii.	3"	"	346	381	381	
4" Long						
i.	½"	गोटा	47	51	51	
ii.	¾"	"	68	75	75	
iii.	1"	"	93	102	102	
iv.	1 ¼"	"	125	137	137	
v.	1 ½"	"	151	166	166	
vi.	2"	"	232	255	255	
vii.	2 ½"	"	318	350	350	
viii.	3"	"	463	509	509	
ix.	4"	"	595	655	655	
6" Long						
i.	½"	गोटा	69	76	76	
ii.	¾"	"	103	113	113	
iii.	1"	"	138	152	152	
iv.	1 ¼"	"	188	207	207	
v.	1 ½"	"	232	255	255	
vi.	2"	"	348	382	382	
vii.	2 ½"	"	475	522	522	
viii.	3"	"	680	748	748	
ix.	4"	"	841	925	925	
9" Long						
i.	½"	गोटा	104	114	114	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
ii.	¾"	"	153	168	168	
iii.	1"	"	185	204	204	
iv.	1 ¼"	"	282	310	310	
v.	1 ½"	"	378	416	416	
vi.	2"	"	521	573	573	
vii.	2 ½"	"	704	774	774	
viii.	3"	"	1042	1146	1146	
ix.	4"	"	4465	4912	4912	
12" Long						
i.	½"	गोटा	138	152	152	
ii.	¾"	"	203	223	223	
iii.	1"	"	230	253	253	
iv.	1 ¼"	"	377	414	414	
v.	1 ½"	"	463	509	509	
vi.	2"	"	694	764	764	
vii.	2 ½"	"	937	1031	1031	
viii.	3"	"	1388	1527	1527	
ix.	4"	"	1657	1823	1823	
18" Long						
i.	½"	गोटा	208	228	228	
ii.	¾"	"	256	281	281	
iii.	1"	"	346	381	381	
iv.	1 ¼"	"	563	620	620	
v.	1 ½"	"	692	761	761	
vi.	2"	"	1042	1146	1146	
vii.	2 ½"	"	1408	1549	1549	
viii.	3"	"	2061	2267	2267	
ix.	4"	"	2514	2766	2766	
G.I./G.I. Flange						
i.	1 ¼"	गोटा	883	971	971	
ii.	1 ½"	"	1087	1195	1195	
iii.	2"	"	1332	1466	1466	
iv.	2 ½"	"	1557	1713	1713	
v.	3"	"	1735	1908	1908	
vi.	4"	"	2153	2368	2368	
vii.	5"	"	3078	3385	3385	
viii.	6"	"	3198	3517	3517	
ix.	8"	"	6369	7006	7006	
G.I./HDP Flange						
i.	1 ¼"	गोटा	951	1046	1046	
ii.	1 ½"	"	1212	1333	1333	
iii.	2"	"	1432	1575	1575	
iv.	2 ½"	"	1672	1839	1839	
v.	3"	"	1787	1966	1966	
vi.	4"	"	2205	2425	2425	
vii.	5"	"	3078	3385	3385	
viii.	6"	"	3213	3535	3535	
ix.	8"	"	6991	7690	7690	
GI Endcap						
i.	1"	गोटा	117	128	128	
ii.	1 ¼"	"	216	237	237	
iii.	1 ½"	"	264	290	290	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
iv.	2"	"	314	345	345	
v.	2 ½ "	"	462	508	508	
CI Plug						
i.	1"	गोटा	108	119	119	
ii.	1 ¼"	"	200	220	220	
iii.	1 ½ "	"	245	270	270	
iv.	2"	"	292	321	321	
v.	2 ½ "	"	429	472	472	
GI Stainer						
i.	1"	गोटा	528	581	581	
ii.	1 ¼"	"	713	784	784	
iii.	1 ½ "	"	985	1083	1083	
iv.	2"	"	1258	1384	1384	
v.	2 ½ "	"	1595	1755	1755	
vi.	3"	"	2156	2372	2372	
HDPE Saddle clamp						
i.	1"	गोटा	141	141	141	
ii.	1 ¼"	"	141	141	141	
iii.	1 ½ "	"	183	183	183	
iv.	2"	"	242	242	242	
v.	2 ½ "	"	272	272	272	
vi.	3"	"	301	301	301	
Non returning CI Valve						
i.	3"	"	12540	13794	13794	
ii.	4"	"	16720	18392	18392	
iii.	5"	"	21560	23716	23716	
iv.	6"	"	25080	27588	27588	
HDP/HDP Flange set with adaptor						
i.	1 ¼"	गोटा	865	865	865	
ii.	1 ½ "	"	1102	1102	1102	
iii.	2"	"	1302	1302	1302	
iv.	2 ½ "	"	1520	1520	1520	
v.	3"	"	1625	1625	1625	
vi.	4"	"	2005	2005	2005	
vii.	5"	"	3178	3178	3178	
viii.	6"	"	2921	2921	2921	
ix.	8"	"	6356	6356	6356	
Brass tap ½"						
i.	½ " (Wt. 400 gm)	गोटा	831	914	914	
ii.	½ " ordinary	गोटा	188	207	207	
Globe Valve (GM)						
i.	½ "	गोटा	846	931	931	
ii.	¾"	"	1379	1517	1517	
iii.	1"	"	1703	1874	1874	
iv.	1 ¼"	"	2707	2977	2977	
v.	1 ½ "	"	3407	3747	3747	
vi.	2"	"	4253	4678	4678	
vii.	2 ½ "	"	8355	9190	9190	
viii.	3"	"	13804	15185	15185	
ix.	4"	"	22321	24553	24553	
Float Valve						
i.	½ "	गोटा	1040	1144	1144	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	इकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
ii.	¾"	"	1176	1293	1293	
iii.	1"	"	1426	1569	1569	
iv.	1 ¼"	"	2466	2713	2713	
v.	1 ½"	"	3705	4075	4075	
vi.	2"	"	4932	5426	5426	
C.I. Air valve (Heavy)						
i.	½"	गोटा	3443	3788	3788	
ii.	¾"	"	4750	5224	5224	
iii.	1"	"	5267	5793	5793	
Brass Union with Adopter						
i.	½"	गोटा	225	247	247	
ii.	¾"	"	345	379	379	
iii.	1"	"	523	575	575	
iv.	1 ¼"	"	679	747	747	
v.	1 ½"	"	1212	1333	1333	
vi.	2"	"	1797	1977	1977	
Saddle Ferrule						
i.	1 ½"	गोटा	324	356	356	
ii.	2"	"	428	471	471	
iii.	2 ½"	"	1197	1316	1316	
iv.	3"	"	1583	1741	1741	
v.	4"	"	2257	2483	2483	
Flow Regulating Valve (G.M.)						
i.	½"	गोटा	1212	1333	1333	
C.I Sluice Valve						
i.	1 ½"	गोटा	6275	6903	6903	
ii.	2"	"	8370	9207	9207	
iii.	2 ½"	"	10455	11501	11501	
iv.	3"	"	12549	13804	13804	
v.	4"	"	16728	18401	18401	
v.	5"	"	25425	27967	27967	
v.	6"	"	30514	33565	33565	
v.	8"	"	42720	46992	46992	
Brass Ferrule Cock						
i.	½"	गोटा	1379	1517	1517	
ii.	¾"	"	1797	1977	1977	
iii.	1"	"	2639	2902	2902	
Ball valve						
a)	15mm	गोटा	470	517	517	
b)	20 mm	"	596	655	655	
c)	25 mm	"	799	879	879	
d)	32 mm	"	963	1060	1060	
e)	40 mm	"	1865	2052	2052	
f)	50 mm	"	3062	3368	3368	
33.0	Supplying of Rcc ring for construction of well					
33.1	Ring					
	i) 28" dia. R.C.C. ring 20 cm ht .5 cm thick	गोटा	563	563	563	
	ii) 36" dia. R.C.C. ring 20 cm ht .5 cm thick	"	697	697	697	
	iii) 42" dia. R.C.C. ring 20 cm ht .5 cm thick	"	811	811	811	



Handwritten signatures and marks at the bottom of the page, including a large signature on the right and various initials and scribbles on the left and center.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	iv) 48" dia. R.C.C. ring 20 cm,ht ,5 cm thick	"	1074	1074	1074	
33.2	Supplying & fixing of metal frame and Rcc cover					
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1700	1700	1700	
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	"	2250	2250	2250	
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	"	2470	2470	2470	
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	"	2950	2950	2950	
34.0	ईनार खन्को लागी R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरु (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र मी	3892	3892	3892	
	ii) 36" dia. R.C.C. Ring	"	4940	4940	4940	
	iii) 42" dia. R.C.C. Ring	"	5750	5750	5750	
	iv) 48" dia. R.C.C. Ring	"	7093	7093	7093	
34.1	२५ फीट देखि माथीको गहीराइ भएमा					
	ईनार खन्को लागी R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरु (२५ फीट देखि माथीको गहीराइ भएमा मात्र ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र मी	5223	5223	5223	
	ii) 36" dia. R.C.C. Ring	"	8832	8832	8832	
	iii) 42" dia. R.C.C. Ring	"	10690	10690	10690	
	iv) 48" dia. R.C.C. Ring	"	12843	12843	12843	
35.0	Sanitary Tools					
	a Adjustable spanner					
	10"	Pc	248	248	248	
	12"	Pc	468	468	468	
	15"	Pc	1348	1348	1348	
	18"	Pc	1595	1595	1595	
	b Blow Torch					
	1/2 pint	Pc	1392	1392	1392	
	1 pint	Pc	1716	1716	1716	
	c Building Trowel	Pc	77	77	77	
	d Chain Pipe wrench					
	50mm	Pc	1595	1595	1595	
	75mm	Pc	1898	1898	1898	
	100mm	Pc	2228	2228	2228	
	150mm	Pc	3135	3135	3135	
	200mm	Pc	5335	5335	5335	
	e Chain Pulley in Ton					
	3 ton	Pc	17050	17050	17050	
	5 ton	Pc	28160	28160	28160	
	f Stone Chisel 1"x12"	Pc	358	358	358	
	g Die teeth oil with cane (250 ml size)	Pc	275	275	275	
	h Smooth steel file half round					
	8"	Pc	523	523	523	
	10"	Pc	1001	1001	1001	
	i Flat file 10"	Pc	523	523	523	
	Hacksaw Blade					



Handwritten signatures and marks at the bottom of the page, including a large signature on the right and various initials and scribbles on the left and center.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	Single	Pc	4	4	4	
	double	Pc	9	9	9	
j	Hacksaw Frame 6mm	Pc	187	187	187	
k	Handle die set					
	25 mm	Pc	3108	3108	3108	
	50 mm	Pc	3520	3520	3520	
	60 mm	Pc	9350	9350	9350	
l	Heating Plate					
	80 mm	Pc	935	935	935	
	100 mm	Pc	1073	1073	1073	
	125 mm	Pc	1375	1375	1375	
	150 mm	Pc	1639	1639	1639	
	200 mm	Pc	2651	2651	2651	
	250 mm	Pc	3212	3212	3212	
	300 mm	Pc	3751	3751	3751	
m	Iron Brush 12"	Pc	72	72	72	
n	Iron Pan (madium)	Pc	253	253	253	
o	Pick Axe 1.7 Kg.	Pc	418	418	418	
p	Pipe Cutter					
	15-50 mm	Pc	1980	1980	1980	
	65-80 mm	Pc	3080	3080	3080	
	100 mm	Pc	4950	4950	4950	
	125 mm	Pc	5500	5500	5500	
	150 mm	Pc	9790	9790	9790	
q	Pipe Jack Machine (Heavy)	Pc	31350	31350	31350	
r	Pipe Vice					
	2"	Pc	2420	2420	2420	
	3"	Pc	3520	3520	3520	
	4"	Pc	5308	5308	5308	
	5"	Pc	9845	9845	9845	
s	Pipe Wrench					
	10"	Pc	308	308	308	
	12"	Pc	572	572	572	
	14"	Pc	682	682	682	
	18"	Pc	1084	1084	1084	
	24"	Pc	1496	1496	1496	
	36"	Pc	5280	5280	5280	
	48"	Pc	9350	9350	9350	
t	Plumb Bob Line	Pc	88	88	88	
u	Rachet Die Set					
	1/2"-1"	Pc	4180	4180	4180	
	1 1/4"-2"	Pc	7810	7810	7810	
	2 1/2"-3"	Pc	17050	17050	17050	
v	Round File 10"	Pc	358	358	358	
w	Screw Driver 12"	Pc	198	198	198	
x	Shovel 1.5 Kg	Pc	358	358	358	
y	Slide wrench					
	10"	Pc	352	352	352	
	12"	Pc	473	473	473	
	15"	Pc	1381	1381	1381	
z	Spade	Pc	429	429	429	
A	Spare Die Teeth					
	15 mm	Pc	572	572	572	
	20 mm	Pc	572	572	572	
	25 mm	Pc	572	572	572	
	32 mm	Pc	908	908	908	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	40 mm	Pc	1551	1551	1551	
	50 mm	Pc	1568	1568	1568	
	65 mm	Pc	1815	1815	1815	
	80 mm	Pc	2035	2035	2035	
B	Teflon Cover					
	5'x5'	Pc	303	303	303	
	7'x7'	Pc	413	413	413	
C	Teflon Cloth	m	3328	3328	3328	
D	Teflon Tape 10 mm roll	Roll	17	17	17	
E	Thermochrome Crayon					
	Indian	Pc	743	743	743	
	Germany	Pc	1485	1485	1485	
F	Tool Box (14"x8"x22")	Pc	2041	2041	2041	
36	Anaerobic treatment for waste water (sintex/ equivalent)As per ASTM-D-2583 (. Should be FRP based Septic tank along with fixed film aeration tank, Should operate in zero load as well. Exterior/Interior surface shall be reasonably smooth No fibers loosely attached minimum Internal Vacuum test As per UL-1316/CSI Each tank to withstand internal partial vacuum without rupture as under Vacuum as per equation in Std. UL-1316Clause18 Deformation test As per Product Specifications ≤37.5 mm Interior surface shall be resin rich with no exposed fibers & should be free of De lamination,Cracks etc.)					
	800 lts for 4 persons	nos	63750	63750	63750	
	1200 lts for 6 people	nos	79050	79050	79050	
	1600 lts for 10 persons	nos	95200	95200	95200	
37	Irrigation Works excluding pipes including installation (Rainbird or equivalent)					
1	Supply flexible, kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	Rm	150	150	150	
2	Supply of Xeri bug emitter pressure compensating with selfpiercing barbs, flow rates 1.89LPH to 7.57LPH UV resistant colour coded with working pressure 1.0 to 3.5bar	Nos	30	30	30	
3	SPRINKLERS & ACCESSORIES					
	Unispray	No.	660	660	660	
	Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees)nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST	No.	1200	1200	1200	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees)nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	No.	1200	1200	1200	
	gear rotors 5004	No.	3100			
	Providing of 1/2" Pop up Connecting Swing joint Assembly . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. SA Series	No.	390	390	390	
	Providing of 3/4" Pop up Connecting Swing joint Assembly . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. SA	No.	480	480	480	
	Providing and fixing of HDPE service saddle of varying size		850	850	850	
4	VALVES & ACCESSORIES					
	Providing and fixing PVC Ball Valve ,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	No.	1800	1800	1800	
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	No.	2100	2100	2100	
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	No.	7500	7500	7500	
	6"Round box.	No.	1250	1250	1250	
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	No.	13500	13500	13500	
	Key threads into top of QCV to provide water access 33DK	No.	9750	9750	9750	

ELECTRICAL WORK

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
1	Dyana White Plate series SWITCH SOCKET ANCHOR / CPL /NG/Flux OR ISI EQUIVALENT					
	One Gang one way switch	सेट	58	58	58	
	One Gang two way switch	सेट	69	69	69	
	One way bell switch	सेट	72	72	72	
	Two gang one way switch	-	96	96	96	
	Two gang one way switch with one bell push	-	105	105	105	



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	Two gang Full two way switch	"	107	107	107	
	Three Gang one way switch	"	127	127	127	
	Four gang one way switch	"	161	161	161	
	Six gang one way switch (3x5)	"	253	253	253	
	Eight gang one way switch	"	304	304	304	
	Dimmer single 300 watt	"	309	309	309	
	Dimmer single 750 watt	"	459	459	459	
	5 Step humming free dimmer	"	407	407	407	
	16Amp 3 Pin Plug Top	"	121	121	121	
	1 switch with dimmer	"	368	368	368	
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	151	151	151	
	6/16 Amp , Power sockets with switch , indicator & safety shutter	"	169	169	169	
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	"	371	371	371	
	32A D.P. switch with fuse & indicator Surface Mounting	"	206	206	206	
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	611	611	611	
	Blanking plate single	"	40	40	40	
	Telephone socket single	"	118	118	118	
	Telephone socket Double	"	169	169	169	
	Angle / bottom holder	"	35	35	35	
	Ceiling Rose	"	35	35	35	
	Buzzer	"	97	97	97	
	Musical bell	"	222	222	222	
	T.V.antena single Socket	"	82	82	82	
	6A 2/3 Pin unshuttered multi switch socket	"	128	128	128	
	RJ 45 Computer Socket for modem	"	234	234	234	
	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	"	35	35	35	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	"	63	63	63	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	"	98	98	98	
	Switch / socket outlet, Plate series having round switch buttons & white sorrounding plate, suitable to fix on box size 3"x3" . ORANGE, or Equivalent					
	10A 1gang 1way Switch	Set	83	83	83	
	10A 2gang 1way Switch	Set	163	163	163	
	10A 3gang 1way Switch	"	216	216	216	
	10A 4gang 1way Switch	"	350	350	350	
1.	10A 5gang 1way Switch	"	371	371	371	
	10A 6gang 1way Switch	"	617	617	617	
	10A 1gang 2way Switch	"	144	144	144	
	10A 2gang 2way Switch	"	278	278	278	
	10A 3gang 2way Switch	"	407	407	407	
	10A 4gang 2way Switch	"	613	613	613	
	T V Socket outlet	"	299	299	299	
	Telephone Socket	"	268	268	268	
	13A Universal socket outlet	"	464	464	464	
	13A Socket	"	273	273	273	
	15A switched Socket outlet	"	443	443	443	
	5A Socket	"	340	340	340	



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	RJ 45 8way Computer Socket	"	824	824	824	
	TV and Telephone Socket	"	592	592	592	
	7+2 PIN SOCKET OUTLET	"	927	927	927	
	3+2 PIN SOCKET OUTLET	"	577	577	577	
	X5 2+2 - 2 PIN SOCKET OUTLET	"	783	783	783	
	SCHUKO SOCKET WITH ONE SWITCH	"	505	505	505	
	Bell Press	"	237	237	237	
	Blank Plate	"	93	93	93	
	400W Light Dimmer W/ Switch	"	906	906	906	
	400W Fan Controller / Multi Step Dimmer	"	917	917	917	
	5 Step Fan Controller	"	896	896	896	
	2 Pin Socket W/ Switch	"	453	453	453	
	13A Twin Socket	"	680	680	680	
	White Plate series modular type(polycarbonate) SWITCH					
1	SOCKET power pack,Bentex,Premier,Rathi,Ohms or EQUIVALENT					
	One Gang one way switch	सेट	100	100	100	
	One Gang two way switch	सेट	112	112	112	
	One way bell switch	सेट	112	112	112	
	Two gang one way switch	"	133	133	133	
	Two gang one way switch with one bell push	"	146	146	146	
	Two gang Full two way switch	"	158	158	158	
	Three Gang one way switch	"	167	167	167	
	Four gang one way switch	"	202	202	202	
	Six gang one way switch	"	307	307	307	
	Eight gang one way switch	"	374	374	374	
	Dimmer single 300 watt	"	486	486	486	
	1 switch with dimmer	"	499	499	499	
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	260	260	260	
	6/13 Amp , Power sockets with switch , indicator	"	263	263	263	
	20 A D.P. switch with fuse & indicator Surface Mounting	"	354	354	354	
	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	391	391	391	
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	474	474	474	
	Blanking plate single	"	62	62	62	
	Telephone socket single	"	152	152	152	
	Telephone socket Double	"	249	249	249	
	T.V.antena single Socket	"	142	142	142	
	RJ 45 Computer Socket for modem	"	206	206	206	
	CAT-6 Computer Socket for modem	"	321	321	321	
2	Modular Type Switch Socket set NORTH-WEST' NORYSIS' ABB SCHNIEDER Legrand or ISI Equivalent					
	1P - 6A/10A 1 way switch	No.	139	139	139	
	1P - 16A/20A 1 way switch	"	223	223	223	
	1P - 25A 1 way switch	"	326	326	326	
	1P - 6A/10A 2 way switch	"	167	167	167	
	1P - 16A/20A 2 way switch	"	253	253	253	
	1P - 6A push button	"	184	184	184	
	1 gang blanking module	"	43	43	43	
	2 gang blanking module	"	86	86	86	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the right and several smaller ones on the left.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	FAN REGULATOR / DIMMER					
	Step type fan regulator	No.				
	60 – 500 W dimmer	"	638	638	638	
	1000 W dimmer	"	797	797	797	
			1524	1524	1524	
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS					
	6A – multi socket 5 pin	No.				
	6/16A twin socket 3 pin (flushed)	"	240	240	240	
	6/16A twin socket 3 pin (projected)	"	332	332	332	
	25A 3 pin socket	"	332	332	332	
	13A 3 pin socket	"	401	401	401	
	RJ 11 telephone jack	"	270	270	270	
	RJ 45 cat.6e computer socket	"	159	159	159	
	TV socket	"	557	557	557	
	250V/110V shaver socket	"	161	161	161	
	Indicator (DO NOT DISTUURB)	No.	4355	4355	4355	
	LED yellow night lamp	"	180	180	180	
	LED Blue night lamp	"	560	560	560	
			560	560	560	
	FRONT PLATE (COMPATIBLE TO MARKET BOXES)					
	(White)					
	1 module front plate	No.	72	72	72	
	2 module front plate	"	77	77	77	
	3 module front plate	"	84	84	84	
	4 module front plate	"	89	89	89	
	6 module front plate	"	162	162	162	
	8 module front plate(4+4)	"	217	217	217	
	8 module front plate (Horizontal)	"	174	174	174	
	12 module front plate	"	260	260	260	
	18 module front plate	"	350	350	350	
	Modular Type Switch Socket KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or ISI Equivalent					
	Seperate Module for Modular Switch & Socket					
	1P – 6A/10A 1 way switch	No.	87	87	87	
	1P – 16A/20A 1 way switch	"	144	144	144	
	1P – 6A/10A 2 way switch	"	134	134	134	
	1P – 16A/20A 2 way switch	"	175	175	175	
	1P – 6A push button	"	134	134	134	
	1 gang blanking module	"	41	41	41	
	2 gang blanking module	"	78	78	78	
	FAN REGULATOR / DIMMER					
	Step type fan regulator	No.				
	60 – 500 W dimmer	"	700	700	700	
			597	597	597	
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS					
	6A – multi socket 5 pin	No.				
	6/16A twin socket 3 pin (flushed)	"	185	185	185	
	6/16A twin socket 3 pin (projected)	"	288	288	288	
	13A 3 pin socket	"	288	288	288	
	RJ 11 telephone jack	"	185	185	185	
	RJ 45 cat.6e computer socket	"	144	144	144	
	TV socket	"	237	237	237	
	1 module front plate	No.	144	144	144	
			113	113	113	


सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	2 module front plate	"	113	113	113	
	3 module front plate	"	148	148	148	
	4 module front plate	"	165	165	165	
	6 module front plate	"	227	227	227	
	8 module front plate(4+4)	"	305	305	305	
	8 module front plate (Horizontal)	"	313	313	313	
	12 module front plate	"	363	363	363	
	18 module front plate	"	453	453	453	
	Flush mounting galvanized Metal box for modular type switch & socket					
	1 module metal box having L x B x Depth = (78x78x45)mm	सेट	52	52	52	
	2 module " " " " = (78x78x45)mm	"	52	52	52	
	3 gang " " " " = (78x100x45)mm	"	56	56	56	
	4 gang " " " " = (78x140x50)mm	"	68	68	68	
	5 gang " " " " = (78x205x50)mm	"	134	134	134	
3	6 gang " " " " = (78x205x50)mm	"	136	136	136	
	8 module metal box (4+4) = (78x230x60)mm	"	181	181	181	
	8 module metal box (Horizontal) = (135x120x60)mm	"	181	181	181	
	12 module metal box = (135x120x60)mm	"	231	231	231	
	TV socket metal box	"	52	52	52	
	Telephone socket metal box	"	52	52	52	
	METAL Junction BOX					
	4"x4"	गोटा	100	100	100	
	4"x6"	"	150	150	150	
	6"x8"	"	237	237	237	
	8"x10"	"	349	349	349	
	8"x12"	"	349	349	349	
	PVC Junction Box					
	4"x4"	"	34	34	34	
	4"x6"	गोटा				
	6"x8"	"	31	31	31	
	8"x10"	"	46	46	46	
	8" x12"	"	67	67	67	
	Junction box cover	"	129	129	129	
	PVC Listy Double Lock { 6'length =1 no.(गोटा)}					
	½ " breadth	गोटा	31	31	31	
	¾"	"	46	46	46	
	1"	"	67	67	67	
	1½"	"	129	129	129	
	2"	"	144	144	144	
	PVC Conduit Pipe					
6	1) ½ " diameter	रुमी	31	31	31	
	2) ¾"	"	46	46	46	
	3) 1"	"	67	67	67	
	Listy Pipe Accessories					
7	½"-2" size Saddle	रुमी	8	8	8	
	Grips (Denmark)	गोटा	6	6	6	
	Steel screws	गोटा	2	2	2	
	PVC Tape	गोटा	15	15	15	



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
8	Distribution board (DB)					
	With busbar Neutral link Earh bar and Din Rail Conforming IS13032 , IS8632, Powder coated 14SWG CRCA sheet steel housing complete.siemens;abb 'hager					
	4 way SPN DB Double Cover	सेट	1082	1082	1082	
	6 way SPN DB " "	"	1135	1135	1135	
	8 way SPN DB " "	"	1416	1416	1416	
	12 way SPN DB " "	"	1679	1679	1679	
	16 way SPN DB " "	"	1795	1795	1795	
	3-4 way TPN DB Double Cover	"	2668	2668	2668	
	6 way TPN " " " "	"	2998	2998	2998	
	8 way TPN " " " Vertical	"	5799	5799	5799	
	12 way TPN " " " Vertical	"	7727	7727	7727	
	50 Pair Telephone D.B.with crown tag	"	5446	5446	5446	
9	PVC Box for MCB					
	1-pole PVC box GPS	सेट	81	81	81	
	2- pole PVC " "	"	81	81	81	
	3 and 4-pole PVC " "	"	130	130	130	
10	Miniature Circuits Breaker (MCB) , LEGRAND/Siemens , Abb, schnieder or equivalent					
	6-32 amp MCB SP (single pole)	गोटा	206	206	206	
	6-32 amp MCB DP (Double pole)	"	1030	1030	1030	
	6-32 amp MCB TP (Triple pole)	"	1710	1710	1710	
	32 amp MCB TPN	"	2472	2472	2472	
	40-63 amp MCB DP	"	1648	1648	1648	
	40-63 amp MCB TP	"	2637	2637	2637	
	40-63 amp MCB TPN	"	3157	3157	3157	
10	Miniature Circuits Breaker (MCB)KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE, North-west equivalent					
	0.5-5 amp MCB SP (single pole)	गोटा	258	258	258	
	6-32 amp MCB SP (single pole)	"	165	165	165	
	6-32 amp MCB DP (Double pole)	"	618	618	618	
	6-32 amp MCB TP (Triple pole)	"	1236	1236	1236	
	32 amp MCB TPN	"	1494	1494	1494	
	40-63 amp MCB DP	"	979	979	979	
	40-63 amp MCB TP	"	1391	1391	1391	
	40-63 amp MCB TPN	"	1854	1854	1854	
12	Residual Current Circuit Breaker (RCCB) abb, siemens, hager, legrend, north-west lawson or equivalent					
	25A to 40A ,(30mA,100,300mA) DP RCCB	गोटा	2751	2751	2751	
	63A 30mA DP RCCB	"	3278	3278	3278	
	63A 100mA DP RCCB	"	3014	3014	3014	
	63A 300mA DP RCCB	"	3064	3064	3064	
	25A to 40A ,(30mA,100,300mA) FP RCCB	"	3377	3377	3377	
	63A 30mA Four Pole RCCB	"	3706	3706	3706	
	63A 100mA Four Pole RCCB	"	3706	3706	3706	
	63A 300mA Four Pole RCCB	"	3706	3706	3706	



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	Moulded Case Circuit Breaker abb, abb, siemens, hager, legrend, north-west lawson or equivalent					
	16AMP- 63AMP TP MCCB 16KA		5665	5665	5665	
	80AMP TP MCCB 16KA		5665	5665	5665	
	100AMP TP MCCB 16KA		6386	6386	6386	
	125AMP TP MCCB 16KA		8240	8240	8240	
	160AMP TP MCCB 16KA		9785	9785	9785	
	16AMP- 63AMP TP MCCB 25KA		6386	6386	6386	
	80AMP TP MCCB 25KA		7045	7045	7045	
	100AMP TP MCCB 25KA		7045	7045	7045	
	125AMP TP MCCB 25KA		11330	11330	11330	
	160AMP TP MCCB 25KA		13390	13390	13390	
	200AMP TP MCCB 25KA(Adjustable)		21115	21115	21115	
	200AMP TP MCCB 36KA(Adjustable)		23175	23175	23175	
	250AMP TP MCCB 36KA(Adjustable)		27295	27295	27295	
	400AMP TP MCCB 50KA(Adjustable)		35535	35535	35535	
	630AMP TP MCCB 50KA(Adjustable)		48410	48410	48410	
	800AMP TP MCCB 50KA(Adjustable)		63963	63963	63963	
14	Manual Changeover Panel Type					
	Make ABB, Siemens, Hager DELTON or Equivalent					
	63 Amp FP	"	11618	11618	11618	
	80 Amp FP	"	12854	12854	12854	
	100 Amp FP	"	18210	18210	18210	
	125 Amp FP	"	19199	19199	19199	
	160 Amp FP	"	25214	25214	25214	
	200 Amp FP	"	26038	26038	26038	
	250 Amp FP	"	27686	27686	27686	
	315 Amp FP	"	35020	35020	35020	
15	Dome light Make Homedec, Decon, Fumagalli OR equivalent					
	6" Milky type decorative dome light	सेट	180	180	180	
	6 " Brass base decorative dome light	"	736	736	736	
	8"Milky type decorative dome light	"	227	227	227	
	8 " Brass base decorative dome light	"	876	876	876	
	8" Silver cast Milky base Decorative Dome Light	"	1107	1107	1107	
	6) 8" Silver cast Black Base base Decorative Dome Light	"	567	567	567	
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	"	1213	1213	1213	
	Wall bracket/spout light/mirror light bulk head ordinary .Make Homedec, Decon, Fumagalli	"	232	232	232	
	Wall bracket/spot light/mirror light /bulk head medium decorative.	"	361	361	361	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	"	824	824	824	
	1 x 11/13 watt CFL DOWN LIGHT with reflector & diffuser (conceal light) Complete Set Wipro WCG22060	"	968	968	968	
	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set Wipro WCP23118	"	1514	1514	1514	
	Dining lamp.	"	1700	1700	1700	
	Chandlers 6-8 lamp Medium	"	15090	15090	15090	
	Chandlers 3-5 lamp Medium	"	10764	10764	10764	
	Mirror Light Euro Light Wipro WRF21111	"	464	464	464	
	Picture light Euro Light POO2	"	670	670	670	
	Wall spot Light E27 60W Euro or eqv.	"	361	361	361	
	Exit Light safety sign(8.24)W Make Samcon	सेट	824	824	824	
	Post top Lanterns					
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	"	2575	2575	2575	
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3090	3090	3090	
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3476	3476	3476	
	8" Globe type Post top Lamp complete set	"	1416	1416	1416	
	10" Globe type Post top Lamp complete set	"	2704	2704	2704	
	Roadway light luminaires Wipro, Philips , Legero or Equivalent					
	1 x 36 W FTL street light fixture with acrylic diffuser complete set	"	2637	2637	2637	
	2 x 36 W FTL street light fixture with acrylic diffuser complet set	"	3868	3868	3868	
	300/500 watt halogen weather proof FLOOD LIGHT with glass cover Complete set	"	1545	1545	1545	
	1000 watt halogen weather proof flood light with glass cover Complete set	"	3090	3090	3090	
15.	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	9270	9270	9270	
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	11382	11382	11382	
	Single Piece deep drawn aluminum POT optics road light luminaires with clear acrylic cover 70W HPSV lamp etc. complete with all accessories.	सेट	5253	5253	5253	
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	2271	2271	2271	
	1X125W HPSV street light fixture with acrylic diffuser	"	5119	5119	5119	




Handwritten signatures and marks at the bottom of the page, including a large 'X' mark on the right side.

सि. नं.	विवरण	ईकाई	दररेट सु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	2X60/100W GLS <u>aviation light</u> fixture all complete set	"	5686	5686	5686	
16	CEILING FANS & EXHAUST Fans, BAJAJ/KHAITAN/ORIENT/CROMPTON/P OWERPACK C/G . Almonard or equivalent					
	36" size ceiling Fan	गोटा	2163	2163	2163	
	42" size " "	"	2266	2266	2266	
	48" size " "	"	2318	2318	2318	
	56" size " "	"	2575	2575	2575	
	6" Exhaust Fan	"	1494	1494	1494	
	9" Exhaust Fan	"	1803	1803	1803	
	16" size wall fan	"	2833	2833	2833	
	12" size exhaust fan	"	2575	2575	2575	
	17	BELL INDICATOR				
4 way bell indicator with plate		सेट	1255	1255	1255	
6 way " " " "		"	2049	2049	2049	
8 way " " " "		"	2851	2851	2851	
12 way " " " "		"	4395	4395	4395	
18	Materials For Earthing & Lightening Protection (sp.gr. copper =8930kg/m³)					
	Copper plate	के जी	917	917	917	
	Copper Strip (25 x 3)mm (Approx 60"=1kg)	के जी	1082	1082	1082	
	Copper Strip (20mm breadth x 3mm thick)	के जी	1082	1082	1082	
	Copper Strip (12 x 3)mm	के जी	1082	1082	1082	
	Lightning rod copper conductor Air termination set	गोटा	2730	2730	2730	
	8 SWG bare copper wire	र मी	144	144	144	
	29 mm Diameter GI Pipe of 1m length	र मी	252	252	252	
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	618	618	618	
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	15	15	15	
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	196	196	196	
	Funnel with wire mesh	गोटा	361	361	361	
	Charcoal	व्याग	309	309	309	
	Salt	के जी	12	12	12	
19	STEEL TUBELAR POLE / WOODEN POLE					
	Steel Tubular Poles with welded plate on top and bottom (medium Gauge non Galvanized with folding System and accessories)					
	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	No	12057	13625	13625	
	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia 2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	No	12978	14665	14665	




Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom (medium Gauge non Galvanized with welded joints)	No	12484	14106	14106	
	7 mtr.length Wooden Pole	No	4996	4996	4996	
	9 mtr.length Wooden Pole	No	6798	6798	6798	
20	Modular ceiling Luminaries					
	Fluorescent Tube light (FTL) set including Tube, condenser, starter , lamp holder, channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block . PHILIPS, WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, ORIENT, PREMIER, OHMS, LEGERO or equivalent					
	1x20 watt FTL (Patti fittings)	सेट	464	464	464	
	1x40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	"	775	775	775	
	1x20 watt FTL (Mirrolta) WRF 20120	"	876	876	876	
	1x40 watt FTL with attractive & functional decorative battens WRF20140	"	1020	1020	1020	
	1x40 watt FTL box fittings WIF 14140	"	1159	1159	1159	
	2x40 watt FTL box fittings WIF 14240	"	1751	1751	1751	
	1x40 watt FTL Industrial channel WIF 36140	"	1782	1782	1782	
	2x40 watt FTL Industrial channel WIF 36240	"	2287	2287	2287	
	1x40 watt FTL, opalite with opal Arcylic dissuser . WCF51140	"	1854	1854	1854	
	2x40 watt FTL, oplite with opal Arcylic dissuser WCF51240	"	3090	3090	3090	
	4x20 watt FTL, oplite WCF 93418	"	5410	5410	5410	
	4x20 watt FTL mirror optic , surface/recessed mounting WCF93418	"	5410	5410	5410	
	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting WCF 82136	"	3554	3554	3554	
	2x40 watt FTL mirror optic , surface/recessed mounting with electronic choke WVP40236	"	4326	4326	4326	
	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 louver Complete set WVF20414	सेट	9383	9383	9383	
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling WVF 20314	सेट	8245	8245	8245	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
20	Compact Fluorescent Lamp (CFL) based Luminaries set all complete . PHILIPS, WIPRO BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA ,LEGERO or ISI equivalent .					
	2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set WCP32218	"	2678	2678	2678	
	1 x11 W CFL mirror Optic surface/recessed mounting complete set WVP 41111	सेट	1833	1833	1833	
	2 x11 W CFL mirror Optic Surface mounting complete set WVP41211	सेट	2266	2266	2266	
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with luvver Complete set WVP24236	सेट	6067	6067	6067	
3x36 W CFL -4 pin low glare fixture with P 5 louveres & electronic ballast complete set WVP 24336	सेट	6824	6824	6824		
Recess mounting Direct Indirect LED luminare LM15-321-XXX-60-XX		10815	10815	10815		
Recess mounting Direct Indirect LED luminare LM11-291-XXX-57-XX		14060	14060	14060		
Recess Surface mounted LED luminate CRCO10R038HP57		13339	13339	13339		
Hight efficiency circular LED Down Lighter LD71		3245	3245	3245		
Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01		14600	14600	14600		
IP20 and IP 65 non intregal flexible LED Strip Light LS 06/26		1082	1082	1082		
Circular LED wall/Dome Light suitable for true ceiling LW01		3245	3245	3245		
Square LED Wall/Dome light suitable for true ceiling LW02-101-XXX-60-XX		3245	3245	3245		
Recess mounted indirect and direct luminaires WVP 64236		6129	6129	6129		
2x36 Watt CFL Surface Mirror Optic WVP44236		6129	6129	6129		
Down Light Fiam Make						
FDL004 SMD7W-WWH Taiwan chip (120*90)		1298	1298	1298		
FDL004 SMD7W-CW Taiwan chip		1298	1298	1298		
FDL004 SMD9W-WWH Taiwan chip (145*90)		1857	1857	1857		
FDL004 SMD9W-CW Taiwan chip		1857	1857	1857		
FDL004 SMD15W-WWH Taiwan chip (175*90)		2828	2828	2828		
FDL004 SMD15W-CW Taiwan chip		2828	2828	2828		
FDL004 SMD30W-WWH Taiwan chip (200MM)		5091	5091	5091		
FDL004 SMD30W-CW Taiwan chip		5091	5091	5091		
FDL012 COB5W-WWH (90MM)		1301	1301	1301		
FDL012 COB5W-CW		1301	1301	1301		
FDL012 COB10W-WWH (120MM)		1979	1979	1979		
FDL012 COB10W-CW		1979	1979	1979		
FDL012 COB15W-WWH Taiwan chip (140MM)		5091	5091	5091		
FDL012 COB15W-CW Taiwan chip		5091	5091	5091		
FDL012 COB25W-WWH Taiwan chip		6787	6787	6787		
FDL012 COB25W-CW Taiwan chip		6787	6787	6787		



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	FDLO12 COB30W-WWH Taiwan chip (200MM)		8483	8483	8483	
	FDLO12 COB30W-CW Taiwan chip		8483	8483	8483	
	FDLOO7 SMD12W-WWH Taiwan chip (130*110)		4184	4184	4184	
	FDLOO7 SMD12W-CW Taiwan chip		4184	4184	4184	
	FDLOO7 SMD18W-WWH Taiwan chip (165*145)		6108	6108	6108	
	FDLOO7 SMD18W-CW Taiwan chip		6108	6108	6108	
	FDLOO7 SMD24W-WWH Taiwan chip (195*175)		7635	7635	7635	
	FDLOO7 SMD24W-CW Taiwan chip		7635	7635	7635	
	FDLOO1 HP5W FBK-WWH Taiwan chip (95*110)		3167	3167	3167	
	FDLOO1 HP5W FBK-CW Taiwan chip		3167	3167	3167	
	FDLOO1 HP5W FWH-WWH Taiwan chip (80*120)		3167	3167	3167	
	FDLOO1 HP5W FWH-CW Taiwan chip		3167	3167	3167	
	FDLLOO5 SMD7W-WWH Taiwan chip (123MM)		1301	1301	1301	
	FDLLOO5 SMD7W-CW Taiwan chip		1301	1301	1301	
	FDLOO5 SMD12W-WWH Taiwan chip (165MM)		1696	1696	1696	
	FDLOO5 SMD12W-CW Taiwan chip		1696	1696	1696	
	FDLOO5 SMD20W-WWH Taiwan chip (200MM)		3111	3111	3111	
	FDLOO5 SMD20W-CW Taiwan chip		3111	3111	3111	
	FM3161 HP 18W-WWH Cree Led		6787	6787	6787	
	FM3161 HP 18W-CW Cree Led		6787	6787	6787	
	HD-5010-13-WWH Osram chip (86*75)		2094	2094	2094	
	HD-5010-13-CW Osram chip		2094	2094	2094	
	HD-5010-14-WWH Osram chip (115*105)		3167	3167	3167	
	HD-5010-14-CW Osram chip		3167	3167	3167	
	HD-5010-14-WWH Osram chip (140*125)		3959	3959	3959	
	HD-5010-14-CW Osram chip		3959	3959	3959	
	HD-5010-18-WWH Osram chip (215*200)		7860	7860	7860	
	HD-5010-18-CW Osram chip		7860	7860	7860	
	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W		2451	2451	2451	
	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W 3C1.000.000		2451	2451	2451	
	LUCIA WHITE OPAL		1803	1803	1803	
	LUCIA BLACK OPAL		1803	1803	1803	
	LUCIA-GD WHITE OPAL		1803	1803	1803	
	LUCIA-GD BLACK OPAL		1803	1803	1803	
	REMI/LUCIA WHITE OPAL		2163	2163	2163	
	REMI/LUCIA BLACK OPAL		2163	2163	2163	
	REMI/LUCIA-EL WHITE OPAL		2163	2163	2163	
	REMI/LUCIA-EL BLACK OPAL		2163	2163	2163	
	REMI/LUCIA-GD WHITE OPAL		2163	2163	2163	
	REMI/LUCIA-GD BLACK OPAL		2163	2163	2163	
	MADDI BULKHEAD WHITE OPAL		1803	1803	1803	
	MADDI BULKHEAD BLACK OPAL		1803	1803	1803	
	MADDI-VE BULKHEAD WHITE OPAL		2524	2524	2524	
	MADDI-VE BULKHEAD BLACK OPAL		1803	1803	1803	
	MADDI-HL BULKHEAD WHITE OPAL		1803	1803	1803	



Handwritten signatures and marks at the bottom of the page, including a large 'X' on the right side.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	MADDI-HL BULKHEAD BLACK OPAL		1803	1803	1803	
	REMI/MADDI WHITE OPAL		2163	2163	2163	
	REMI/MADDI BLACK OPAL		2163	2163	2163	
	REMI/MADDI-VE WHITE OPAL		2163	2163	2163	
	REMI/MADDI-VE BLACK OPAL		2163	2163	2163	
	REMI/MADDI-HL WHITE OPAL		2163	2163	2163	
	REMI/MADDI-HL BLACK OPAL		2163	2163	2163	
	GABRI/MADDI 1L BLACK OPAL		7210	7210	7210	
	MINIGABRI/MADDI 1L BLACK OPAL		6489	6489	6489	
	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL		6489	6489	6489	
	GELMI WHITE OPAL E27		2884	2884	2884	
	GELMI BLACK OPAL E27		2884	2884	2884	
	GELMI-EL WHITE OPAL E27		2884	2884	2884	
	GELMI-EL BLACK OPAL E27		2884	2884	2884	
	DANZI WHITE OPAL E27		2884	2884	2884	
	DANZI BLACK OPAL E27		2884	2884	2884	
	STUCCHI WHITE OPAL E27		3245	3245	3245	
	STUCCHI BLACK OPAL E27		3245	3245	3245	
	CECCHI WHITE OPAL E27		3245	3245	3245	
	CECCHI BLACK OPAL E27		3245	3245	3245	
	BISSO ANNA BLACK WITH OPAL DIFFUSER		3605	3605	3605	
	MIKROLOT ANNA BLACK W/OPAL DIFFUSER		3605	3605	3605	
	IESSE LANTERN BLACK W/OPAL DIFFUSER		3245	3245	3245	
	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W		7210	7210	7210	
	System Sensor Product (Honeywell)					
	Photo Electric Smoke Detector		1875	1875	1875	
	Rate of Rise Heat Detector		1875	1875	1875	
	Fixed temperature Detector		2287	2287	2287	
	Base		371	371	371	
	Conv. MCP, Red, with LED, 470 Ohm, with BB, India		1483	1483	1483	
	Wall mount Horn+Strobe		4120	4120	4120	
	Ceiling mount Horn+Strobe		4120	4120	4120	
	Exit Light Samcon make					
	MODEL SLM 18		12360	12360	12360	
	MODEL ELS 28		12360	12360	12360	
	MODEL ETL 210H-4LA		12360	12360	12360	
21	LUMINARIES Accessories (PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO, OHMS or ISI/CE Eqv.)					
	500 watt halogen rod	गोटा	232	232	232	
	1000 watt halogen rod	"	278	278	278	
	70Watt SON Lamp (Sodium Vapour)	"	834	834	834	
	150 watt sodium vapour bulb	"	1298	1298	1298	
	250 watt sodium vapour bulb	"	1700	1700	1700	
	20-40 watt FTL rod	"	80	80	80	
	20-40 watt FTL Copper chowk.	"	258	258	258	



Handwritten signatures and marks at the bottom of the page, including a large signature in the center and several smaller ones on the left and right sides.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	412	412	412	
	Acrylye cover for 4x20 FTL	"	989	989	989	
	FTL starter	"	19	19	19	
21	8 W to11W, C.F.L.Direct fit	"	232	232	232	
	13 to 22W , C.F.L.Direct fit	"	299	299	299	
	15-100 watt bulb. (ISI)	गोटा	26	26	26	
	PL-S 9W/86 (CFL)	"	165	165	165	
	PL-S 11W/86 (CFL)	"	175	175	175	
	PL-L 36W/86 (CFL)	"	417	417	417	
	125W HPL-N (Mercury Vapour)	"	371	371	371	
	250W HPL-N	"	876	876	876	
	Solar LED bulb					
	12V/2W LED bulb	"	361	361	361	
	12V/3W LED bulb	"	412	412	412	
	12V/4W LED bulb	"	464	464	464	
	COPPERCONDUCTOR /WIRE /CABLE (PER COIL=90 RM) NS marked					
	1/18 size p.v.c. insulated copper wire/ cable	क्वायल	948	967	967	
	3/22 " " "	"	1133	1156	1156	
	3/20 " " "	"	1803	1839	1839	
	7/22 " " "	"	2524	2574	2574	
22	7/20 " " "	"	4120	4202	4202	
	7/18 " " "	"	6489	6619	6619	
	7/16 " " "	"	13390	13658	13658	
	19/18 " " "	"	18025	18386	18386	
	19/16 " " "	"	36050	36771	36771	
	2\20 " " "	"	1370	1397	1397	
	2\22 " " "	"	927	946	946	
	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.					
	1.0 mm PVC insulated Copper wire	क्वायल	1030	1051	1051	
	1.5 mm PVC insulated Copper wire	"	1648	1681	1681	
	2.5 mm PVC insulated Copper wire	"	2421	2469	2469	
	4.0 mm PVC insulated Copper wire	"	3914	3992	3992	
	6.0 mm PVC insulated Copper wire	"	6180	6304	6304	
	10.0mm PVC insulated Copper wire	"	10300	10506	10506	
23	Concentric cable NS marked Eqv.					
	4mm size concentric cable	र मी	23	24	24	
	6mm size " "	र मी	26	27	27	
	10mm size concentric cable	र मी	39	41	41	
	16mm size " "	र मी	67	70	70	
	25mm size " "	र मी	89	93	93	
	RG6 Coaxial cable	र मी	23	24	24	
	RG59 Coaxial cable	र मी	26	27	27	
	UTP cat -5 networking cable	र मी	26	27	27	
24	Telephone Drop wire/pair cable NS marked Eqv.					
	2\20 Telephone drop wire	क्वायल	989	989	989	
	2\22	क्वायल	670	670	670	
	2- pair cable wire (2x2x0.45) mm Heavy	र मी	14	14	14	



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	3- pair cable wire (3×2×0.45) mm Heavy	"	20	20	20	
	5- pair cable wire (5×2×0.45) mm Heavy	"	32	32	32	
	10- pair cable wire (10×2×0.45) mm Heavy	"	62	62	62	
	15- pair cable wire (15×2×0.45) mm Heavy	"	91	91	91	
	20- pair cable wire (20×2×0.45) mm Heavy	"	119	119	119	
	1mm drop wire	"	10	10	10	
	1-4 Line EPABX,with 1set programmable master telephone set of corresponding brand Panonic, Creative, Matrix Or Eqv.	सेट	7648	7648	7648	
	2-6 Line EPABX	"	18411	18411	18411	
	3-8 Line EPABX	"	20538	20538	20538	
	4-12 Line EPABX	"	36823	36823	36823	
	6-16 Line EPABX	"	49569	49569	49569	
	8-24 Line EPABX	"	84975	84975	84975	
	8-48 Line EPABX	"	90923	90923	90923	
	8-72 Line EPABX	"	97288	97288	97288	
	Other Accessories					
25	6" size Dome light glass	गोटा	65	65	65	
	8" size " " "	"	76	76	76	
	wall bracket glass	"	65	65	65	
	Fan regulator	"	271	271	271	
27	Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board .) (Rates of MCCB / MCB & measuring instrument are not included here .) Ankur metal or Equivalent					
	60/75/100 AMP, 9"×36"×48" size	सेट	21414	21414	21414	
	60/75/100 AMP "12×36"×48" size	"	25493	25493	25493	
	60/75/100 AMP 9"×48"×60" size	"	35690	35690	35690	
	60/75/100 AMP 12"×49"×60" size	"	42488	42488	42488	
	150/200 AMP 9"×38"×52" size	"	23793	23793	23793	
	150/200 AMP 12"×38"×52" size	"	23793	23793	23793	
	150/200 AMP 9"×42"×56" size	"	26496	26496	26496	
	150/200 AMP 12"×42"×56" size	"	28179	28179	28179	
	250/300AMP 12"×48"×60"size	"	34505	34505	34505	
	250/300AMP 12"×52"×62" size	"	38626	38626	38626	
	400 AMP 12"×52"×66" size	"	41118	41118	41118	
29	Panel Board measurement-instrument					
	0-500 volt meter	पिस	1023	1023	1023	
	60/100 Amp meter	"	979	979	979	
	Panel Indicator	"	237	237	237	
	2 Amp glass fuse with holder 12 mm size	"	134	134	134	
	AMP meter selector switch	"	649	649	649	
	volt meter selector switch	"	711	711	711	
	60/100 Amp C.T. coil per set 3 Pcs	"	1432	1432	1432	
	150-200AMP C.T. coil. 3 PC / Set	सेट	1782	1782	1782	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	250-300 AMP	"				
	400/500/600AMP	"	2421	2421	2421	
	Kilo watt hour energy meter single phase	पिस	3554	3554	3554	
	Kilo watt hour energy meter 3 phase direct	"	2271	2271	2271	
	Trailing Protected Industrial Plug IP44		10228	10228	10228	
30	16A 3P+E 400V Industrial plug	सेट	541	541	541	
	32 A 3p +N+E " Plug	सेट	803	803	803	
	32 A 3P+N+E water tight Plug IP67	सेट	1545	1545	1545	
31	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	20600	20600	20600	
32	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	13905	13905	13905	
33	CABLE SHOE					
	16 sq.mm cable shoe	गोटा	64	64	64	
	25 sq.mm " "	"	83	83	83	
	35 sq.mm " "	"	64	64	64	
	50 sq.mm " "	"	75	75	75	
	70 sq.mm " "	"	92	92	92	
	95 sq.mm " "	"	143	143	143	
	150 sq.mm " "	"	215	215	215	
	195 sq.mm " "	"	305	305	305	
250 sq.mm " "	"	485	485	485		
34	Copper Conductor Armoured Power Cables NS marked or eqv.					
	a) 2 Core					
	1.5 mm2	र मी	103	103	103	
	2.5 mm2	"	139	139	139	
	4.0 mm2	"	191	191	191	
	6.0 mm2	"	247	247	247	
	10.0 mm2	"	371	371	371	
	16.0 mm2	"	494	494	494	
	25.0 mm2	"	721	721	721	
	35.0 mm2	"	958	958	958	
	50.0 mm2	"	1339	1339	1339	
	b) 3 Core					
	1.5 mm2	"	129	129	129	
	2.5 mm2	"	180	180	180	
	4.0 mm2	"	258	258	258	
	6.0 mm2	"	330	330	330	
	10.0 mm2	"	494	494	494	
	16.0 mm2	"	690	690	690	
	25.0 mm2	"	1051	1051	1051	
	35.0 mm2	"	1391	1391	1391	
	50.0 mm2 Copper Conductor Armoured	"	1906	1906	1906	
	70.0 mm2	"	2678	2678	2678	
	95.0 mm2	"	3605	3605	3605	



Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller marks on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
34	120.0 mm2	"	4532	4532	4532	
	150.0 mm2	"	5562	5562	5562	
	c) 3.5 Core					
	25.0 mm2	र.मी	1257	1257	1257	
	35.0 mm2	"	1597	1597	1597	
	50.0 mm2	"	2245	2245	2245	
	70.0 mm2	"	3090	3090	3090	
	95.0 mm2	"	4120	4120	4120	
	120.0 mm2	"	5408	5408	5408	
	150.0 mm2	"	6386	6386	6386	
	185.0 mm2	"	7931	7931	7931	
	240.0 mm2	"	10403	10403	10403	
	300.0 mm2	"	13184	13184	13184	
	400.0 mm2	"	17304	17304	17304	
d) 4 Core						
1.5 mm ²	र.मी	155	155	155		
2.5 mm2	"	221	221	221		
4.0 mm2	"	319	319	319		
6.0 mm2	"	412	412	412		
10.0 mm2	"	618	618	618		
16.0 mm2	"	901	901	901		
25.0 mm2	"	1339	1339	1339		
35.0 mm2	"	1803	1803	1803		
50.0 mm2	"	2575	2575	2575		
70.0 mm2	"	3502	3502	3502		
34	95.0 mm ² Copper Conductor Armoured	"	4738	4738	4738	
	120.0 mm ²	"	5974	5974	5974	
	150.0 mm ²	"	7416	7416	7416	
	185.0 mm ²	"	9064	9064	9064	
	240.0 mm ²	"	12360	12360	12360	
	300.0 mm ²	"	14832	14832	14832	
	400.0 mm ²	"	20085	20085	20085	
	Copper Conductor Unarmoured Power Cables NS marked or Eqv.					
35	a) 1-core					
	10 sq. mm.	र.मी	43	43	43	
	16 sq. mm.	"	65	65	65	
	25 sq. mm.	"	76	76	76	
	35 sq. mm.	"	91	91	91	
	50 sq. mm.	"	121	121	121	
	70 sq. mm.	"	158	158	158	
	95 sq. mm.	"	214	214	214	
	120 sq. mm.	"	260	260	260	
	150 sq. mm.	"	308	308	308	
	b) 2-core					
	1.5 sq.mm Copper Conductor Unarmoured	र.मी	72	72	72	
	2.5 sq.mm	"	103	103	103	
	4 sq.mm	"	144	144	144	
	6 sq.mm	"	196	196	196	
	10 sq.mm	"	309	309	309	
	16 sq.mm	"	427	427	427	
25 sq.mm	"	659	659	659		
35 sq.mm	"	896	896	896		
50 sq.mm	"	1236	1236	1236		
70 sq.mm	"	1236	1236	1236		



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	95 sq.mm	"	2318	2318	2318	
	120 sq.mm	"	3039	3039	3039	
	150 sq.mm	"	3811	3811	3811	
	c) 3-core					
	1.5 sq.mm. 3- core copper conductor	र.मी	93	93	93	
	2.5 sq.mm	"	134	134	134	
	4 sq.mm	"	196	196	196	
	6 sq.mm	"	278	278	278	
	10 sq.mm	"	438	438	438	
	16 sq.mm	"	639	639	639	
	25 sq.mm	"	979	979	979	
	35 sq.mm	"	1318	1318	1318	
	50 sq.mm	"	1854	1854	1854	
	70 sq.mm	"	2575	2575	2575	
	95 sq.mm	"	3502	3502	3502	
	120 sq.mm	"	4429	4429	4429	
	150 sq.mm	र.मी	5459	5459	5459	
	d) 3.5 core					
	25 sq.mm	र.मी	1205	1205	1205	
	35 sq.mm Copper Conductor Unarmoured	"	1545	1545	1545	
	50 sq.mm	"	2163	2163	2163	
	70 sq.mm	"	3013	3013	3013	
	95 sq.mm	"	4069	4069	4069	
	120 sq.mm	"	5356	5356	5356	
	150 sq.mm	"	6335	6335	6335	
	e) 4-core Copper Conductor Unarmoured					
	1.5 sq.mm	र.मी	113	113	113	
	2.5 sq.mm	"	170	170	170	
	4 sq.mm	"	252	252	252	
	6 sq.mm	"	350	350	350	
	10 sq.mm	"	556	556	556	
	16 sq.mm	"	845	845	845	
	25 sq.mm	"	1318	1318	1318	
	35 sq.mm	"	1772	1772	1772	
	50 sq.mm	"	2472	2472	2472	
	70 sq.mm	"	3451	3451	3451	
	95 sq.mm	"	4687	4687	4687	
	120 sq.mm	"	5923	5923	5923	
	150 sq.mm	"	7365	7365	7365	
	185 sq.mm	"	9064	9064	9064	
	240 Sq. mm	"	12257	12257	12257	
	300 Sq. mm	"	14832	14832	14832	
	400 Sq. mm	"	20085	20085	20085	
	Aluminum conductor Armoured (Power) cable NS marked or eqv.					
	a) 2-core					
	1.5 sq.mm	र.मी	-	-	-	
	2.5 sq.mm	र.मी	93	93	93	
	4 sq.mm	"	118	118	118	
	6 sq.mm	"	134	134	134	
	10 sq.mm	"	160	160	160	
	16 sq.mm	"	180	180	180	
	25 sq.mm	"	216	216	216	
	35 sq.mm	"	247	247	247	
	50 sq.mm	"	319	319	319	

35

36




सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	70 sq.mm	"	397	397	397	
	95 sq.mm	"	505	505	505	
	b) 3-core					
	2.5 sq.mm. Aluminum conductor Armoured	र.मी	108	108	108	
	4 sq.mm	"	134	134	134	
	6 sq.mm	"	149	149	149	
	10 sq.mm	"	180	180	180	
	16 sq.mm	"	206	206	206	
	25 sq.mm Aluminum conductor Armoured	"	278	278	278	
	35 sq.mm	"	335	335	335	
	50 sq.mm	"	427	427	427	
	70 sq.mm	"	541	541	541	
	95 sq.mm	"	494	494	494	
	120 sq.mm	"	834	834	834	
	150 sq.mm	"	1004	1004	1004	
	185 sq.mm	"	1236	1236	1236	
	240 sq.mm	"	1514	1514	1514	
	300 sq.mm	"	1854	1854	1854	
	400 sq.mm	"	2318	2318	2318	
	c) 3.5 core					
	25 sq.mm.	र.मी	319	319	319	
	35 sq.mm	"	371	371	371	
	50 sq.mm	"	489	489	489	
	70 sq.mm	"	628	628	628	
	95 sq.mm	"	803	803	803	
	120 sq.mm Aluminum conductor Armoured	"	979	979	979	
	150 sq.mm	र.मी	1174	1174	1174	
	185 sq.mm	"	1421	1421	1421	
	240 sq.mm	"	1772	1772	1772	
	300 sq.mm	"	2215	2215	2215	
36	400 sq.mm	"	2781	2781	2781	
	d) 4-core					
	2.5 sq.mm	र.मी	124	124	124	
	4 sq.mm	"	155	155	155	
	6 sq.mm	"	180	180	180	
	10 sq.mm	"	196	196	196	
	16 sq.mm	"	252	252	252	
	25 sq.mm	"	340	340	340	
	35 sq.mm	"	402	402	402	
	50 sq.mm	"	548	548	548	
	70 sq.mm	"	700	700	700	
	95 sq.mm	"	901	901	901	
	120 sq.mm	"	1082	1082	1082	
	150 sq.mm	"	1370	1370	1370	
	185 sq.mm	"	1627	1627	1627	
	240sq.mm	"	2039	2039	2039	
	300 sq.mm Aluminum conductor Armoured	"	2524	2524	2524	
	400sq.mm	"	3193	3193	3193	
37	Aluminium conductor unarmoured (power) cable NS marked or eqv.					
	a) 1-core					
	16 sq.mm	र.मी	52	52	52	
	25 sq.mm	"	72	72	72	
	35 sq.mm	"	88	88	88	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.


सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	50 sq.mm	"	113	113	113	
	70 sq.mm	"	144	144	144	
	95 sq.mm	"	196	196	196	
	120 sq.mm	"	237	237	237	
	150 sq.mm	"	391	391	391	
	185 sq.mm	"	361	361	361	
	240 sq.mm	"	443	443	443	
	300 sq.mm	"	536	536	536	
	b) 2-core Aluminium conductor unarmoured					
	2.5 sq.mm	र मी	52	52	52	
	4 sq.mm	"	62	62	62	
	6 sq.mm	र मी	77	77	77	
	10 sq.mm	"	98	98	98	
	16 sq.mm	"	103	103	103	
	25 sq.mm	"	144	144	144	
	35 sq.mm	"	185	185	185	
	50 sq.mm	"	237	237	237	
	70 sq.mm	"	299	299	299	
	95 sq.mm 2 core	"	402	402	402	
	c) 3-core					
	2.5 sq.mm	र मी	62	62	62	
	4 sq.mm	"	72	72	72	
	6 sq.mm	"	88	88	88	
	10 sq.mm	"	124	124	124	
	16 sq.mm	"	144	144	144	
	25 sq.mm	"	206	206	206	
	35 sq.mm	"	258	258	258	
	50 sq.mm	"	340	340	340	
	70 sq.mm	"	453	453	453	
	95 sq.mm	"	597	597	597	
37	120 sq.mm	"	742	742	742	
	150 sq.mm	"	886	886	886	
	185 sq.mm	"	1112	1112	1112	
	240 sq.mm	"	1380	1380	1380	
	300 sq.mm Aluminium conductor unarmoured	"	1751	1751	1751	
	d) 3.5-core					
	25 sq.mm	र मी	258	258	258	
	35 sq.mm	"	309	309	309	
	50 sq.mm	"	412	412	412	
	70 sq.mm	"	567	567	567	
	95 sq.mm	"	742	742	742	
	120 sq.mm	"	927	927	927	
	150 sq.mm	"	1112	1112	1112	
	185 sq.mm	"	1391	1391	1391	
	240 sq.mm	"	1751	1751	1751	
	300 sq.mm	"	2163	2163	2163	
	e) 4-core core aluminium unarmoured					
	2.5 sq.mm	र मी	72	72	72	
	4 sq.mm	"	82	82	82	
	6 sq.mm	"	98	98	98	
	10 sq.mm	"	134	134	134	
	16 sq.mm	र मी	196	196	196	
	25 sq.mm	"	288	288	288	
	35 sq.mm	"	350	350	350	
	50 sq.mm	"	484	484	484	



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	70 sq.mm 4					
	95 sq.mm	"	639	639	639	
	120 sq.mm	"	845	845	845	
	150 sq.mm	"	1030	1030	1030	
	185 sq.mm	"	1288	1288	1288	
	240 sq.mm	"	1597	1597	1597	
	300 sq.mm	"	2009	2009	2009	
	300 sq.mm	"	2472	2472	2472	
38	Security Gate System					
	Metal Detector (ब्लाक स्कोपियन कम्पनी)	गोटा	16995	16995	16995	
39	Air Conditioning system, Daikin, Mitsubishi heavy or Japanese eqv					
	0.75 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
	1.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
	Air Conditioning system, McQuay, Panasonic, Fujiaire, Malaysian or Eqv Company					
	0.75 TR capacity Wall Mounted split type AirConditioning system	सेट	-	-	-	
	1.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
	1.5 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
41	Air Conditioning system, whirlpool or Eqv Company					
	0.75 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	1.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	1.5 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	2.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
	General Lightig ANCHOR, C/G, Eqv.					
	1 x 40 W FTL Patti fitting	सेट	252	252	252	
	1 x 20 W FTL Patti fitting	सेट	232	232	232	
	1 x 40 W FTL Box Fitting	सेट	427	427	427	
	1 x 20 W FTL Box fitting	सेट	417	417	417	
	9/11W Mini mirror light with electronic Blast suitable for PL lamp	सेट	355	355	355	
	GEWISS /BEC PVC Conduit product of Italy					
	RK Range					
	16 mm medium rigid conduit DX 25 316	Mtr.	88	88	88	
	20 mm medium rigid conduit DX 25 320	"	124	124	124	
	25 mm medium rigid conduit DX 25 325	"	175	175	175	
	32 mm medium rigid conduit DX 25 332	"	252	252	252	
	40 mm medium rigid conduit DX 25 340	"	345	345	345	
	50 mm medium rigid conduit DX 25 350	"	530	530	530	
	63 mm medium rigid conduit DX 25 363	"	999	999	999	
	16 mm heavy rigid conduit DX 25 716	"	165	165	165	
	20 mm heavy rigid conduit DX 25 720	"	216	216	216	
	25 mm heavy rigid conduit DX 25 725	"	288	288	288	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	32 mm heavy rigid conduit DX 25 732	"	433	433	433	
	40 mm heavy rigid conduit DX 25 740	"	587	587	587	
	50 mm heavy rigid conduit DX 25 750	"	793	793	793	
	63 mm heavy rigid conduit DX 25 763	"	1488	1488	1488	
	16 mm polymer cable gland GW 52 043 with fixing nut and screws	"	196	196	196	
	20 mm polymer cable gland GW 52 044 with fixing nut and screws	"	247	247	247	
	25 mm polymer cable gland GW 52 045 with fixing nut and screws	"	376	376	376	
	32 mm polymer cable gland GW 52 046 with fixing nut and screws	"	623	623	623	
	40 mm polymer cable gland GW 52 047 with fixing nut and screws	"	747	747	747	
	50 mm polymer cable gland GW 52 048 with fixing nut and screws	"	963	963	963	
	63 mm polymer cable gland GW 52 049 with fixing nut and screws	"	1200	1200	1200	
	16 mm shockproof polymer saddle collar clip GW 50 605	"	31	31	31	
	20 mm shockproof polymer saddle collar clip GW 50 606	"	36	36	36	
	25 mm shockproof polymer saddle collar clip GW 50 607	"	41	41	41	
	32 mm shockproof polymer saddle collar clip GW 50 608	"	62	62	62	
	40 mm shockproof polymer saddle collar clip GW 50 630	"	98	98	98	
	50 mm shockproof polymer saddle collar clip GW 50 631	"	118	118	118	
	16 mm conduit coupler DX 40 016	"	36	36	36	
	20 mm conduit coupler DX 40 020	"	46	46	46	
44	25 mm conduit coupler DX 40 025	"	57	57	57	
	32 mm conduit coupler DX 40 032	"	103	103	103	
	40 mm conduit coupler DX 40 040	"	139	139	139	
	50 mm conduit coupler DX 40 050	"	242	242	242	
	63 mm conduit coupler DX 40 063	"	458	458	458	
	16 mm tight bend DX 40 116	"	57	57	57	
	20 mm tight bend DX 40 120	"	82	82	82	
	25 mm tight bend DX 40 125	"	129	129	129	
	32 mm tight bend DX 40 132	"	237	237	237	
	40 mm tight bend DX 40 140	"	335	335	335	
	50 mm tight bend DX 40 150	"	603	603	603	
	63 mm tight bend DX 40 163	"	2359	2359	2359	
	4 way junction box DX 45 004	"	670	670	670	
	7 way junction box DX 45 007	"	803	803	803	
	10 way junction box DX 45 010	"	1020	1020	1020	
	Closing cap for junction box DX 47 000	"	118	118	118	
	16 mm inspectionable T bend DX 40216	"	118	118	118	
	20 mm inspectionable T bend DX 40220	"	149	149	149	
	25 mm inspectionable T bend DX 40225	"	196	196	196	
	32 mm inspectionable T bend DX 40232	"	237	237	237	
	16 mm inspectionable bend DX 40 316	"	98	98	98	
	20 mm inspectionable bend DX 40 320	"	118	118	118	
	25 mm inspectionable bend DX 40 325	"	155	155	155	
	32 mm inspectionable bend DX 40 332	"	185	185	185	
45	GEWISS/BEC Cable Tray with Cover and Accessories BRN Range					
	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Ft.	819	819	819	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	973	973	973	
	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	1174	1174	1174	
	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	1318	1318	1318	
	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	1540	1540	1540	
	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	"	1710	1710	1710	
	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	"	2137	2137	2137	
	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	"	2513	2513	2513	
	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	"	3090	3090	3090	
	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	"	3281	3281	3281	
	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	"	984	984	984	
	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	"	1179	1179	1179	
	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	"	1298	1298	1298	
	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	"	1468	1468	1468	
	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	"	1663	1663	1663	
	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	"	1859	1859	1859	
	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	"	2276	2276	2276	
	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	"	2657	2657	2657	
46	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	"	3456	3456	3456	
	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	"	3749	3749	3749	
	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	"	4584	4584	4584	
	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	"	1313	1313	1313	
	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	"	2122	2122	2122	
	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	"	2781	2781	2781	
	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	"	3852	3852	3852	
	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	"	4836	4836	4836	
	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	"	5449	5449	5449	
	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	"	1494	1494	1494	
	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	"	2271	2271	2271	
	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	"	2884	2884	2884	
	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	"	4151	4151	4151	
	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	"	5016	5016	5016	
	Intrusion Detection System					
	Make Honeywell or equivalent					
	Main Controller	सेट	38851	38851	38851	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
47	CONTROL, FIRE/BURG COMMERCIAL VISTA-128FBP					
	Smoke & Heat Detector	सेट	10545	10545	10545	
	Wireless Smoke and Head Detector					
	Door Contact	सेट	2678	2678	2678	
	Wireless Door Contact with transmitter					
	Motion Detector	सेट	4178	4178	4178	
	Wireless Passive Infrared, Pet Immune Motion Detector					
	Panic Switch	सेट	4921	4921	4921	
	Wireless Panic Transmitter					
	Key	सेट	4780	4780	4780	
	Wireless Key to Arm and Disarm the System					
	Window Contact	सेट	2812	2812	2812	
	Wired door Contact with transmitter slim					
	Earth Quake Detector(JDS Inc, USA)	पिस	3601	3601	3601	
Quake Alarm						
48	Automatic Motor Operator for water motor					
	Upto 1/2 HP single phase motor	सेट	4120	4120	4120	
	Upto 1 HP single phase motor	सेट	5665	5665	5665	
	Upto 5 HP three phase motor	सेट	9270	9270	9270	
49	CCTV System					
	Out door high speed Dome Integrated CAMERA Multi Protocal ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.					
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	56650	56650	56650	
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	58916	58916	58916	
	Indoor high speed Dome Integrated CAMERA					
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	54384	54384	54384	
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	56650	56650	56650	
50	VISTA Box camera with adopter, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	15450	15450	15450	
	7" Sphirical Shilded with bracket included chip excluded Camera		8364	8364	8364	
	i) 8 Channel DVR MJPEG Compression Type 8 Channel ionput 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	33990	33990	33990	
	ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Intermate Explore, MPG-4 Record	सेट	50985	50985	50985	



Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	17" LCD Monitor SAMSUNG or Korean Eqv.	सेट	10815	10815	10815	
51	Electrical Equipments					
	Earthing Materials (ISI or other International Standard)					
	6 mm thick 600mm× 600 mm G.I. Plate	No.	2829	2829	2829	
	Funneling Mechanism with cover (mild steel)	set	618	618	618	
	3.2 mm thick 600mm× 600 mm Copper Plate	No.	9517	9517	9517	
	Copper wire (10 SWG)	Mtr.	155	155	155	
	Service wire (Al)					
	2.5 mm ²	Mtr.	18	18	18	
	4.0 mm ²	"	22	22	22	
	6.0 mm ²	"	28	28	28	
	Lightening Arrestor for 3 Phase .					
	0.5 KV	Set	1236	1236	1236	
	11 KV	Set	4326	4326	4326	
	Cross Arms V Channel.	No	3090	3090	3090	
	Stay set with accessories.					
	GI wire	No	1182	1182	1182	
	GI Plate	"	1185	1185	1185	
	Gay Insulator.	"	56	56	56	
	Elbow		103	103	103	
	Rod , Nut	No	445	445	445	
	Grip	"	49	49	49	
	Overhead Insulators (0.4KV)					
	Sackle Insulator	No	31	31	31	
	D-Iron	"	93	93	93	
	Nut Bolt (3" with 8 mm Ø)	"	15	15	15	
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	23	23	23	
	Overhead Insulators with fixing accessories (11KV)					
	Pin Insulator	No	185	185	185	
	Disc Insulator	"	989	989	989	
	Cross Arms V Channel.	"	2719	2719	2719	
	Sqarrel ACSR conductor 20mm ²	Rm.	17	17	17	
	weasel ACSR conductor 30 mm ²	"	25	25	25	
	Rabbit ACSR conductor 50 mm ²	"	41	41	41	
	Dog ACSR conductor 100 mm ²	"	82	82	82	
	Supply of aluminium ABC cable					
	25mm square 4 core ABC cable	Rm.	155	175	175	
	50 mm square 4 core ABC cable	"	258	291	291	
	95 mm square 4 core ABC cable	"	505	570	570	
	Alternator 3 Phase Brush less with compounded Excitation. (KEL)					
52	AMF with ATS palei for DG Ankur metal or Equivalent					
	5KVA AMF with ATS palei	set	22660	22660	22660	
	7.5KVA AMF with ATS palei	"	28840	28840	28840	
	10KVA AMF with ATS palei	"	36050	36050	36050	
	15KVA AMF with ATS palei	"	46350	46350	46350	
	20KVA AMF with ATS palei	"	66950	66950	66950	
	25KVA AMF with ATS palei	"	77250	77250	77250	
	30KVA AMF with ATS palei	"	92700	92700	92700	
53	Solar system\Backup Power					
	Pure sine wave inverter					



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	675 VA inverter	set	11483	11483	11483	
	875 VA inverter	"	12601	12601	12601	
	1500 VA inverter	"	18987	18987	18987	
	3 KVA inverter	"	55947	55947	55947	
	Exide Battery					
	tubular inverter Battery					
	80 AH inverter Battery	set	9935	9935	9935	
	100 AH inverter Battery	"	11958	11958	11958	
	150 AH inverter Battery	"	16698	16698	16698	
	200 AH inverter Battery	"	20745	20745	20745	
	75 AH tubular inverter Battery	"	12731	12731	12731	
	100 AH tubular inverter Battery	"	16966	16966	16966	
	150 AH tubular inverter Battery	"	24967	24967	24967	
	200 AH tubular inverter Battery	"	31477	31477	31477	
	Solar Panel	watt	144	144	144	
54	Angel Eyes solar street light absorb energy					
	AST 1205 (12 W pv 05w led, 12.8v 5.2 Ah motion sensor)	set	29465	29465	29465	
	AST 1805 (18 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	39743	39743	39743	
	AST 2505 (25 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	45112	45112	45112	
	AST 3612 (36 W pv 012w led, 12.8v 13 Ah motion sensor)	"	62814	62814	62814	
	AE 2S18B8 (AE 2 off - grid power system, pv 18w 12.8v 7.8 Ah motion Sensor)	"	35746	35746	35746	
	AE 2S25B10 (AE 2 off - grid power system, pv 25w 12.8v 10.4 Ah motion Sensor)	"	44882	44882	44882	
	AE 2S36B13 (AE 2 off - grid power system, pv 36w 12.8v 13 Ah motion Sensor)	"	55961	55961	55961	
55	MCB/ISOLATOR ORIENT or equivalent					
	B CURVE MCB SP 6A-32A	pole	239	239	239	
	B CURVE MCB SP 40A	pole	281	281	281	
	B CURVE MCB SP 50A-63A	pole	281	281	281	
	C CURVE MCB SP 0.5-4A	pole	281	281	281	
	C CURVE MCB SP 6-32A	pole	239	239	239	
	C CURVE MCB SP 40A	pole	446	446	446	
	C CURVE MCB SP 50-63A	pole	446	446	446	
	C CURVE MCB SPN 0.5-4A	pole	479	479	479	
	C CURVE MCB SPN 6-32A	pole	513	513	513	
	C CURVE MCB SPN 40A	pole	561	561	561	
	C CURVE MCB SPN 50-63A	pole	561	561	561	
	C CURVE MCB DP 0.5-4A	pole	617	617	617	
	C CURVE MCB DP 6-32A	pole	564	564	564	
	C CURVE MCB DP 40A	pole	617	617	617	
	C CURVE MCB DP 50-63A	pole	617	617	617	
	C CURVE MCB TP 0.5-4A	pole	925	925	925	
	C CURVE MCB TP 6-32A	pole	847	847	847	
	C CURVE MCB TP 40A	pole	925	925	925	
	C CURVE MCB TP 50-63A	pole	925	925	925	
	C CURVE MCB TPN 0.5-4A	pole	1206	1206	1206	
	C CURVE MCB TPN 6-32A	pole	1103	1103	1103	
	C CURVE MCB TPN 40A	pole	1206	1206	1206	
	C CURVE MCB TPN 50-63A	pole	1206	1206	1206	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	C CURVE MCB FP 0.5-4A	pole	1290	1290	1290	
	C CURVE MCB FP 6-32A	pole	1180	1180	1180	
	C CURVE MCB FP 40A	pole	1290	1290	1290	
	C CURVE MCB FP 50-63A	pole	1290	1290	1290	
	ISOLATOR DP 40A	pole	551	551	551	
	ISOLATOR DP 63A	pole	551	551	551	
	ISOLATOR DP 80-100A	pole	576	576	576	
	ISOLATOR DP 125A	pole	611	611	611	
	ISOLATOR FP 40A	pole	902	902	902	
	ISOLATOR FP 63A	pole	902	902	902	
	ISOLATOR FP 80-100A	pole	998	998	998	
	ISOLATOR FP 125A	pole	998	998	998	
	RCCB DP 25A 30mA	pole	3547	3547	3547	
	RCCB DP 40A 30mA	pole	3547	3547	3547	
	RCCB DP 63A 30mA	pole	3547	3547	3547	
	RCCB DP 25A 100mA	pole	3345	3345	3345	
	RCCB DP 40A 100mA	pole	3345	3345	3345	
	RCCB DP 63A 100mA	pole	3345	3345	3345	
	RCCB DP 25A 300mA	pole	3345	3345	3345	
	RCCB DP 40A 300mA	pole	3345	3345	3345	
	RCCB DP 63A 300mA	pole	3345	3345	3345	
	RCCB FP 25A 30mA	pole	4155	4155	4155	
	RCCB FP 40A 30mA	pole	4155	4155	4155	
	RCCB FP 63A 30mA	pole	4155	4155	4155	
	RCCB FP 25A 100mA	pole	4004	4004	4004	
	RCCB FP 40A 100mA	pole	4004	4004	4004	
	RCCB FP 63A 100mA	pole	4004	4004	4004	
	RCCB FP 25A 300mA	pole	4004	4004	4004	
	RCCB FP 40A 300mA	pole	4004	4004	4004	
	RCCB FP 63A 300mA	pole	4004	4004	4004	
56	Solar component					
	Solar PV Module	Per watt	123	123	123	
	Solar Tubular Battery (200Ah@c20,12v)	Nos	29767	29767	29767	
	Solar Tubular Battery (150 Ah@c20,12v)	Nos	22763	22763	22763	
	Solar Tubular Battery (100 Ah@c20,12v)	Nos	15759	15759	15759	
	Solar Gel Battery (100 Ah@c20,12v)	Nos	31868	31868	31868	
	Solar Gel Battery (75 Ah@c20,12v)	Nos	24339	24339	24339	
	Solar Gel Battery (40 Ah@c20,12v)	Nos	14008	14008	14008	
	Charge controller (60Ah/24V)	Nos	31518	31518	31518	
	Charge controller 45Ah/12-24-48 V	Nos	23201	23201	23201	
	Charge controller 10a/12-24 V	Nos	2627	2627	2627	
	Charge controller 20a/12-24 V	Nos	3940	3940	3940	
	Solar dusk to down controller 20A/12Vwith driver curcuit	Nos	4378	4378	4378	
	Solar street light 20W/10W- 12V DC with autodimming system	Nos	14884	14884	14884	
	Solar street light 40W/20W- 12V DC with autodimming system	Nos	30643	30643	30643	
	Ms pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	Nos	16197	16197	16197	
	Ms pole 9 m high with rustproof enamel paint dimension 4" for buttom m 6" for top 3 m	Nos	20137	20137	20137	
	40 watt solar street light	Nos	14008	14008	14008	



सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७८/०७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१	
	20 watt solar street light	Nos	8405	8405	8405	
	12 watt solar street light	Nos	5428	5428	5428	
	Pure sine wave inverter 250 VA /12 V	Nos	7004	7004	7004	
	Pure sine wave inverter 400 VA /12 V	Nos	13133	13133	13133	
	pure sine wave inverter 1400 VA	nos	22763	22763	22763	
	Ms light Arms	Set	2189	2189	2189	
	SPV mounting frame	set	5691	5691	5691	
	Battery box	Set	4378	4378	4378	
	Battery stand	Set	4378	4378	4378	

Handwritten signatures and initials are present below the table, including a large signature on the left and several smaller ones on the right.

