




नुवाकोट जिल्लाको ज्याला तथा निर्माण सामाग्रीहरुको दररेट आ.व. २०८१/८२



जिल्ला प्रशासन कार्यालय
विदुर, नुवाकोट
आषाढ २०८१



नुवाकोट जिल्लाको ज्याला तथा निर्माण सामग्रीहरुको दररेट
आ.व.२०८१।८२



जिल्ला प्रशासन कार्यालय
विदुर, नुवाकोट
आषाढ २०८१



नुवाकोट जिल्लाको ज्याला तथा निर्माण सामग्रीहरुको दररेट आ.व. २०८१/८२



जिल्ला प्रशासन कार्यालय
विदुर, नुवाकोट
आषाढ २०८१

आज मिति २०८१ असार ३१ गतेका दिन आ.व. ०८१/०८२ को लागि निर्माण सामग्री तथा ज्यालाको दररेट निर्धारण गर्न सार्वजनिक खरिद नियमावली २०६४ को नियम १४८ को उप नियम १ बमोजिम नुवाकोट जिल्लाको लागि निर्माण सामग्री, ढुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला दररेट निर्धारण समितिको बैठक प्रमुख जिल्ला अधिकारी श्री रामकृष्ण अधिकारी ज्यूको अध्यक्षतामा देहायका समितिका सदस्यहरु र अन्य पदाधिकारीहरुको उपस्थितीमा बैठक बसी निम्नअनुसारको दररेट कायम गर्ने निर्णय गरियो ।

उपस्थिति:

अध्यक्ष: श्रीमान प्रमुख जिल्ला अधिकारी श्री रामकृष्ण अधिकारी
जिल्ला प्रशासन कार्यालय, विदुर, नुवाकोट ।

सदस्य: श्री विनोद तिमिल्सिना

ईन्जिनियर, जिल्ला समन्वय समितिको कार्यालय, विदुर, नुवाकोट ।

सदस्य: जिल्ला समन्वय अधिकारी श्री शान्तिराज प्रसाई

जिल्ला समन्वय समितिको कार्यालय, विदुर, नुवाकोट ।

सदस्य: कोष नियन्त्रक श्री यूवराज डुम्रे

कोष तथा लेखा नियन्त्रक कार्यालय, विदुर, नुवाकोट ।

सदस्य: श्री

प्रतिनिधि, निर्माण व्यवसायी संघ, विदुर, नुवाकोट ।

सदस्य: श्री राजेन्द्र श्रेष्ठ

प्रतिनिधि, नुवाकोट उद्योग वाणिज्य संघ, विदुर, नुवाकोट ।

सदस्य सचिव: श्री सुजन थापा

कार्यालय प्रमुख, पूर्वाधार विकास कार्यालय, विदुर, नुवाकोट ।

आमन्त्रित

१ सहायक प्रमुख जिल्ला अधिकारी श्री

जिल्ला प्रशासन कार्यालय, नुवाकोट ।

२ प्रहरी उपरीक्षक श्री

जिल्ला प्रहरी कार्यालय, नुवाकोट ।

३ प्रहरी नायब उपरीक्षक श्री

सशस्त्र प्रहरी बल नुवाकोट ।

४ सि डि ई श्री

डिभिजन सडक कार्यालय, नुवाकोट

५ श्री

सिंचाई विकास डिभिजन, नुवाकोट ।

६ श्री

डिभिजन वन कार्यालय, नुवाकोट ।

७ श्री

खानेपानी तथा सरसफाई डिभिजन कार्यालय, नुवाकोट

८ श्री

शहरी विकास भवन डिभिजन कार्यालय, नुवाकोट ।

९ श्री

कृषि ज्ञान केन्द्र, नुवाकोट ।

१० श्री

भेटीरिनी अस्पताल तथा पशु सेवा विज्ञ केन्द्र, नुवाकोट ।

११ श्री

महत्तम (पशु सेवा कार्यालय)

- नुवाकोट वितरण केन्द्र, ने.वि.प्रा.
- १२ श्री इन्द्र वद्युल जि.पी. लि. लि.
- त्रिगुली अस्पताल, नुवाकोट ।
- १३ श्री ज. राजेन्द्र लामा नि.अ. निर्देशक
- जिल्ला स्वास्थ्य कार्यालय
- १४ श्री निरञ्जन श्रेष्ठ
- भू तथा जलाधार संरक्षण कार्यालय, नुवाकोट
- १५ श्री
- यान्त्रिक कार्यालय, नुवाकोट
- १६ श्री
- कृषि सामग्री कम्पनी लिमिटेड, नुवाकोट
- १७ श्री रत्ना श्रेष्ठ, नि.अ. निर्देशक, १मा भाग PSU, Nwakot
- १८ श्री विनोद श्रेष्ठ, छात्रवृत्ति विकास केन्द्र, उदयपुर
- १९ श्री रत्नोत्तम श्रेष्ठ, इन्जिनियर, पूर्वाधार विकास कार्यालय, नुवाकोट
- २० श्री ज्योतिरा तामाङ, पुस्तकालय नुवाकोट (उ.अ.)
- २१ श्री जयराज श्रेष्ठ, नि.अ. निर्देशक, विकास कार्यालय नुवाकोट
- २२ श्री रेवम पाहक, इन्जिनियर, पूर्वाधार विकास कार्यालय नुवाकोट
- २३ श्री
- २४ श्री
- २५ श्री
- २६ श्री
- २७ श्री
- २८ श्री
- २९ श्री
- ३० श्री
- ३१ श्री
- ३२ श्री
- ३३ श्री
- ३४ श्री
- ३५ श्री
- ३६ श्री





ज्याला दररेट

बिदुर, नुवाकोट

आ. ब २०८१/८२



नेपाल सरकार
गृह विभाग
प्रशासन कक्षा
नुवाकोट

एजेन्डाहरु :

१. दर रेट निर्धारण गर्ने

२. विविध

निर्णयहरु :

निर्णय नं. १

आ.न. ०८१/०८२ को लागि निर्माण सामग्री तथा ज्यालाको दररेट निर्धारण गर्ने सार्वजनिक खरिद नियमावली, २०६४ को नियम १४८ को उप नियम १ बमोजिम नुवाकोट जिल्लाको लागि निर्माण सामग्री, ढुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला दररेट निर्धारण गर्ने मिति २०८१ असार ११ गते बसेको बैठकबाट गठित उपसमितिले मिति २०८१ असार ११ गतेका दिन पेश गरेको निर्माण सामग्री, ढुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला दररेट प्रतिवेदन अध्ययन गर्दा उपयुक्त र मनासिब देखिएकोले आ.न. २०८१/०८२ का लागि सोही अनुसारको दररेट यस जिल्ला भर लागु हुने गरी अनुमोदन गर्ने निर्णय गरियो ।

निर्णय नं. २ : श्रमिकको ज्यालादर सम्बन्धी

श्रमिकहरुको ज्याला दर निर्धारण गर्ने सम्बन्धमा विभिन्न शरीकाराला (श्रमिक संगठनहरु, निर्माण व्यवसायी संघ, उद्योग वाणिज्य संघ, विकास निर्माणका शिवागलान गर्ने सरकारी कार्यालयहरु) पक्षहरु बीचको परामर्श, नेपाल राष्ट्र बैकबाट प्रकाशित ज्यालादर सूचकांक तथा उपभोक्ता मूल्य सूचकांक, हालको बजार मूल्य र श्रमिकहरुको उपलब्धतालाई समेत आधार मान्दा श्रमिकको उमेर (१६ वर्ष पुगेको) र दैनिक काम गर्ने अवधि (८ घण्टा) लाई आधार मानी आ.न.०८१/०८२ का लागि नुवाकोट जिल्लाभर लागु हुनेगरी देशभर बमोजिम श्रमिकहरुको ज्यालादर निर्धारण गर्ने निर्णय गरियो ।

वि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयाँमा)			कैफियत
			आ.न. ०८१/०८०	आ.न. ०८०/०८१	आ.न. ०८१/०८२	
१.	दक्ष कामदार (Skilled Labour)					
क.	ज्यान्टर	प्रति दिन प्रति व्यक्ति	1385	1400	1440	
ख.	रक डिलर/हेभी ड्राईभर /बेल्टर/ प्लम्बर /विश्लोटक पदार्थ ढुवानीगर्ने ज्यामी/ डकमी/ नकमी/ सिकमी/ बज्रकमी/ चित्रकारी/ हेभी सिनिपर अपरेटर/ कम्प्युटर अपरेटर	प्रति दिन प्रति व्यक्ति	1155	1175	1210	
ग.	निर्माण सुपरभाइजर	..	650	660	680	
घ.	निर्माण सुपरभाइजर प्राविधिक	..	900	915	940	
ङ.	माईट ड्राईभर	..	800	815	840	
२	अर्धदक्ष कामदार (Semi Skill Labour)					
क.	अर्धदक्ष कामदार (Semi Skill Labour)	प्रति दिन प्रति व्यक्ति	880	895	920	
३	अदक्ष कामदार (Unskill Labour)					
क.	ज्यामी/सरीपा/ज्यामी नाईके/ सुनिपर अपरेटर /उत्तरिक/ हेभी हेल्पर /सर्भे हेल्पर/अचाले /ईष्टा बनाउने/क्याम्पर बर्कर/साधारण हेल्पर/ल्याच ज्याम /नर्सरी नाईके	प्रति दिन प्रति व्यक्ति	845	860	885	
ख.	नोसन रेकर्डर / हेरासु/माली/चीकीदार/पिपन पाले/चेन बैन/ट्रेप बैन/स्टाफ बैन/शलुका कामदार	प्रति दिन प्रति व्यक्ति	580	590	605	
घ.	लेन्च बर्करहरु (सडकमा काम गर्ने)	प्रति दिन प्रति व्यक्ति	555	565	580	
ङ.	प्याच बर्कर (Patch Worker)		660	670	690	
च.	लेन्च बर्कर सुपरभाइजर		735	745	765	
छ.	मेकलर/स्विपर (माडु लगाउने)		620	630	650	

माथि उल्लेख नभएका अन्य सबै पद/व्यक्तिगत ज्यालादारी कर्मचारी/कर्मचारीहरुको हकमा संलग्न पद/व्यक्तिगत लागि नेपाल सरकारको वा सम्बन्धित संस्थानको प्रचलित तलब मानलाई ३० ले भाग गर्दा हुन आउने रकमलाई दैनिक ज्यालादर मान्नुपर्ने छ ।

नोट: २ विपुल कार्यको हकमा नेपाल विपुल प्राधिकरणको तहत शुरु तलब स्केल अनुसार हुनेछ ।

क्र.सं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	

निर्णय नं. ३ दुवानी दर सम्बन्धि :

यस जिल्लाका स्थानीय स्तरमा उपलब्ध हुने दुवानीको विभिन्न श्रोत सामानलाई आधार मानी आ.व.२०८१/०८२ को लागि निम्न अनुसार दुवानीको दर निर्धारण गर्ने निर्णय गरियो ।

दुवानी ज्याला



क्र.सं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	
१.	जिल्ला भित्र भरिघा बाट सामान दुवानी					
क.	सजिलो सामानहरू (सिमेन्ट, गिट्टी, ईट्टा, माटो, बालुवा) आदी	प्रति कि.मी. / क्विन्टल	105	105	105	
ख.	असजिलो सामानहरू (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, बि.आई. तथा काखो पाईपहरू, आईरन एङ्गल, ग्लास, सटरहरू, दूध, ऐना, आवश्यक फुटने सामानहरू	प्रति कि.मी. / क्विन्टल	120	120	120	
२.	ट्रक वा ट्र्याक्टरबाट दुवानी (लोड अनलोड बाहेक)					
क.	पक्की सडक सामान दुवानी	प्रति कि.मी. / क्विन्टल	4.50	4.60	4.60	
ख.	फक्की सडक सामान दुवानी	प्रति कि.मी. / क्विन्टल	9.30	9.30	9.30	
ग.	असजिलो सामान (HOPE pipe)	प्रति कि.मी. / क्विन्टल	10.15	10.15	10.15	
३.	विद्युत दुवानी (ट्रान्स्फार्मर तथा टुट फुट हुने सामान सहित)					
क.	फक्की सडक	प्रति कि.मी. / प्रति टिच	116.00	116.00	116	
ख.	पक्की सडक	प्रति कि.मी. / प्रति टिच	95.00	95.00	95	
ग.	बोकाती	प्रति कि.मी. / क्विन्टल	350.00	350.00	350	
४.	लोड अनलोड					
क.	सजिलो सामानहरू (सिमेन्ट, गिट्टी, ईट्टा, माटो, बालुवा) आदी	प्रति केजी.	0.50	0.50	0.50	
ख.	असजिलो सामानहरू (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, बि.आई. तथा काखो पाईपहरू, आईरन एङ्गल, ग्लास, सटरहरू, दूध, ऐना, आवश्यक फुटने सामानहरू	प्रति केजी.	0.80	0.80	0.80	
ग.	फसल तथा कटुको पोत ज्यानीद्वारा	प्रति केजी.	2.50	2.50	2.50	

निर्णय नं. ४ : सरकारी कार्यालयमा आवश्यक हुने बायो-इन्जिनियरिङ एवं अन्य मालसामान सम्बन्धि आ.व.०८१/०८२ को लागि तपसिल अनुसारको दररेट कायम गर्ने निर्णय गरियो ।

क्र.सं.	सामग्री र प्रयासिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	
1	मु-सुरक्षण सम्बन्धी कार्य					
1.1	घोसको केजी / बीडा/स्लीप/लेट तर्फ					
	दे घोसको बीडा	Kg	85	85	95	
	बिच	"	175	175	195	
	तेपीघर/सुपर तेपीघर	sat	5	5	6	
	बर्तिय	Kg	190	190	210	
	बढागे घोस	sat			1.0	
	स्टाइली	Kg			1000	
	किम्बु	शेडा			10	

क्र.सं.	विवरण	ईकाई	वरेट मु.ब.क. (VAT बाहेक)(रुपैयाँमा)			कैफियत
			स.व. ०७९/०८०	स.व. ०८०/०८१	स.व. ०८१/०८२	
	घाँसको बेनी बौडा/स्लीप/सेट को डुवानी (जिल्ला भित्र)	..	1.25	1.25	1.25	
	घाँसको बिज जिल्ला बाहिरबाट डुवानी बर्दा (डुवानी)	..	1.25	1.25	1.25	
	२०० गैजको विरुवा उमार्ने कातो ४ प्याम भएको विभिन्न साइजका पोली पेवा	"	400	400	400	
	साटो भनेर खाँची बोरा	रोटा	15	15	15	
	बाँस फटेको सिंगो घना	घना	450	450	450	
	बाँसको कटिङ स्टम्प विरुवा (१५ मीने गहरी राखेका १'५" देखि २' सावो)	प्रति कटिङ	250	250	250	
	पशु अहार लक					
	साईलेज	के.जी.			17	
	पराल	के.जी.			6	
	परालको भुस्सा	के.जी.			8	
	गहूँको भुस्सा	के.जी.			9	
	मसुरीको भुस्सा	के.जी.			12	
2.0	Vegetation/Shrubs Cuttings/Slip/Plants/etc.					
	अधिसी राइजोम (लिनबटाको ५ सेट)	set	25	25	25	
	अलैची मानो	..	11	11	11	
	अलैची विरुवा	..	11	11	11	
	हार्टवुड कटिङ (बैसा) पेन्सिल साइन	..	7	7	7	
	वेमिडर कटिङ	..	4	4	4	
	NB ₂₁ बाँस	Slip	3	3	3	
	निचालो राइजोम	set	60	60	60	
	बासको बेनी (कटिङ राइजोम)	..	500	500	500	
	बाँसको विरुवा पोलेभिनमा उमारेको	रोटा	60	60	60	
	धाबिपी ताइवानो दुवो	..	4	4	4	
	सिजनल फूल ८ इन्च पोली	रोटा	30	30	30	
	गुलाफ फूल ८ इन्च पोली	..	160	160	160	
	डेज ८ इन्च पोली	..	35	35	35	
	कार्पेट दुवो	ब.फी.	35	35	35	
	कार्पेट दुवो को लागी छाप्ने कार्यको ज्याला	..	25	25	25	
	स्थानिय स्तरमा उत्पादित विरुवा फलफूल बाहेक	..	10	10	10	
	गोठे भन्ने लवारी	के.जी.	10	10	10	
	झाने घाँसको विरुवा	रोटा	10	10	10	
	मोलाटो विरुवा	..	3	3	3	
	नरीयल डोरी	के.जी.	130	130	130	
	नाइलन डोरी	..	300	300	300	
	लौठ सल्ला (नेपाली) बिजबाट	रोटा	120	120	120	
	लौठ सल्ला (नेपाली) कटिङ	रोटा	60	60	60	
	लौठ सल्ला (अमेरिकन)	रोटा	140	140	140	
	बोधिचित्तको विरुवा	रोटा	650	650	650	
	छासको विरुवा	रोटा	500	500	500	
	लप्तीको विरुवा (ग्राफिटिङ)	रोटा	440	440	440	
	चिराइतोको विरुवा	रोटा	10	10	10	
	तेजपातको विरुवा	रोटा	30	30	30	
	टिमुको विरुवा (२ फिट पोलीब्याचको)	रोटा	70	70	70	
	कनुर (४ फिट)	रोटा	770	770	770	
	कनकी बोटल ब्रस (४ फिट)	रोटा	660	660	660	
	ज्याकारण्डा गोल्डमोडोर (४ फिट)	रोटा	660	660	660	
	बसारे (४ फिट)	रोटा	660	660	660	
	पेयु (४ फिट)	रोटा	460	460	460	
	पुपी (२ फिट)	रोटा	500	500	500	

नयाँ पुराना
पुर पुराना
विभिन्न प्रकारका रंग
नयाँ पुराना

मजिस्ट्रेट
डा. 
डा. 
डा. 
डा. 
डा. 

क्र.सं.	विवरण	ईकाई	दररेट मु.व.क. (VAT बाहेक/रुपैयाँमा)			कैफियत
			आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	
	बगमचेले (४ फिट)	गोटा	660	660	660	
	काइयो (४ फिट)	गोटा	660	660	660	
	रक्त ककल (४ फिट)	गोटा	1320	1320	1320	
	समी (४ फिट)	गोटा	1100	1100	1100	
	वर (४ फिट)	गोटा	1320	1320	1320	
	वीपल (४ फिट)	गोटा	1320	1320	1320	
	५ फिटसम्मको करीवर विरुवा	गोटा	1200	1200	1200	
	५ फिटसम्मको ठिकोमा विरुवा	गोटा	1200	1200	1200	
	५ फिटसम्मको चापको विरुवा	गोटा	1300	1300	1300	
	अन्य खड्गबुटीको विरुवा	गोटा	15	15	15	
	सतुवा	गोटा	20	20	20	
2.1	फलफूलको विरुवा					
	भाँप	गोटा	125	125	125	
	लिचि	गोटा	115	115	115	
	कटहर	गोटा	45	45	45	
	अम्या	गोटा	60	60	60	
	अनार	गोटा	100	100	100	
	दाते ओखर पोलिप्याग	गोटा	120	120	120	
	दाते ओखर पोलिप्याग बाहेक	गोटा	60	60	60	
	नास्ताली कलमी	गोटा	185	185	185	
	सुन कागती पोलिप्याग (विनु)	गोटा	61	61	61	
	एभोकाडो	गोटा	170	170	170	
	गुन्तला	गोटा	65	65	65	
	कागती पोलिप्याग बाहेक	गोटा	30	30	30	
3.0	बन फर्पाखण्डाट सम्भारन गरिने कार्यहरु (काठ लोड अनलोड तथा हुनानी बाँधि)					
	चीरान काठ (लोड वा अनलोड)	मू.फि.	40	40	40	
	ठुला विरुवा रोपन (४ फीटसम्मको)	प्रती विरुवा	145	145	145	
	अम्या विरुवा रोपन (४ फिट देखि ६ इन्चसम्मको)	"	250	250	250	
	अम्या विरुवा रोपन (६ फिट देखि ८ फिट सम्मको)	"	240	240	240	
	विरुवा खरिद					
	४ फिट सम्म उचाई भएको विरुवा	"	880	880	880	
	५ फिट सम्म उचाई भएको विरुवा	"	1250	1250	1250	
	६ फिट सम्म उचाई भएको विरुवा	"	1500	1500	1500	
	६ फिट भन्दा अग्लो विरुवा	"	1870	1870	1870	
५	काठ कटान, मुखान, घाटगढी सम्बन्धि दररेट (प्रती मू.फिट) (चालु आ.व.०८१/०८२ को लागि)					
क्र.सं.	खन कटान, मुखान खर्च रु.	घाटगढी खर्च रु.	सम्बरिह खर्च रु.			कैफियत
क.	60	30	5			
६	गाडी मार्फत काठ हुनानी (प्रती मू.फि.) (चालु आ.व.२०८१/०८२ को लागि)					
क्र.सं.	दुरी (कि.मी.)	दर रु.	लोड अनलोड खर्च रु.	जम्मा खर्च रु.		
क.	०-५ सम्म	35	25	60		
ख.	५.१-१० सम्म	40	25	65		
ग.	१०.१-१५ सम्म	45	25	70		
घ.	१५.१-२० सम्म	50	25	75		
ङ.	२०.१ देखि माथि	55	25	80		
७	ज्यामी मार्फत काठ हुनानी (प्रती मू.फि.)					
क्र.सं.	दुरी (मीटर)		दर रु.			
क.	०-५० सम्म		10			
ख.	५०.१-१०० सम्म		17			

क्र.सं.	विवरण	ईकाई	दररेट मु.न.क. (VAT बाहेक)(रुपैयाँमा)			कीफियत
			आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	
ग.	१०० भन्दा बढी हरेक ५० मिटरको लागि		३			
घ.	दाउरा कटार, खुकान तथा चट्टा निर्माण दररेट (प्रती चट्टा) (चालु आ.व.२०८१/०८२ को लागि)					
क.सं.	क्षेत्र	कटान,मुकान खर्च रु.	चट्टा निर्माण खर्च रु.	जम्मा खर्च रु.		कीफियत
क.	सम्पूर्ण	५०००	१५००	६५००		
९	गाडी मार्फत दाउरा ढुवानी (प्रती चट्टा) (चालु आ.व.२०८१/०८२ को लागि)					
क.सं.	दुरी (कि.मी.)	दर रु.	लोड खर्च रु.	अनलोड खर्च रु.	जम्मा खर्च रु.	कीफियत
क.	०-५ सम्म	१७२५	२८००	१३००	५८२५	
ख.	५.१-१० सम्म	२०८०	२८००	१३००	६१८०	
ग.	१०.१-१५ सम्म	२३३०	२८००	१३००	६४३०	
घ.	१५.१-२० सम्म	२५९५	२८००	१३००	६६९५	
ङ.	२०.१ देखि माथि	२८२५	२८००	१३००	६९२५	
१०	ज्यामी मार्फत दाउरा ढुवानी (प्रती चट्टा) (२०*५*५) (क्यू.फि.)					
क.सं.	दुरी (मीटर)		दर रु.			
क.	०-२० सम्म		७००			
ख.	२०.१-१०० सम्म		११००			
ग.	१०० भन्दा बढी हरेक ५० मिटरको लागि		५५			
११	बिरवा ढुवानी					
क.सं.	विवरण		दर रु.(प्रती विरवा)	दर रु.(प्रती विरवा)	दर रु.(प्रती विरवा)	कीफियत
क.	लोड अनलोड		५.००	५.५०	५.५०	
ख.	पक्की बाटो ढुवानी (प्रती कि.मी.)		१.१०	१.२०	१.२०	
ग.	कच्ची बाटो ढुवानी (प्रती कि.मी.)		१.२०	१.३०	१.३०	
१२	विद्युत प्राधिकरणको MS Channel मा चालु बोल्ने (चालु आ.व.२०८१/०८२ को लागि)					
क.सं.	विवरण		दर रु.(प्रती चाल)			
क.	१२ मि.मि.सम्मको		५०.००			
ख.	१२ मि.मि.भन्दा माथिको		६०.००			

निर्णय नं. ५, मेसिन, औजार तथा उपकरणको भाडादर सम्बन्धि : मेसिन प्रयोग गरी सडक निर्माण गर्दा वा अन्य कार्य गर्नुपर्दा तपसिल अनुसारको दररेट कायम गर्ने र डोजर, एक्साभेटर, रोलर, ग्रेडर आदिको दररेट सडक विभागबाट कायम गरिएको प्रतिघण्टाको भाडादर अनुसार हुने निर्णय गरियो । (Website of Heavy Equipment Division - www.dor.gov.np)

(Handwritten signatures and stamps)



Civil Works

बिदुर, नुवाकोट

आ. ब २०८१/८२

निर्णय नं. ६

अतिरिक्त वर्ष ०८१/०८२ मा नुवाकोट जिल्ला भित्र खरेदने सार्वजनिक निर्माण कार्यको लागि आवश्यक पर्ने विभिन्न किसिमका निर्माण सामग्रीहरू (सिमेन्ट, काँच, स्क्रिण्टी काँच र इन्टेन्सिभ कार्य) को दररेट निम्न अनुसार कायम गर्ने निर्णय गरियो। यस्ताकाट खरिद गरिने निर्माण सामग्रीको लागि नजिकको बजार क्षेत्रलाई र natural sand/aggregate/stone/sub base /base लगायतका सामग्रीका लागि नजिकको खानी, झिगुली, तादी, निख नदी लगायतका अन्य नदी क्षेत्रलाई आधार मानि दर कायम गरिएको छ।

CIVIL WORKS

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.ध.क. (VAT बाहेक)(रुपैयाँमा)			वैतिथ्य
			सा.व. ०८१/०८०	सा.व. ०८०/०७९	सा.व. ०८१/०८०	
1	विभिन्न किसिमको ईटा					
	क) मेसिनबाट उत्पादित ईटा (स्पेशल)	हजार	24000	24000	23260.0	
	ख) मेसिनबाट उत्पादित ईटा (१-नं.)	हजार	18000	18000	17440.0	
	ग) स्वामीय चिम्नी भट्टाको ईटा (१-नं.)	"	14500	14500	14050.0	
	ग) स्वामीय चिम्नी भट्टाको ईटा (२-नं.)	"	12500	12500	12110.0	
	घ) ठराई को १ नं. ईटा	"	19000	19000	18410.0	
	ङ) स्वामीय ठाउँ भट्टाको ईटा	"	8000	8000	7750.0	
	च) सिमेन्ट को ईटा					
	3K108N	"	15450	15450	15450	
	8K118As	"	16274	16274	16274	
	च) Concrete block					
	size (40*15*20) cm	गोटा	37	37	37	
	size (40*10*20) cm	गोटा	32	32	32	
	size (39*14*19) cm (Ocm or equivalent)	गोटा	50	50	50	
	Cellular light weight concrete (CLC) block					
	Size 24*8*4	गोटा	162	162	162	
	Size 24*8*6	"	236	236	236	
2	बने टायलहरू					
2.1	छानामा छरने					
	क) मेसिनबाट उत्पादित टायल	गोटा	18	18	18	
	ख) चिम्नी भट्टाको टायल	"	16	16	16	
	ग) मेसिनबाट उत्पादित धुरी	"	32	32	32	
	घ) चिम्नी भट्टाको धुरी	"	26	26	26	
2.2	भुईँचा/ कोसीमा छान्ने टायल					
	क) मेसिनबाट उत्पादित बने टायल	गोटा	10	10	10	
	ख) चिम्नी भट्टाको बने टायल	"	9	9	9	
3	ढुवाँको काम (Stone work)					
3.1	Rubble Stone					
	क) फोहवा ढुवाँ (खानीको)	घ.मि.	1700	1700	1700	
	ख) ढुवाँ काटनको बोलाको ढुवाँ (River Stone)	घ.मि.	1500	1500	1500	
3.2	छान्ने ढुवाँ (Flag stone)					
	क) १' सम्म बाक्लो सर्पेस ढुवाँ गोको छान्ने ढुवाँ	व.मि.	90	90	90	
	ख) १ 1/4' सम्म बाक्लो " "	"	110	110	110	
	ग) २' सम्म बाक्लो ढुवाँ " "	व.मि.	125	125	125	
	घ) २ 1/4' सम्म बाक्लो ढुवाँ " "	"	135	135	135	
	ङ) २ 1/2' - ३' सम्म बाक्लो ढुवाँ " "	"	165	165	165	
4	विभिन्न प्रकारको बालुवा					
	क) खानीको बालुवा (Quarry sand)	घ.मि.	2000	2000	2000	
	ख) बोला नदीको बालुवा (River sand)	"	2000	2000	2000	
	ग) बालुवा भुँईँ कोठामा पुर्ने, सीपिङको Void filling गर्ने प्रयोग गरिने बालुवा	"	950	950	950	
5	कमरबाट उत्पादित विभिन्न साइजको रेटा	घ.मि.	2000	2000	2000	
6	फुटालेको ढुवाँको गिट्टी					
	क) सबै साइजको गिट्टी	घ.मि.	2000	2000	2000	

7	सड़को Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री				
	क) विभिन्न साइजको चोलाको ड्राबल	घ.मी.	1450	1450	1450
	ख) स्थानीय खाडी ग्राभेल	घ.मी.	1250	1250	1250
	ग) दुगाको धुली (Stone dust)	घ.मी.	830	830	830
8	विभिन्न साइजका चोलाको Screening गरिएको River pebbles(gravel)				
	क) ४०-८० मि.मि. साइज	घ.मी.	1630	1630	1630
	ख) २-४० मि.मि. साइज	घ.मी.	1615	1615	1615
9	फिल्टर सामग्री				
	४०%, मिट्टी ६०%, बालुवा मिश्रणको फिल्टर प्रयोजन	घ.कि.	70	70	70
10	सड़क कालो पत्र गर्ने कालो सामग्रीहरू				
	i) ८०/१०० सड़को बिटुमीन	के.जी	113	113	105.0
	ii) CRMB-DIGO 55 Bitumen	"	108	108	100.0
	iii) Bitumen VG-10 (New M.S.drum Packed)	"	113	113	105.0
	iv) Bitumen VG-30 (New M.S.drum Packed)	"	114	114	108.0
	v) Packed bitumen emulsion को काम				
	छिटो जम्ने (RS 60%)	"	96	96	96
	छिटो जम्ने (RS 65%)	"	102	102	102
	छिटो जम्ने (RS 70%)	"	108	108	108
	मध्यम जम्ने (MS 60%)	"	97	97	97
	मध्यम जम्ने (MS 65%)	"	101	101	101
	झोलो जम्ने (SS 60%)	"	98	98	98
	Slurry Seal with 60% bitumen	"	102	102	102
	Cut Back (MC 30)	"	152	152	152
	Cut Back (MC 70)	"	142	142	142
	Cut Back (MC 800)	"	139	139	139
	vi) सड़क कालोपत्र गर्न बिटुमीन नष्टको लागि प्रयोग गर्ने कालो Anti stripping agent	"	415	415	415
	vii) कालोपत्र सड़क Pot hole टालाको लागि प्रयोग गरिने Pre-coated Aggregate सामग्री	"	33	33	33
	viii) कालोपत्र सड़कमा रेखाङ्कन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री				
	a) B.S. Grade	के.जि	187	187	187
	b) Most Grade	"	207	207	207
	c) Glass beads	"	169	169	169
11	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरू				
11.1	नेपालबाट उत्पादित विभिन्न ब्राण्डका ओ.पि.सी सिमेन्ट NS #49 (प्रतिबोर ५० के.जी.)	ब्याग	800	700	600.0
11.2	भारतबाट उत्पादित विभिन्न ब्राण्डका ओ.पि.सी सिमेन्ट (प्रतिबोर ५० के.जी.)	"	-	-	-
11.3	हेटीडा सिमेन्ट (५० के.जी. ओ.पि.सी.)	"	-	-	-
11.3	उदयपुर सिमेन्ट (५० के.जी. ओ.पि.सी.)	"	-	-	-
11.3	नेपालबाट उत्पादित विभिन्न ब्राण्डका पि.पि.सी सिमेन्ट (प्रतिबोर ५० के.जी.)	"	700	600	500.0
11.4	सोतो सिमेन्ट (40kg/bag)	"	1230	1230	1230
11.5	सोड अगलोज चार्ज	"	13	13	13
12	Ready made Premix Concrete (Supplying laying all complete work)				
12.1	Panchakanya, MAW or equivalent				
	M 15	घ. मि	13800	13800	13800
	M 20	"	14400	14400	14400
	M 25	"	15000	15000	15000
	M 30	"	16000	16000	16000

13	फसामको डण्डीहरू :				
	(क) विभिन्न साइजका TMT Bar				
	a) 8 mm dia	के.जी	101	101	96
	b) 10,12,16,20, 25mm dia	"	98	98	93
	c) 28,32 mm dia	"	99	99	94
	(क) विभिन्न साइजको TOR Steel				
	a) 8mm dia TOR steel	"	95	95	95
	b) 10-25mm TOR steel	"	92	92	92
	c) 28-32mm TOR steel	"	95	95	95
	(क) विभिन्न साइजका TOR Steel				
	a) 4.75, 7 mm dia	"	101	101	101
	(घ) Binding Wire (डण्डी बाँधेताइ)	"	114	114	120
14	विभिन्न किसिमका काठहरू				
14.1	काठ				
	(क) ३' देखि ८' सम्मको सालकाठ	घ. पि			
	(ख) ८' देखि १२' सम्मको सालकाठ नेपाली	क्यु.पि.	6260	6260	6260
	(ग) १२' फिट देखि माथिको साल काठ नेपाली	क्यु.पि.	6550	6550	6550
	(घ) साग काठ	क्यु.पि.	2500	2500	2500
	(ङ) जामुन काठ	क्यु.पि.	2135	2135	2135
	(च) सालाको काठ	क्यु.पि.	1130	1130	1130
	(छ) लिसे काठ	क्यु.पि.	2300	2300	2300
	(ज) नेपाली सिली काठ	क्यु.पि.	5270	5270	5270
	(झ) स्थानीय कुसुड (कयौ प्रयोजनको मयि Mixed wood)	क्यु.पि.	950	950	950
	(ञ) काठ बाउल	के.जी	12	12	12
14.2	मुर्दिएको काठको काय तयारी				
	i) भन्दाइको रेलिङ तथा सार्दनी भनिना मुर्दिएको स्थानीय सीसो काठको हुक्का (2'-6"x3"x3")	गोटा	821	821	821
	ii) भन्दाइको रेलिङ तथा सार्दनी भनिना मुर्दिएको नेपाली सेपल सीसो काठको हुक्का (2'-6"x3"x3")	"	895	895	895
	iii) भन्दाइको रेलिङ तथा सार्दनी भनिना मुर्दिएको सीसो काठको हेण्ड रेल (3"x4")	र.फि.	746	746	746
	iv) भन्दाइको रेलिङको घुले छर्नेवा मुर्दिएको सीसो काठको गोला हेण्ड रेल (3"x4")	गोटा	3282	3282	3282
	v) देवी देवताको मुर्ति मुर्दिएको ४' देखि १' लामो (३"x ८") साल काठमा टुटाल बनाउने काम	"	10443	10443	10443
	vi) देवी देवताको मुर्ति मुर्दिएको ९' देखि ७' लामो (३"x ८") साल काठमा टुटाल बनाउने काम	"	11935	11935	11935
	vii) विभिन्न जुडा तथा देवी देवताको मुर्ति मुर्दिएको साल काठको भुवाल खोक बनाउने काम (झापाको माटाई ४० मि.मि. देखि १० मि.मि. सम्म)	ब.फि.	2238	2238	2238
	viii) सीसोको आकृति गरि मुर्दिएको ४"x १" साइजको ३' देखि ४' लामो साल काठको तयारी टुटाल बनाउने काम	गोटा	5221	5221	5221
	ix) सामान्य प्रकारको मुर्दिएको सालको काठको अर्धो भुवाल तयारी	ब.फि.	746	746	746
	x) मध्यम प्रकारको मुर्दिएको सालको काठको अर्धो भुवाल तयारी	"	1044	1044	1044
	xi) विशेष प्रकारको मुर्दिएको सालको काठको अर्धो भुवाल तयारी तक सहीत	"	2238	2238	2238
	xii) विशेष प्रकारको मुर्दिएको सालको काठको अर्धो भुवाल तयारी तक नभएको	"	1417	1417	1417
	xiii) ४"x १.२" साइजको सालको काठको मुर्दिएको पनी तयारी गर्ने काम	र.फि.	522	522	522



Page 3

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

	XIV) कुविष्को विभिन्न जुडा राखी बनाएको साल काठको ४"X २"को कानेल विम प्रावि छपरी गर्ने कार्य	"	895	895	895	
	XV) ४"X २"को साल काठको नाग जुडा मुदि छपरी गरी जडाल गर्ने कार्य	"	746	746	746	
15	Wooden Parquet Flooring					
	i) Shlam wood 150mm*30mm*8mm	व.फि.	188	188	188	
	ii) Wall paneling (with wood frame) shlam wood. (75mm*16mm)	"	625	625	625	
16	विभिन्न मोटाईको प्लाइवुडहरू					
16.1	Commercial					
	(सा) ३ मी.मी	व.फि.	20	20	20	
	३.५ मी.मी.	"	23	23	23	
	(बा) ४ मी.मी	"	24	24	24	
	(ग) ५ मी.मी	"	39	39	39	
	(घ) ६ मी.मी	"	43	43	43	
	(ङ) १२ मी.मी	"	65	65	65	
	(च) १९ मी.मी B/B	"	95	95	95	
	(छ) १८ मी.मी PLY	"	98	98	98	
16.2	P/F. Water Proof					
	(क) ४ मी.मी	व.फि.	40	40	40	
	(ख) ६ मी.मी	व.फि.	55	55	55	
	(ग) ८ मी.मी.	"	60	60	60	
	(घ) ९ मी.मी	"	66	66	66	
	(ङ/१२ मी.मी	"	76	76	76	
	(च) १९ मी.मी PLY		125	125	125	
	(छ) १९ मी.मी B/B	"	105	105	105	
16.3	Natural Teak Plywood					
	One side lamination					
	(क) २ मी.मी	व.फि.	58	58	58	
	(ख) ४ मी.मी (Group Match of in 5 pcs)	"	76	76	76	
	४ मी.मी (Regular)	"	66	66	66	
	४ मी.मी (Crown)	"	44	44	44	
	४ मी.मी (Berl)	"	50	50	50	
	४ मी.मी (Whitest line)	"	40	40	40	
	४ मी.मी (Beach)	"	47	47	47	
	४ मी.मी (Recon 18 No.)	"	37	37	37	
	(ग) ६ मी.मी	"				
16.4	DECORATIVE (THICKER)					
	6 OST	व.फि.				
	6 BST	"				
	9 OST	"				
	9 BST	"				
	12 OST	"				
	12 BST	"				
	19 B/B OST	"				
	19 B/B BST	"				
	18 OST	"				
	18 BST	व.फि.				
17	Ready made Door					
17.1	38 mm th. Redimade solid core door shutter					
	Plain	व.फि.	233	233	233	
	One side teak	"	262	262	262	
	Both side teak	"	294	294	294	
	One side teak waterProof	"	286	286	286	
	Both side teak waterProof	"	317	317	317	
17.2	30 to 32 mm th. Redimade solid core door shutter					

संस्थापक
१२/०८/०८
१२/०८/०८
१२/०८/०८

Page 4

	Plain	व.फि.	190	190	190	
	One side teak	"	213	213	213	
	Both side teak	"	239	239	239	
	One side teak waterProof	"	233	233	233	
	Both side teak waterProof	"	258	258	258	
17.3	Ready made Teak wood Doors (Seasoned and Polished treated) (excluding the cost of fitting, transportation, Painting)					
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	183	183	183	
	Readymade door shutter Recon, Special (1 side teak)	"	248	248	248	
	Readymade door shutter Recon, ordinary (1 side teak)	"	209	209	209	
	Readymade door shutter Recon, Special (1 side teak)	"	281	281	281	
17.4	Wooden Llsty					
	1/2" wide	र.फि.	14	14	14	
	3/4" wide	"	18	18	18	
	1.5" wide	"	29	29	29	
	Decorative	"	40	40	40	
17.5	Infill Material Thai Gypsum, Shera or equivalent					
	Frame C - Studs(0.55mm*0.75mm*3m)	मीटर	431	431	431	
	Frame U - Studs(0.55mm*0.75mm*3m)	"	431	431	431	
	Board 9 mm	"	2524	2524	2524	
	Roofing Board 6mm (1.5mX.6m)	"	695	695	695	
	Fiber mess tape (for 90mm/roll)	"	340	340	340	
	PU sasuage rod	"	2039	2039	2039	
18	Prelaminated Particle Board					
18.1	Plain Particle Board (Exteriors Grade)					
	(क) ९ मी.मी	व.फि.	37	37	37	
	(ख) १२ मी.मी.	"	41	41	41	
	(ग) १८ मी.मी.	"	53	53	53	
	(घ) २५ मी.मी	"	71	71	71	
18.2	One side lamination Melamined faced (Exteriors Grade)					
	(क) ९ मी.मी	व.फि.	74	74	74	
	(ख) १२ मी.मी.	"	83	83	83	
	(ग) १८ मी.मी.	"	98	98	98	
	(घ) २५ मी.मी	"	127	127	127	
18.3	Both side lamination Melamined faced (Exteriors Grade)					
	(क) ९ मी.मी	व.फि.	83	83	83	
	(ख) १२ मी.मी.	"	95	95	95	
	(ग) १८ मी.मी.	"	110	110	110	
	(घ) २५ मी.मी	"	139	139	139	
18.4	Plain Particle Board (Interiors Grade)					
	(क) ९ मी.मी	व.फि.	27	27	27	
	(ख) १२ मी.मी.	"	31	31	31	
	(ग) १८ मी.मी.	"	46	46	46	
	(घ) २५ मी.मी	"	59	59	59	
18.5	One side lamination Melamined faced (Interiors Grade)					
	(क) ३ मी.मी	व.फि.	40	40	40	
	(ख) ६ मी.मी	"	57	57	57	
	(ग) ९ मी.मी	"	65	65	65	
	(घ) १२ मी.मी.	"	74	74	74	
	(ङ) १८ मी.मी.	"	86	86	86	

नैमान
वृत्त मन्त्रालय
विष्णु प्रशासन
नुवाकोट

	(घ) २५ मी.मी	"	107	107	107	
18.6	Both side lamination Melamined faced (Interiors Grade)					
	(क) २ मी.मी	ब.फि	46	46	46	
	(ख) ६ मी.मी	"	62	62	62	
	(ग) ९ मी.मी	"	74	74	74	
18.7	One side lamination Melamined faced (Interiors Grade)MDF					
	(क) २ मी.मी	ब.फि	46	46	46	
	(ख) ४ मी.मी	"	53	53	53	
	(ग) ६ मी.मी	"	65	65	65	
	(घ) ९ मी.मी	"	85	85	85	
	(ङ.) १२ मी.मी	"	95	95	95	
	(च) १५ मी.मी	"	122	122	122	
	(छ) २२ मी.मी	"	169	169	169	
18.8	Both side lamination Melamined faced (Interiors Grade)MDF Century & equivalent					
	(क) २ मी.मी	ब.फि	53	53	53	
	(ख) ४ मी.मी	"	59	59	59	
	(ग) ६ मी.मी	"	73	73	73	
	(घ) ९ मी.मी	"	91	91	91	
	(ङ.) १२ मी.मी	"	101	101	101	
	(च) १५ मी.मी	"	128	128	128	
	(छ) २२ मी.मी	"	173	173	173	
18.9	Alstone Hybrid Board (WPC Board) Century & equivalent					
	(क) ६ मी.मी (१२२० x २४४०)	ब.फि	168	168	168	
	(ख) १२ मी.मी	"	269	269	269	
	(ग) १५ मी.मी	"	407	407	407	
19	Other HardBoard/ Sunmica & Formica)					
19.1	(क) सलमाईका (4' x 8')	पत्ता	486	486	486	
	(ख) फोरमाईका	ब.फि	75	75	75	
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	"	44	44	44	
19.2	Alstone Hybrid Board					
	(क) ६ मी.मी size (1220*2440) mm	ब.फि	162	162	162	
	(ख) १२ मी.मी size (1221*2440) mm	"	307	307	307	
	(ग) १५ मी.मी size (1222*2440) mm	"	427	427	427	
20	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate					
	i) Iron Square Pipe	के.जी	97	97	97	
	ii) विभिन्न साइजको MS Angle	"	104	104	104	
	iii) विभिन्न साइजको Black Pipe	"	97	97	97	
	iv) विभिन्न साइजको Channel	"	106	106	106	
	v) विभिन्न साइजको I-Beam	"	108	108	108	
	vi) विभिन्न साइजको MS plate	"	103	103	103	
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	104	104	104	
	viii) विभिन्न साइजको Black sheet	"	98	98	98	
21	G.I. Wire					
	i) 8 gauge					
	a) medium class	"	116	116	116	
	b) heavy duty	"	121	121	121	
	c) Comercial wire	"	107	107	107	

	ii) 10 gauge				
	a) medium class	"	116	116	116
	b) heavy duty	"	121	121	121
	c) Comercial wire	"	107	107	107
	iii) 12 gauge				
	a) medium class	"	116	116	116
	b) heavy duty	"	121	121	121
	c) Comercial wire	"	107	107	107
22	मेसिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को मेसिन बाक्स उपारी				
	क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferri Box Gabion)	M2	300	300	270
	Note:				
	MBG = Maccaferri Box Gabion				
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia./Selvedge wire dia./Lacing wire dia./Type of coating				
	ZN = Heavy galvanized				
	PVC = PVC coated				
23	Barbed Wire (कडितारा)				
	12 gauge commercial, Medium duty	के.जी	100	100	100
	U-hook for barbed wire fencing	सेटा	1	1	1
	Fabrication of chain link mesh of size				
	1"x1" 12 gauge	वर्ग मी.	711	711	711
	1.5"x1.5" 12 gauge	"	665	665	665
	2"x2" 10 gauge	"	527	527	527
24	3"x3" 10 gauge	"	431	431	431
	4"x4" 10 gauge	"	344	344	344
	सादा तथा रंगिन जस्ता पात (Plain/Corrugated Galvanized/Colour Iron Sheet)				
	क) रैती सादा जस्तापात (G P Sheet)				
	0.2 mm (30 gauge light)	वर्ग मी.	4284	4370	4590
	0.22 mm (30 gauge Medium)	"	4692	4786	5025
	0.24 mm (30 gauge Heavy)	"	4998	5098	5355
	0.26 mm (28 gauge light)	"	5253	5358	5625
	0.28 mm (28 gauge Medium)	"	5610	5722	6010
	0.31 mm (28 gauge Heavy)	"	6146	6268	6580
	0.35 mm (26 gauge light)	"	6809	6945	7290
	0.38 mm (26 gauge Medium)	"	7140	7283	7645
	0.41 mm (26 gauge Heavy)	"	7829	7985	8385
	0.45 mm (24 gauge light)	"	8497	8667	9100
	0.50 mm (24 gauge Medium)	"	9333	9520	9995
	0.52 mm (24 gauge Heavy)	"	9665	9858	10350
	0.75 mm	"	13872	14149	14855
	ख) रंगिन जस्तापात				
	0.2 mm (30 gauge light)	वर्ग मी.	5610	5722	6010
	0.22 mm (30 gauge Medium)	"	5993	6112	6420
	0.24 mm (30 gauge Heavy)	"	6324	6450	6775
	0.26 mm (28 gauge light)	"	6671	6804	7145
	0.28 mm (28 gauge Medium)	"	7064	7205	7565
	0.31 mm (28 gauge Heavy)	"	7594	7746	8135
	0.35 mm (26 gauge light)	"	8395	8562	8990
	0.38 mm (26 gauge Medium)	"	8813	8989	9440
	0.41 mm (26 gauge Heavy)	"	9537	9728	10215
	0.45 mm (24 gauge light)	"	10200	10404	10925



नैपाल सरकार
गठ मन्त्रालय
जिल्ला पञ्चायत
नुवाकोट

0.50 mm (24 gauge Medium)	"	11118	11340	11905
0.52 mm (24 gauge Heavy)	"	11501	11731	12315
0.75 mm	"	16147	16470	17295
(ग) ग्याङ्गनाइन्स कोरगेटेड नस्तापाता (CG I Sheet)				
0.2 mm (30 gauge light)	बण्डल	4284	4370	4590
0.22 mm (30 gauge Medium)	"	4641	4734	4970
0.24 mm (30 gauge Heavy)	"	4957	5056	5310
0.26 mm (28 gauge light)	"	5212	5316	5580
0.28 mm (28 gauge Medium)	"	5559	5670	5955
0.31 mm (28 gauge Heavy)	"	6079	6201	6510
0.35 mm (26 gauge light)	"	6758	6893	7235
0.38 mm (26 gauge Medium)	"	7089	7231	7590
0.41 mm (26 gauge Heavy)	"	7752	7907	8300
0.45 mm (24 gauge light)	"	8435	8604	9035
0.50 mm (24 gauge Medium)	"	9282	9468	9940
0.52 mm (24 gauge Heavy)	"	9608	9801	10290
0.75 mm	"	13872	14149	14855
(घ) जस्ता पसा को ढुँढी (Ridge Cover) Specified thickness are thickness of base metal.				
0.20 mm	बण्डल	1459	1488	1560
0.22 mm	"	1581	1613	1695
0.24 mm	"	1693	1727	1815
0.26 mm	"	1775	1810	1900
0.28 mm	"	1897	1935	2030
0.31 mm	"	2066	2107	2210
0.35 mm	"	2285	2330	2445
0.38 mm	"	2397	2445	2565
0.41 mm	"	2621	2674	2810
(ङ) ४ फिट * ८ फिट को जि.बाई. प्लेन पिट				
1.1 mm	पिस	2958	3017	3170
0.90 mm	"	2448	2497	2620
0.80 mm	"	2219	2263	2375
0.75 mm	"	2081	2122	2230
0.70 mm	"	1943	1982	2080
0.62 mm	"	1739	1774	1865
0.55 mm	"	1561	1592	1670
0.50 mm	"	1418	1446	1520
0.48 mm	"	1367	1394	1465
0.45 mm	"	1295	1321	1385
0.40 mm	"	1163	1186	1245
0.37 mm	"	1081	1103	1160
0.35 mm	"	1030	1051	1105
0.30 mm	"	908	926	970
0.28 mm	"	857	874	920
(च) ४ फिट * ८ फिट को रीजिन प्लेन पिट				
0.90 mm	पिस	2698	2752	2890
0.80 mm	"	2443	2492	2615
0.75 mm	"	2331	2377	2495
0.70 mm	"	2219	2263	2375
0.62 mm	"	1989	2029	2130
0.55 mm	"	1795	1831	1925
0.50 mm	"	1652	1685	1770
0.48 mm	"	1571	1602	1680

	0.45 mm	"	1520	1550	1630	
	0.40 mm	"	1387	1415	1485	
	0.37 mm	"	1285	1311	1375	
	0.35 mm	"	1234	1259	1320	
	0.30 mm	"	1091	1113	1170	
	0.28 mm	"	1043	1064	1120	
	GI EXPANDED METAL MESH					
	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.	132	134	134	
	1.20 mm मोटाई र 4' चौडाई भएको जाली	"	184	187	187	
	1.00 mm मोटाई र 3' चौडाई भएको जाली	"	112	114	114	
	1.00 mm मोटाई र 4' चौडाई भएको जाली	"	153	156	156	
	0.90 mm मोटाई र 3' चौडाई भएको जाली	"	102	104	104	
	0.90 mm मोटाई र 4' चौडाई भएको जाली	"	162	165	165	
25	UPVC Roofing Sheet Sunrise or Equivalent brand (3mm thick)					
25.1	UPVC Roofing Sheet with PMMA coating & Mesh (Regular)	ब.मि.	1440	1440	1440	
25.2	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)	"	1496	1496	1496	
25.3	Ridge cover Regular Profile 1.10 R.m.	र.मि.	1288	1288	1288	
25.4	Ridge cover Tile Profile 0.78 R.m.	"	1288	1288	1288	
25.5	UPVC Clip	गोटा	26	26	26	
25.6	self tapping screw 3"	"	26	26	26	
25.7	self tapping screw 2.5"	"	10	10	10	
25.8	self tapping screw 2"	"	10	10	10	
25.9	self tapping screw 1.5"	"	8	8	8	
26	एन्नुमिचम प्लेन शिट					
	(क) २६ गेज	ब.मि.	29	29	29	
	(ख) ३० गेज	"	27	27	27	
27	विभिन्न प्रकारको जालीहरू (Netting)					
	(क) मसिनो छालको Mosquito proof जाली	ब.मी.	121	121	121	
	(ख) बालुवा छाले जाली	"	126	126	126	
	(ग) कुखुरे जाली (Chicken wire mesh)	"	78	78	78	
	(घ) घास फसिनु जाली	"	199	199	199	
	(ङ. स्टील जाली (crossing)	"	160	160	160	
	(च) बलियो छालको steel Mosquito proof जाली	"	275	275	275	
28	फ्याब्रिकेट निर्मित सामानहरू					
a	M.S. Grill बनाई जडान गर्ने काम	के.मी.	147	147	147	
b	कोलराभीषण रेट बनाई जडान गर्ने	ब.मि.	525	525	525	
c	१६-१८ रैजको फ्याब्रिकेट गटर बनाई जडान गर्ने	ब.मि.	367	367	367	
d	फ्याब्रिकेट गटर १६-१८ रैज जडान सहित स्टीप गटर प्याव भएको	"	462	462	462	
e	फ्याब्रिकेट गटर डब्लो डबल गरी बनाइको भाँडो जडान गर्ने समेत	"	525	525	525	
f	१६ रैज बाताबाट कम्पाउन्ड बागको रेट बनाई जडान गर्ने (२० X २० X २ mm) को ड्रेज समेत	"	683	683	683	
B	२"-४" आकारको Iron Black Pipeला एलस र रङ्गि गरि बुझाइला सहितको घुम्ने भन्साइ (Spiral Staircase)तयार गरी जडान समेत (भन्साइको माथी पर्छ floor to floor height लिए)	र.मि.	3205	3205	3205	
h	कालामे सामग्रीको फेब्रिकेशन तथा जडान कार्य	के.मी.	47	47	47	
i	All type of general MS structural works	ब.मी.	179	179	179	



नेपाल सरकार
महानगरपालिका
नक्सामा विकास
नक्सामा विकास

j	Truss & roofing works Plain sheet 26 gauge	"	210	210	210	
k	Truss & roofing works colour sheet 26 gauge	"	247	247	247	
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	200	200	200	
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गंटा	2038	2038	2038	
n	Steel Structural (Light gauge) frame work for building (as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rebar,screw erection fitting and assembly charges) all complete work Panchakanya or equivalent company	ब.फि.	809	809	809	
29	Glass कीटा					
29.1	Plain सावा (सेतो)					
	(क) ३ मी.मी.	ब.फि.	52	52	52	
	(ख) ३.५ मी.मी.	ब.फि.	58	58	58	
	(ग) ४ मी.मी.	ब.फि.	66	66	66	
	(घ) ५ मी.मी. "	"	89	89	89	
	(ङ) ६ मी.मी. "	"	103	103	103	
	(च) ८ मी.मी. "	"	173	173	173	
29.2	Printed Glass (दुधदार मिला)					
	(क) ३ मी.मी.	"	47	47	47	
	(ख) ४ मी.मी. "	"	55	55	55	
29.3	Poly Fibre Glass					
	(क) ६ मी.मी.	"	150	150	150	
29.4	Black Color Glass					
	(क) ३ मी.मी.	ब.फि.	89	89	89	
	(ख) ४ मी.मी.	"	96	96	96	
	(ग) ५ मी.मी.	"	109	109	109	
	(घ) ६ मी.मी.	"	150	150	150	
	(ङ) ८ मी.मी.	"	219	219	219	
	(च) १० मी.मी.	"	314	314	314	
	(च) १२ मी.मी.	"	355	355	355	



नेपाल सरकार

गृह विभाग

निम्न पत्राचार

नुवाकोट

29.5	Tinted Float glass कागिर बाट नदेखिने भित्रबाट देखिने				
	(क) ५ मि.मि. मास्लो	व.फि.	107	107	107
29.6	छानाया प्रयोग गरिने नुहेदार देना Itching Glass with simple shade and texture				
	(क) ४ मी.मी. मास्लो	व.मि.	5753	5753	5753
29.7	चिभिल रंगको Reflector Glass । (गिशा)				
	१ मी.मी. मोटो	व.फि.	171	171	171
	Note: १ फिट १ व फिट भन्दा बढी साइजको किल: यस्ता २० ३ भन्दा बढी लाग्ने छ ।				
30	Corrugated/Plain Fiber Glass Sheet				
	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	112	112	112
	०.८ मी. मी. मोटो कोरेलेटेड	व.फि.	125	125	125
	(ख) १.२ मी.मी. मोटो प्लेन	"	125	125	125
	१.२ मी.मी. मोटो कोरेलेटेड	"	143	143	143
	(ग) २ मी.मी. मोटो प्लेन	"	212	212	212
	२ मी.मी. मोटो कोरेलेटेड	"	250	250	250
	(घ) ३ मी. मी. मोटो प्लेन	"	287	287	287
	३ मी. मी. मोटो कोरेलेटेड	"	375	375	375
	(ङ) Fiber Glass छानाको लागि Aluminium strip (25 mm x 1.5 mm)	Rm	69	69	69
	(च) Fiber Glass छानाको लागि Ribet nail	NO.	7	7	7
31	अक्षाल होक्रामा नाम्ने Fixture हरू				
	Iron बाट बनेका				
	Hinge (जम्बा)				
	(क) ३" साइज	चोटा	15	16	16
	(ख) ४" साइज	"	29	30	30
	(ग) ५" साइज	"	44	45	45
	(घ) ६" साइज	"	57	58	58
	Locking Set (L-drop)				
	300 mm	चोटा	265	266	266
	225 mm	"	232	233	233
	150 mm	"	199	200	200
	Aluminum बाट बनेका				
	Towerbolt (टोवरबोल्ट)				
	(क) ३" लामो	चोटा	20	21	21
	(ख) ४" लामो	"	41	42	42
	(ग) ५" लामो	"	68	69	69
	(घ) ६" लामो	"	82	83	83
	(ङ) १०" लामो	"	96	97	97
	(च) १२" लामो	"	109	110	110
	Handle (हलडल)				
	Ordinary	चोटा	33	34	34
	Special	"	48	49	49
	Brass बाट बनेका				
	Hinge (जम्बा)				
	2" x 1/2"	चोटा	64	65	65
	2 1/2" x 1/4"	"	72	73	73
	3" x 1/4"	"	89	90	90
	2" x 3/4"	"	72	73	73
	2 1/2" x 3/4"	"	81	82	82
	3" x 3/4"	"	89	90	90
	3" x 1"	"	193	194	194
	4" x 1"	"	290	291	291
	5" x 1"	"	387	388	388



नयाँ बजार, नुवाकोट
महानगरपालिका
नयाँ बजार, नुवाकोट
महानगरपालिका

6"x1"	*	467	468	468
Towerbelt (बेल्ट)				
(क) ३" लामो	गोटा	145	146	146
(ख) ४" लामो	"	193	194	194
(ग) ५" लामो	"	290	291	291
(घ) ६" लामो	"	387	388	388
(ङ) १०" लामो	"	482	483	483
(च) १२" लामो	"	579	580	580
Handle (हण्डल)				
6" Brass handle	गोटा	153	154	154
8" Brass handle	*	467	468	468
10" Brass handle	*	966	967	967
Brass 5"	*	145	146	146
Brass 6"	*	225	226	226
Locking Set (L-drop)				
(क) ६" लामो	गोटा	966	1014	1014
(ख) १०" लामो	*	1593	1673	1673
(ग) १२" लामो	*	1770	1858	1858
Special Fittings				
एल ड्रप :-				
६" लामो	गोटा	1083	1137	1137
१०" लामो	*	1223	1284	1284
१२" लामो	*	1274	1338	1338
ह्याण्डल :-				
६" लामो	*	1274	1338	1338
टावर लोन्ड :-				
५" लामो	*	230	241	241
६" लामो	*	306	321	321
१०" लामो	*	383	402	402
डबल कलर (गोन्ड सिन्डर/ब्याक सिन्डर)				
एल ड्रप :-				
६" लामो	गोटा	910	955	955
१०" लामो	*	1153	1210	1210
१२" लामो	*	1274	1338	1338
ह्याण्डल :-				
५" लामो	*	255	268	268
६" लामो	*	383	402	402
Mortice Lock				
Ordinary	गोटा	638	669	669
Chinese	*	424	446	446
Indian Godrej Company	*	2608	2739	2739
Brass		1153	1210	1210
Door Spring (Door Closer)				
Ordinary	गोटा	182	191	191
hydraulic	*	1911	2007	2007
Other Door/Windows fixtures				
Window I-hook	गोटा	18	19	19
Gate Hook				
4" Gate hook	गोटा	32	33	33
5" Gate hook	"	36	37	37
6" Gate hook	"	43	44	44
Brass Gate hook		77	78	78
Door stopper				
Diamond	गोटा			
Butterfly	*	151	159	159
Bell catch 2" size	*	300	210	210

	C.P. handle	*	434	455	455
	Power coated handle	*	414	435	435
	Brass coated handle	*	891	936	936
	Door stopper, single brass stopper	सेट	102	107	107
	Door stopper double brass stopper	*	182	191	191
32	बिबिध सामग्रीहरू				
	Hold fast different sizes (7 nos./Kg.)	के.जी.	125	125	125
	Nails (different sizes)	के.जी.	112	112	112
	सालको काठको बाधान (तक्रे पुराना तक्रा पुनः प्रयोग हुने)	प्र.वि.	721	721	721
	कपाडी कलामे सामानहरू (बन्धारी, घन, डिगा जल्लि कलामे सामान)	के.जी.	26	26	26
	प्रयोग गर्न नसकिने पुराना मेसीन टाइटनेस राइटर, डीसीड मेसीन, डीसीड पिटा	के.जी.	21	21	21
	Nut and Bolts	गोटा	29	29	29
	Nut and Bolts (different sizes)	के.जी.	163	163	163
	Sandpaper (बाली)	गोटा	6	6	6
	विभिन्न साईजको जे-हुक, वु-हुक	के.जी.	137	137	137
	२" साइज स्क्रिड वेल्स	गोटा	7	7	7
	१" साइज स्क्रिड वेल्स	*	10	10	10
	Screw Brass		0	0	0
	20mm	गोटा	2	2	2
	25mm	*	3	3	3
	35mm	*	4	4	4
	50mm	*	12	12	12
	75mm	*	15	15	15
	Screw Steel				
	20mm	*	1	1	1
	25mm	*	2	2	2
	35mm	*	2	2	2
	50mm	*	7	7	7
	75mm	*	8	8	8
	विद्युतीय वायर	गोटा	3	3	3
	Roofing bitumen (स्क्रिड बलकवा)	के.जी.	93	93	93
	१०० गेज प्लाष्टिक सिट	प्र.मी.	31	31	31
	ISI Mark Tarfelt (२०मी. × १मी.)	रोज	2472	2472	2472
	Plasticfelt (२०मी. × १मी.)	*	2318	2318	2318
	१६-२० फिट लामो बाँस	गोटा	204	204	204
	मैन पालिस	के.वि.	206	206	206
	अकजालिक एसिड	*	118	118	118
	जुट वा पोन्डिचिनको बाली बोरा	गोटा	18	18	18
	माटो (कुचालि बाँस)	प्र.मि.	268	268	268
	सबरेखमा राख्ने माटो (In Capping layer Granular soil)	प्र.मि.	464	464	464
	भुस	के.मि.	5	5	5
	गोबर	*	5	5	5
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	93	93	93
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	98	98	98
	Tarpoline sheet (तारपोलिन सिट)	प्र.मि.	9	9	9
	Water (पानी ट्याङ्कबाट चुक्ने)				
	१ कि.मी. सम्म को दुरीमा	मिटर	0.26	0.26	0.26
	२ कि.मी. देखि माथीको दुरीमा	मिटर	0.31	0.31	0.31
33	स्टेनलेस स्टील बाइर				
	२/४" व्यास भएको १६ गेज मोटाई	मी.	198	198	198
	१" व्यास भएको १६ गेज मोटाई	*	248	248	248

	१ १/४" व्यास भएको १६ गज मोटाई	"	315	315	315
	१ १/२" व्यास भएको १६ गज मोटाई	"	353	353	353
	२" व्यास भएको १६ गज मोटाई	"	518	518	518
	स्टील रेलिङ, steel Raling को बार लगाउने कम्पोज इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तल Horizontal pipe)	र.फी.	1191	1191	1191
34	मार्बल पिम्प				
	(क) सेटी गएको मार्बल पिम्प (१२ से.जि. इति योज)	बोरा	170	170	170
	(ख) रंगिन मार्बल पिम्प (१२ से.जि.) इति योज	"	170	170	170
	(ग) फेदी मार्बल (६ से.जि. इति योज)	"	181	181	181
	(घ) मार्बल काट्टर (१२ से.जि. इति योज)	"	153	153	153
35	मार्बल (Marble)				
35.1	राजस्थानी मार्बल				
	१२ मी.मी बाक्लो राजस्थानी	ब.फि.	161	161	161
	१६ मी.मी बाक्लो राजस्थानी	"	167	167	167
35.2	वेनाइट				
	१२ मी.मी बाक्लो वेनाइट	"	303	303	303
	१६ मी.मी बाक्लो वेनाइट	ब.फि.	309	309	309
	१९ मी.मी बाक्लो वेनाइट	ब.फि.	353	353	353
35.3	Kota Stone				
	1" thick	ब.फि.	145	145	145
	3/4" thick	ब.फि.	133	133	133
35.4	Sand stone (for rubbing Marble)	खोटा	73	73	73
36	Porcelain Glazed/Terrazo Mosaic Tiles				
36.1	Porcelain Glazed Tiles				
	मेज टायल (१२ " x १२ ") समको ।	ब.फि.	-	-	-
	मेज टायल (१२ " x १२ ") गोलको ।	"	-	-	-
	Cotto Tiles	"	126	126	126
	Kajaria, Vermura, Somany, Orient Tile or equivalent	"	85	85	85
	Ordinary floor and wall Tile	"	54	54	54
	Border Tile (२ " x १२ ")	र.फि.	43	43	43
	Border Tile (२ " x १२ ")	ब.फि.	178	178	178
	Indian Ceramic Wall Tile (31*45cm)	"	180	180	180
	Indian Ceramic Border Tile (31*45cm)	"	180	180	180
	Indian Ceramic Floor Tile (31*45cm)	"	150	150	150
	Flooring tile GVT Somany/Swastika/Victory / Espanoi or equivalent				
	24"X24" GVT	ब.फु.	165	165	165
	24"X24" GRES Vitrified (Digital floor)	"	144	144	144
	12"X12" GRES homogeous Vitrified parking tile	"	106	106	106
	24"X24" Vitrified	"	111	111	111
	Flooring tile Everest/Victory /Swastik /Espanoi or equivalent				
	16"X16 "	ब.फु.	98	98	98
	12"X12"	"	88	88	88
	12"X12" (White/very)	"	77	77	77
	2"X2"(Digital)	"	129	129	129
	12"X24" (Wall)	"	134	134	134
	12"X18" (Wall)	"	103	103	103
36.2	LG Floors Tiles				
	L.G. Deluxe Tiles (300x300x2mm)	ब.फु.	-	-	-
	L.G. Deco Tiles (450x450x3mm)	"	-	-	-
	L.G. Deco Wood (100x920x3mm)	"	-	-	-



संलग्न प्रमाणपत्र
पुष्टि पत्रमाथ
सिन्धु प्रमाणपत्र
नुवाकोट

	Fittings for Tiles	"	14	14	14	
	Fittings for Tiles on stairs	"	16	16	16	
	Dendrite for tiles	लि.	371	371	371	
36.3	ELITE / FORBO FLOORING COATING					
	ELITE MICRO FINISH FLOORING (INCLUDED ALL FINISH)	ब.मि.	361	361	361	
	ELITE HERMETIC HEAT FLOORING (INCLUDED ALL FINISH)	"	361	361	361	
	ELITE REFLECTOR FLOORING (INCLUDED ALL FINISH)	"	383	383	383	
	SARLON VINYL ACOUSTIC FLOORING	"	427	427	427	
	SCRATCH FABRIC FALSE CEILING	"	232	232	232	
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	"	62	62	62	
	Forbo marmoleum flooring 2mm thick all fitting work	"	403	403	403	
37	Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.					
	a) POP Molding 1" to 1 1/2"	र.मि.	238	238	238	
	b) Up to 5" wide	र.मि.	285	285	285	
	c) Up to 8" wide	र.मि.	393	393	393	
	d) Above 8" wide	र.मि.	161	161	161	
37.1	रंगरोमनक सामानहरू					
	(क) कृपि चुनबाट ढाँचकित सेतो चुन	के.जि.	19	19	19	
	(ख) विभिन्न प्रकारको रंगीन चुन	"	36	36	36	
	(ग) विभिन्न प्रकारको भारलिय चुन रंगित	"	39	39	39	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	74	74	74	Equivalent Aslon, Berger & other company.
	(ङ) सिमेन्ट प्राइमर सेले	"	268	268	268	
	छ) वुड प्राइमर (Wood Primer)	लिटर	376	376	376	
	झ) सफाकरण सेन्वेष्टिक इनामेल पेन्ट	लिटर	525	525	525	
	ञ) नेपाल रेडको स्टाट फिनिशिंग	लिटर	506	506	506	
	ट) योरोपेटेड रफ Paint	"	476	476	476	
	(क) लवारी ब्लुगुनियम पेन्ट	"	546	546	546	
	(ख) लवारी बार्नेस	"	440	440	440	
	(ग) लवारी बार्नेर सेन्वेष्टिक	"	340	340	340	
	(ङ) मारतिव भिनर	"	231	231	231	
	ड) डड एण्ड ग्लास फुटिग	के.जी.	131	131	131	
	ड) नेटल फुटिग	"	155	155	155	
	ण) चुना पेन्ट गर्न राख्ने गम	"	203	203	203	
	त) नेपाली चित्त	लिटर	218	218	218	
	(ब) तारपिन लेन	"	214	214	214	
	(घ) रेड अक्साइड पेन्ट (Red oxide Paint)	"	262	262	262	
	(ग) डड प्रिजरभेटिव पेन्ट	"	228	228	228	
	(ग) Black Japan Paint	"	286	286	286	
	(क) राम तिलक	के.जि.	56	56	56	
	(ख) गेरु रंग	के.जि.	137	137	137	
	(घ) चक्र पालिश	के.जि.	916	916	916	
	(ग) लवारी कालोकाय डिस्टेम्पर	लि.	223	223	223	Equivalent Aslon, Berger & other company.
	क) लवारी प्लास्टिक्स इन्ग्लान्ड पेन्ट (interior)	लि.	526	526	526	
	ख) लवारी बेयरकोट पेन्ट (exterior)	लि.	631	631	631	



नेपाल सरकार
गृह मन्त्रालय
सिन्धुपट्टी, काठमाडौं
मुद्राङ्कन

	(र) Road Marking Paint	*	579	579	579
	(स) लिनसिड ब्रायन (linsed Oil)	*	196	196	196
	(ब) स्थानीय स्प्रिट	लि.	118	118	118
	(स) सेविकल/पेडिकल	के.मि.	262	262	262
	(फ) Tata Red Oxide Paint	*	262	262	262
	(ह) गड्डा घुन (इन्डीयन)	*	22	22	22
	(न) Wall putty equivalent Asian , Berger & other company.	के.मि.	69	69	69
	(प) Plaster of Parish (POP)	के.मि.	23	23	23
	wood keeper (chapara type)	लि.	550	550	550
	Redoxide zink cromate primer for Bridge	लि.	463	463	463
	Silk Breathless essay	लि.	1216	1216	1216
	Read divider (polythene)	गोटा	1622	1622	1622
	Dust bin (polythene) 165 ltr	गोटा	3083	3083	3083
	Wall putty Epoxy flooring				
	wall plast wall putty (40kg)	बग	1306	1306	1306
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component	व.मी.	2082	2082	2082
	2mm Epoxy Antistatic Floor coating for OF (4 layer & 9 component	*	3688	3688	3688
	Epoxy Paint for Operation theater	*	11509	11509	11509
37.2	Decorative Painting Material Acro & equivalents				
A	Specialized paints(Dr. wallz)				
1	Acro Bio-guard (Anti bacterial Hospital Paint)	लिट्र	1099	1099	1099
2	Acro Elastocrab (Anti carbonisation paint)	*	762	762	762
B	Texture paints				
1	Mediterrano	के.मि.	176	176	176
2	Stucco Veneziano	*	1639	1639	1639
3	Velvetino	*	4305	4305	4305
4	Travertino	*	412	412	412
5	Gtone plaster	*	121	121	121
6	Colorato (Multi color)	*	921	921	921
7	Pearl skin texture	*	149	149	149
8	T5 52 Spray white	*	199	199	199
9	Rustic	*	159	159	159
10	Rockart	लिट्र	159	159	159
11	Manhattan	के.मि.	238	238	238
12	Sabbia	*	238	238	238
13	Sandy Stone	*	174	174	174
14	Insulplast	*	237	237	237
15	Poly Under White	*	264	264	264
16	Antica(Top coat)	*	1267	1267	1267
17	T.C 100(Top coat)	*	728	728	728
18	Dekorica White	*	2631	2631	2631
19	Poly Plaster	*	107	107	107
20	Granite tone	*	165	165	165
21	Grafflato	*	159	159	159
22	Eligance stone	*	189	189	189
23	Marmorino Base	के.मि.	412	412	412
24	Acro Fine	लिट्र	181	181	181
25	Marmocastro base	के.मि.	139	139	139
26	Selva Granite	*	215	215	215
27	Romart	*	239	239	239
C	Weathercoat paints				
1	Guard	लिट्र	503	503	503
2	Guard -3x	*	588	588	588
3	Shield	*	322	322	322
4	Acrotex matt	*	510	510	510
5	Ext wall Primer	*	238	238	238

मुद्रा
०७ मंसिर ०८
१९७८

Handwritten signatures and notes at the bottom of the page.

D	Emulsion Paints				
1	silks Emulsion paints	"	522	522	522
2	Aqualin Int.Emulsion	"	280	280	280
3	pearl Emulsion paints	"	772	772	772
4	int. wall Primer	"	172	172	172
E	Acrylic Washable Distemper	"	142	142	142
F	Acro gold Enamel	"	512	512	512
G	Universal primer (wood primer)	"	313	313	313
H	Red oxide metal primer	"	276	276	276
1	Construction Chemical / waterproof coating system				
	crack sill	"	387	387	387
	crack fill A+B	"	170	170	170
1	Silicon Bases water repellent Impregnation				
	Acropreg	"	466	466	466
	Acropreg W	"	619	619	619
	Wall putty	क.मि	39	39	39
37.3	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works				
1	Acro Spanezia maestro finishes texture				
1.1	Mediterrano texture	ब.फि	128	128	128
1.2	Travertino texture	"	195	195	195
1.3	Velvetino texture	"	167	167	167
1.4	Globe plaster and Colorato texture(Multicolour texture)	"	133	133	133
1.5	Stucco veneziano texture	"	140	140	140
1.6	Pearl skin texture	"	120	120	120
1.7	Marmorino texture	"	156	156	156
2	Acro texture				
2.1	Acro spray flat/Acro spray dewes texture	ब.फि	75	75	75
2.2	Featherglow/Royal touch/Superfine/Ceratex texture	"	74	74	74
2.3	Rustic texture	"	99	99	99
2.4	Rockart texture	"	93	93	93
2.5	Graffiato texture	"	103	103	103
2.6	Marmocastro texture	"	90	90	90
2.7	Marmoplast texture	"	90	90	90
2.8	Sebbia texture	"	112	112	112
2.9	Manhattan texture	"	112	112	112
2.10	Sandy stone texture	"	154	154	154
2.11	Selva Granite texture	"	116	116	116
2.12	Eligance stone texture	"	107	107	107
2.13	Granite tone texture	"	98	98	98
2.14	Romaart texture	"	124	124	124
2.15	Insulplast texture	"	135	135	135
3	Acro Bio-guard (Hospital Paint)	"	54	54	54
4	Acro Elastocarb(anti carbonisation paint)	"	38	38	38
1	EXTERIOR SURFACE WEATHERCOAT PAINTS				
1.ACROGUARD 3K	ब.फि	23	23	23	
2. ACROGUARD	"	21	21	21	
3. ACROSHIELD	"	17	17	17	
4. ACROTEX MATT	"	31	31	31	
2	INTERIOR SURFACE EMULSION PAINTS				
1. ACROPEARL EMULSION PAINTS	ब.फि	24	24	24	
2. ACROSILK EMULSION PAINTS	"	20	20	20	
3. AQUALIN EMULSION PAINTS	"	16	16	16	
4. AQUALIN ACRYLIC WASHABLE DISTEMPER	"	11	11	11	

	5. ACRO GOLD ENAMEL PAINTS	-	18	18	18
	Expansion joint				
1	Horizontal Area fixing clips affixed aluminium joint covers VEDA FRANCE Series JDH 5.2.050 standard load.	RM	15450	15450	15450
2	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers VEDA FRANCE C JV-180 Alu.	RM	12875	12875	12875
3	Extruded Aluminium Joint Covers VEDA FRANCE CJE- PF flat.	RM	14935	14935	14935
4	Folded Joint Covers VEDA France Series CJP a silver anodized coating.	RM	18025	18025	18025
5	Vertical Joints Standard and Seismic Interior use VEDA FRANCE Series JDV 4.2	RM	25750	25750	25750
6	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.4 flat.	RM	13390	13390	13390
7	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.6 flat.	RM	19055	19055	19055
8	Vertical Joints VEDA FRANCE Series JDV 4.10 / 4.12 flat	RM	28840	28840	28840
9	Suspended Ceiling Joints VEDA FRANCE Series JDV 4.14	RM	12360	12360	12360
10	Floor Joint VEDA FRANCE Series JDH 5.2 standard loads.	RM	21115	21115	21115
11	Floor Joint VEDA FRANCE Series JDH 5.4 standard loads.	RM	33475	33475	33475
12	Floor Joint VEDA FRANCE Series JDH 5.8 standard loads.	RM	36050	36050	36050
13	Floor Joint VEDA FRANCE Series JDH 5.16 heavy loads.	RM	38625	38625	38625
14	CAR Park Joint VEDA FRANCE Series JDH 5.30 standard loads(15 to 35mm)	RM	16480	16480	16480
15	CAR Park Joint VEDA FRANCE Series JDH 5.32 standard loads (40 to 70mm)	RM	31930	31930	31930
16	BED Affixed Control Joints VEDA FRANCE Series JF 1700	RM	19313	19313	19313
17	BED Affixed Control Joints VEDA FRANCE Series JF LUXE 2700	RM	29355	29355	29355
18	BED Affixed Control Joints VEDA FRANCE Series JF Deco.	RM	9270	9270	9270
19	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/1	RM	1545	1545	1545
20	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/2	RM	2060	2060	2060
21	Adhesive Affixed Control Joints VEDA FRANCE Series JF 1600	RM	15450	15450	15450
22	Stair Nosing VEDA France MDN VD 320/550/1010	RM	9785	9785	9785
38	Wall Paper				
	Wall paper (10m.x 0.53m)	रोल	1236	1236	1236
	Fittings for wall paper	व.फि	7	7	7
	White glue for wall paper	लि	108	108	108
39	Eradication of peepal & other plants				
	a) Stem up to 1" thickness	चोट्टा	-	-	-
	b) Stem up to 1"-2" thickness	"	-	-	-
	c) Stem up to 2"-3" thickness	"	-	-	-
	d) Stem up to 3"-4" thickness	"	-	-	-
40	Gypsum board				
40.1	Supplying and fixing of Thai gypsum board application work				
	i) फलस निशित गर्ने	व.फि	-	-	-
	ii) Water resistant false ceiling	"	-	-	-
	iii) Wall partition	"	119	119	119
	iv) Wall paneling	"	79	79	79



	v)Metalized polited laminated Board (MPL) board	"	76	76	76	
	12.5mm thick Gypsum Board False ceiling including all necessary material	"	70	70	70	
41	Calcium Silicate Board supplying & fitting all complete work					
41.1	Solid Infill wall (Shera, Everest or Thai Gypsum or equivalent					
	Solid infill wall 3" with EPS AND Foam concrete	च.मी.	3793	3793	3793	
41.2	Solid Infill wall (Chinese or equivalent)					
	Solid infill wall 3"	च.मी.	1770	1770	1770	
41.3	Solid Infill wall WITH TWO SIDE .5MM MS plate, powder coated infill with high presurred Polyethen with 40 kg+2 kg /cu mtr					
	Solid infill wall 50mm	च.मी.	3288	3288	3288	
42	Interlocking Cement Concrete Block(Not less than M20 RCC Block)					
	a) Curb stone (M 25)	र.मि.	1123	1123	1123	
	25 mm thick C.C. Tile (Grey color)					
	Burfi , Round , Baby Checker	Sqft	42	42	42	
	25 mm thick C.C. Tile (Red color)					
	Burfi , Round , Baby Checker	Sqft	44	44	44	
	50 mm thick CC Block (Grey color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	51	51	51	
	50 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	52	52	52	
	60 mm thick CC Block (Grey color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	53	53	53	
	60 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	55	55	55	
	70 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	61	61	61	
	60 mm thick CC Block (Ocm or equivalent)					
	Brick type (23*11*6cm)non colour	Nos	10	10	10	
	Hexagon (22*22 cm) non colour	"	23	23	23	
	Hexagon (22*22 cm) colour	"	25	25	25	
	Square paver (30*30*4.5cm)non colour	"	32	32	32	
	Square paver (30*30*4.5cm)colour	"	34	34	34	
	inter block(24*13*6cm)	"	14	14	14	
	Inter paver (20*16*6cm)	"	16	16	16	
	supply of concrete Block different items United concrete or other Equivalient					
	Hollow Block (16*8*6")	Nos	78	78	78	
	Hollow Block (16*8*4")	"	69	69	69	
	Corner Hollow Block (16*8*6")	"	89	89	89	
	Lintel Block (16*8*6")	"	89	89	89	
	Pavers Block (fish or other shape) 60mm thick	"	20	20	20	
	concrete Brick (9*4*2.5")	"	13	13	13	
	Concrete Prefabricated Frames M40 Concrete standard (इयाल दोकाका चौकोर, सर्क, भेन्टीलेसन)	प्रति रनिष्ठ युग	199	199	199	

समाप्त प्रकाश
पुस्तकालय
पुस्तकालय
पुस्तकालय
पुस्तकालय

43	छानावा टाइलको मुहुरा काट्ने र पानी पछि कार्य					
	1. र. भागको मिश्रणको सिमेन्ट बसाला तयार गरी छट राखि 1" भागको प्लाष्टरमा खिच टाइलको मुहुरा काट्ने काम गर्न सकिन्छ (तयारी)	र.मि.	-	-	-	
	1. र. र. टाइलको 1" र. भागको मिश्रणको बसाला तयार गरी छट राखि वर्षाको पानी पछि बनाइने काम गर्न सकिन्छ	र.मी.	-	-	-	
44	Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting					
	i) Heritage granular	र.मि.	100	100	100	
	ii) Heritage flakes	"	124	124	124	
	iii) Heritage granite finish	"	108	108	108	
	iv) Heritage Top coat (plastic lamination)	"	29	29	29	
45	UPVC Profile Door and Window/ Wall partition					
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm-sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.					
	UPVC को भण्डार, डोना तथा wall partition का निर्माण सामग्रीहरू					
	i) Single glazing					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	7215	7215	7215	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	"	6664	6664	6664	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	7493	7493	7493	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	7493	7493	7493	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	8214	8214	8214	
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	"	8328	8328	8328	
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	8884	8884	8884	
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	"	8884	8884	8884	
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	"	8606	8606	8606	
10	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	"	9991	9991	9991	
11	UPVC 88x60mm Sliding white colour window with 5mm glass panele	Sqm	8626	8626	8626	
11	UPVC 60x64mm white colour casement window with 5mm glass panele	"	9796	9796	9796	
12	UPVC 110x64mm x9mmthick board and 5mm thick glass pannel white colour	"	10353	10353	10353	
12	UPVC 60x60mm x9mmthick white colour partition board with 5mm glass	"	10717	10717	10717	

Stamp and signature area on the right side of the table.

Handwritten signatures and notes at the bottom of the page.

13	UPVC 60x60mm white colour swing door with 5mm glass panel		6727	6727	6727	
	ii) Double glazing					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	9435	9435	9435	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	-	8935	8935	8935	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	..	9718	9718	9718	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	..	9718	9718	9718	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	..	10439	10439	10439	
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	..	10547	10547	10547	
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	..	11103	11103	11103	
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	-	10825	10825	10825	
9	Supply & fixing of 80*50 mm white colour casement window	..	9611	9611	9611	
46	Prefab Panel for wall Partition solid wall panel (ESWP) or Equivalent					
46.1	Supply and erection of different mm th. cement base prefabricated Shera, that gypsum, everest solid wall panel non asbestos including 1.1 mm thick GI channel (50*25*20) mm with necessary accessories and fittings charge in partition wall all complete					
	a) 40 mm thick	..				
	b) 50 mm thick	..	232	232	232	
	c) 75 mm thick	Sq.m.	294	294	294	
46.2	False ceiling/ partition/ external cladding of everest or equivalent fibre designer board					
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	91	91	91	
	Supplying, making, fixing of 70mm thick exterior with full height of partition with everest fibre cement board	Sqft	271	271	271	
	Supplying, making, fixing of 66mm thick exterior with full height of partition with everest fibre cement board	Sqft	237	237	237	
	Supplying, making, fixing of 91mm thick exterior with full height of partition with everest fibre cement board	Sqft	302	302	302	
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	Sqft	266	266	266	
	Supplying, making, fixing of 50mm thick full height of partition with everest RAPICON wall panels	Sqft	211	211	211	
	Supplying, making, fixing of 75mm thick full height of partition with everest RAPICON wall panels	Sqft	279	279	279	



46.3	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft	-	-	-	
46.4	Cement board Aerocon C Board CK Biral, Everest or equivalent					
	6 mm thick	Sqft	33	33	33	
	8 mm thick	Sqft	41	41	41	
	10 mm thick	Sqft	52	52	52	
	12 mm thick	Sqft	62	62	62	
46.5	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire					
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	381	381	381	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	412	412	412	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	509	509	509	
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or equivalent	Sqft	109	109	109	
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent					
	50 mm thick	Sqft	255	255	255	
	75 mm thick	Sqft	337	337	337	
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	274	274	274	
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall conforming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	278	278	278	
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall conforming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	243	243	243	
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on Interior side and 72mm G.I wall frame system) Exterior cum Interior conforming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	310	310	310	
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) conforming to IS 14862 : 2000	Sqft	348	348	348	
47	Aluminium & Steel Door & Window					


 नुवाकोट जिला
 प्रमुख कार्यालय
 काठमाडौं

47.1	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.					
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88x38x1.20) mm and 5 mm glass.	ब.फि	509	509	530	
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88x38x1.20) mm and 5 mm glass.	"	547	547	570	
	Aluminum sliding windows without ventilator from section (101x45x1.50) mm and 5 mm glass.	"	533	533	560	
	Do but with ventilator from section (101x45x1.50)mm and 5 mm glass.	"	572	572	600	
	Sliding door with naturally anodized color section of (101x45x1.50)mm (40x45x1.5)mm & 5 mm glass.	"	658	658	690	
	Sliding door with naturally anodized color section of (78x38x1.30)mm (40x45x1.5)mm & 5 mm glass.	"	411	411	430	
	Casement double panel aluminum windows with ventilation. Section size (88x45x1.10)mm, (38x34x1.10)mm & 5 mm glass.	"	411	411	430	
	Casement double panel aluminum windows with ventilation. Section size (56x33x1.50)mm, (38x34x1.50)mm & 5 mm glass.	"	509	509	530	
	Casement door of aluminum section in naturally anodized color. Section size (100x38x1.30) mm and 5 mm glass.	"	456	456	475	
	Casement door of aluminum section in naturally anodized color. Section size (101x45x1.50) mm and 5 mm glass.	"	623	623	650	
	Swing door door of aluminum section in naturally anodized color. Section size (101x45x1.50) mm and 5 mm glass.	"	623	623	650	
	Sliding windows 2 track in naturally anodized color section of (88x38x1.10)mm 5 mm glass.	"	364	364	380	
	Sliding windows 2 track in naturally anodized color section of (88x38x1.30)mm 5 mm glass.	"	483	483	505	
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101x45x1.50)mm	"	483	483	505	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	"	483	483	505	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	458	458	480	
	दुई-तीन फैल भएकै स्लाइडिङ भएकाले (64x38x1.20 मी.मी.) तिरा १ मी.मी. बाथेस काटि	"	502	502	525	
	दुई-तीन फैल भएकै स्लाइडिङ भएकाले (64x38x1.20 मी.मी.) तिरा १ मी.मी. बाथेस काटि	"	553	553	580	
	दुई-तीन फैल भएकै स्लाइडिङ भएकाले किन्सा मेन्टोलेस भएकै (64x38x1.20 मी.मी.) तिरा १ मी.मी. बाथेस काटि	"	553	553	580	
	दुई-तीन फैल भएकै स्लाइडिङ भएकाले किन्सा मेन्टोलेस भएकै (64x38x1.20 मी.मी.) तिरा १ मी.मी. बाथेस काटि	"	502	502	525	
	102 series windows					

नेपाल सरकार
गृह मन्त्रालय
निम्न पदासय
नुवाकोट

Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	ब.फि.	531	531	555	
Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft / window)	"	607	607	635	
Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	447	447	465	
Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	"	143	143	145	
90 series windows					
Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft per window)	"	500	500	520	
Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft per window)	"	527	527	550	
Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	420	420	440	
Providing and fixing flymesh shutter of section 90 series 1 th. Fitted with flymesh (2'X4'6")	"	143	143	145	
78 series windows					
Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'X4'6" or avg area 27 sqft per window)	"	439	439	460	
Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft per window)	"	468	468	490	
Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	393	393	410	
Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with 55 flymesh (2'X4'6")	"	130	130	135	
Casement window and doors					
Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.50.ft	"	514	514	535	
Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	558	558	585	
Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	710	710	745	
Partition work					
Providing and fixing aluminium full height partition of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	"	336	336	350	


 नुवाकोट जिला
 १०८ नुवाकोट
 १०८ नुवाकोट



	Providing and fixing aluminum low height partition of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	"	357	357	370
	Providing and fixing aluminum full height partition of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	"	385	385	400
	Providing and fixing aluminum low height partition of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	"	478	478	500
	Structure glazing				
	Providing and fixing aluminum structure glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	"	536	536	560
	Providing and fixing aluminum structure glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	"	621	621	650
	Providing and fixing aluminum structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	755	755	790
48	Aluminium composite panel				
48.1	Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing ALSTRONG, PRIME BOND, ALUTUF, INDO BOND or equivalent				
	3 mm, .20 mm black core	ब.फि	357	357	370
	3 mm, .25 mm black core	"	366	366	380
	3 mm, .30 mm black core	"	379	379	395
	4 mm, .25 mm black core	"	389	389	405
	4 mm, .30 mm black core	"	379	379	395
	4 mm, .50 mm black core	"	402	402	420
	4 mm, .25 mm Vergin core	"	411	411	430
	4 mm, .30 mm vergin core	"	379	379	395
	4 mm, .50 mm vergin core	"	411	411	430
48.2	बाइबरका निर्माण सामग्रीहरूको विवरण				
1	WPC Single Toilet Hollow Door Board				
	(Size up to 14 sq. ft.) (32 mm)	प्रति स्क्वायर फिट	660	660	660
	Embossing Without Film	प्रति स्क्वायर फिट	765	765	765
	With Hot-stamping Film	प्रति स्क्वायर फिट	810	810	810
2	WPC Single Room Hollow Door Board (Size from 15 sq. ft. to 18 sq. ft.) (32 mm)				
	Embossing Without Film	प्रति स्क्वायर फिट	660	660	660
	With Hot-stamping Film	प्रति स्क्वायर फिट	765	765	765
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट	810	810	810
3	WPC Double Hollow Door Board (Small) (Size from 19 sq. ft. to 22 sq. ft.) (32 mm)				
	Embossing Without Film	प्रति स्क्वायर फिट	660	660	660
	With Hot-stamping Film	प्रति स्क्वायर फिट	765	765	765
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट	810	810	810
4	WPC Double Hollow Door Board (Medium) (Size from 23 sq. ft. to 26 sq. ft.) (32 mm)				



नेपाल सरकार
गृह विभाग
नयाँ बजार, काठमाडौं
नुवाकोट

	Embossing Without Film	प्रति स्क्वायर फिट	660	660	660	
	With Hot-stamping Film	प्रति स्क्वायर फिट	765	765	765	
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट	810	810	810	
5	WPC Double Hollow Door Board (Big) (Size from 27 sq. ft. to 32 sq. ft.) (32 mm)					
	Embossing Without Film	प्रति स्क्वायर फिट	660	660	660	
	With Hot-stamping Film	प्रति स्क्वायर फिट	765	765	765	
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट	810	810	810	
6	SMC Manhole Covers					
	Frame*Cover : 880mm*700mm-Round-Yellow and Grey (30 Ton Capacity)	प्रति गोटा	32691	32691	32691	
	Frame*Cover : 725mm*600mm-Round-Yellow and Grey (40 Ton Capacity)	प्रति गोटा	24159	24159	24159	
	Frame*Cover : 670mm*570mm-Round-Yellow and Grey (30 Ton Capacity)	प्रति गोटा	14382	14382	14382	
	Frame*Cover : 400mm*300mm-Square-Yellow and Grey (7.5 Ton Capacity)	प्रति गोटा	7426	7426	7426	
	Frame*Cover : 400mm*300mm-Square-Yellow and Grey (5 Ton Capacity)	प्रति गोटा	3590	3590	3590	
	Frame*Cover : 670mm*570mm-Square-Jali-Yellow and Grey (5 Ton Capacity)	प्रति गोटा	12515	12515	12515	
	Frame*Cover : 570mm*475mm-Square-Yellow and Grey (5 Ton Capacity)	प्रति गोटा	8007	8007	8007	
	Frame*Cover : 670mm*625mm-Square-Yellow and Grey (Overlapping 50 Ton Capacity)	प्रति गोटा	20400	20400	20400	
	Frame*Cover : 570mm*525mm-Square-Yellow and Grey (Overlapping 15 Ton Capacity)	प्रति गोटा	12240	12240	12240	
	Frame*Cover : 725mm*600mm-Round-Yellow and Grey (10 Ton Capacity)	प्रति गोटा	18666	18666	18666	
	Frame*Cover : 570mm*475mm-Square-Yellow and Grey (2 Ton Capacity)	प्रति गोटा	6865	6865	6865	
7	Fiber Door-Single					
	Single (Model : Khapa, Galaxy, Namaste D and Four Square)	प्रति स्क्वायर फिट	1090	1090	1090	
	Single (Model : Kalash, New Flower and Peacock)	प्रति स्क्वायर फिट	1315	1315	1315	
	Double (Model : Glass Art)	प्रति स्क्वायर फिट	1635	1635	1635	
	Double (Model : Old Murti)	प्रति स्क्वायर फिट	1850	1850	1850	
	Double (Model : New Murti)	प्रति स्क्वायर फिट	2050	2050	2050	
8	Fiber Door Frame					
	Thickness : 100 and 110 mm	प्रति रनिङ्ग फिट	435	435	435	
9	Fiber Window or Ventilation Frame					
	Thickness : 110 mm	प्रति रनिङ्ग फिट	455	455	455	
10	Fiber Window Panel					
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black, Green	प्रति गोटा	4740	4740	4740	
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	प्रति गोटा	4530	4530	4530	
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black, Green	प्रति गोटा	4980	4980	4980	
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	प्रति गोटा	4740	4740	4740	
11	Fiber Window Net Panel					
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)	प्रति गोटा	4500	4500	4500	
12	Fiber Ventilation Panel					
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Blue, Black, Green	प्रति गोटा	3540	3540	3540	
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Clear	प्रति गोटा	3360	3360	3360	
13	Fiber Ventilation Net Panel					



नेपाल सरकार
परिचालन
प्रशासन
कक्षा

	(Size: 3 Sq.ft. to 4.5 sq.ft.)	प्रतिपीठा	3360	3360	3360
14	Fiber Plain Sheet				
	(Thickness : 1.2 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट	100	100	100
	(Thickness : 1.5 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट	120	120	120
	(Thickness : 1.8 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट	145	145	145
	(Thickness : 2 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट	155	155	155
	(Thickness : 2.5 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट	195	195	195
	(Thickness : 3 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट	240	240	240
15	Fiber Corrugated Sheet				
	Fiber 5 span Thickness 2mm, width 42"	प्रति रीमिड फिट	640	640	640
	Normal Corrugation (Thickness : 0.6 mm)-Clear	प्रति रीमिड फिट	125	125	125
	Normal Corrugation (Thickness : 0.8 mm)-Clear	प्रति रीमिड फिट	170	170	170
	Fiber Heritage Sheet Width 34" Thickness 2 mm	प्रति रीमिड फिट	485	485	485
16	Sandwich PUF Roofing Panel				
	30mm Thickness	प्रति वर्ग फिट	285	285	285
	40mm Thickness	प्रति वर्ग फिट	310	310	310
	50mm Thickness	प्रति वर्ग फिट	335	335	335
17	Sandwich PUF Wall Panel				
	40mm Thickness	प्रति वर्ग फिट	295	295	295
	50mm Thickness	प्रति वर्ग फिट	320	320	320
	75mm Thickness	प्रति वर्ग फिट	380	380	380
	100 mm Thickness	प्रति वर्ग फिट	455	455	455
	125 mm Thickness	प्रति वर्ग फिट	505	505	505
	150mm Thickness	प्रति वर्ग फिट	560	560	560
18	Metal Tile Roofing Sheet				
		प्रति बन्धन	22150	22150	22150
		प्रति बन्धन	24550	24550	24550
19	CZU Chancel				
	C Z U (2mm Thickness/ 1.2mm)	प्रति के.जी	205	205	205
	C Z U (1.5mm)	प्रति के.जी	210	210	210
20	Ridge Cap (0.4 Thickness)	प्रति रीमिड फिट	200	200	200
21	Gutter				
	0.50 mm Thickness (Size- 6.50 mm Thickness (Size- 6.50 mm)	प्रति रीमिड फिट	95	95	95
	0.50 mm Thickness (Size- 6.50 mm)	प्रति रीमिड फिट	165	165	165
	0.50 mm Thickness (Size- 6.50 mm)	प्रति रीमिड फिट	115	115	115
	0.50 mm Thickness (Size- 6.50 mm)	प्रति रीमिड फिट	165	165	165
22	Polycarbonate Corrugated Sheet				
	1 mm Thickness	प्रति वर्ग फिट	100	100	100
	1.25mm Thickness	प्रति वर्ग फिट	120	120	120
	1.5 mm Thickness	प्रति वर्ग फिट	145	145	145
	1.75mm Thickness	प्रति वर्ग फिट	165	165	165
	2 mm Thickness	प्रति वर्ग फिट	190	190	190
	2.5 mm Thickness	प्रति वर्ग फिट	230	230	230
23	Polycarbonate Plain Sheet				
	1 mm Thickness	प्रति वर्ग फिट	85	85	85
	1.5 mm Thickness	प्रति वर्ग फिट	130	130	130
	2 mm Thickness	प्रति वर्ग फिट	175	175	175
	2.5 mm Thickness	प्रति वर्ग फिट	215	215	215
	3 mm Thickness	प्रति वर्ग फिट	260	260	260
	4 mm Thickness	प्रति वर्ग फिट	350	350	350
	5 mm Thickness	प्रति वर्ग फिट	435	435	435
	6 mm Thickness	प्रति वर्ग फिट	525	525	525
	8 mm Thickness	प्रति वर्ग फिट	700	700	700
	10 mm Thickness	प्रति वर्ग फिट	880	880	880
	12 mm Thickness	प्रति वर्ग फिट	1055	1055	1055

49	Water proofing (chemicals & Treatment) works				
1	CONCRETE ADMIXTURES (Chemical)				
1.1	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by wt. cement	Kg.	166	166	166
1.2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formaldehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	Kg.	299	299	299
1.3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose :0.2 to 1.6 % by wt of cement	Kg.	495	495	495
1.5	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 -2007, IS 2645 Dose :0.4 to 2% by wt of cement	Kg.	303	303	303
1.6	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	935	935	935
1.7	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	935	935	935
1.8	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose :0.2 to 2 % by wt of cement	Kg.	1375	1375	1375
1.9	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg.	165	165	165
1.1	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	Kg.	275	275	275
1.11	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	Kg.	385	385	385
1.12	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free]	Kg.	330	330	330
1.13	Retarding Superplasticizer for Concrete [Napthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	248	248	248
1.14	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	495	495	495
1.15	Resin Multi / polycarboxylate ether chloride free less alkali super plasticizer and micro silica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	650	650	650
2	CONCRETE ADMIXTURES (Mineral)				



Page 28

2.1	Silica Fume / Silica Cement Admixture / Micro Silica For High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	331	331	331
2.2	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	98	98	98
3	JOINT SEALANTS & SYSTEMS				
3.1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	kg.	2396	2396	2396
3.2	Two Component Pour Grade Polysulphide Sealant for Horizontal Surfaces	Kg.	2396	2396	2396
3.3	One Component Low Viscosity Primer For Polysulphide Sealant	Kg.	3993	3993	3993
3.4	Two Component Pour Grade Polyurethane Sealant for Joints	kg.	2662	2662	2662
3.5	Low Viscosity Primer For Polyurethane Sealant	kg.	3993	3993	3993
3.6	High Performance Hybrid Silyl Sealant (290 ml per set)	set	1597	1597	1597
3.7	Butyl Tape for various Applications	RM	166	166	166
3.8	Waterproofing Joint Tape [120 mm]	RM	666	666	666
3.9	Waterproofing Joint Tape [200 mm]	RM	865	865	865
3.10	NBR based Waterproofing Joint Tape [200 mm]	RM	5324	5324	5324
3.11	Joint Tape Epoxy Adhesive	Kg.	3993	3993	3993
3.12	Glass Fiber Joint Tape	RM.	300	300	300
3.13	Waterproofing / Expansion Joint Tape [100 mm]	RM.	1997	1997	1997
3.14	Waterproofing / Expansion Joint Tape [200 mm]	RM.	3594	3594	3594
3.15	Construction Joint Tape [100 mm]	RM.	1065	1065	1065
3.16	Construction Joint Tape [100 mm]	RM.	865	865	865
3.17	Cross Linked Premoulded Compressive Joint Filler [25 mm]	Sq. M.	3261	3261	3261
3.18	Cross Linked Premoulded Compressive Joint Filler [50 mm]	Sq. M.	6455	6455	6455
3.19	Closed Cell Polymerbased Joint Filler [25 mm]	Sq. M.	1065	1065	1065
3.2	Closed Cell Polymerbased Joint Filler [50 mm]	Sq. M.	1997	1997	1997
4	INDUSTRIAL FLOORING SOLUTIONS				
4.1	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	Kg.	146	146	146
4.2	Liquid Concrete Hardener & Dust Proofer	Kg.	499	499	499
4.3	Anti Bacterial Floor & Wall Coating [Epoxy]	kg.	2995	2995	2995
4.4	Anti Bacterial Floor & Wall Coating [Polyurethane]	Kg.	3328	3328	3328
4.5	Anti bacterial Floor & Wall Coating [Acrylic]	Kg.	2662	2662	2662
4.6	Self Levelling Flooring System [Epoxy]	Kg.	1331	1331	1331
4.7	Self Levelling Flooring System [Polyurethane]	Kg.	1997	1997	1997
4.8	Self Levelling Cementitious Flooring System	Kg.	399	399	399
5	ENGINEERING GROUTS				
5.1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	Kg.	146	146	146
5.2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	Kg.	135	135	135
5.3	Hard wearing cementitious tile grout	Kg.	213	213	213
5.4	Hard wearing epoxy based tile grout	Kg.	1331	1331	1331



सिन्धुपाल्चोक
जिल्ला प्रशासन कार्यालय
नुवाकोट

5.5	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg.	666	666	666
5.6	High Strength Precision Grade, Non Shrink Structural Epoxy Anchorgout	Kg.	3328	3328	3328
5.7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 Wl Cartridge]	ml	5990	5990	5990
5.8	Low Viscosity Injection Epoxy Grout	Kg.	8652	8652	8652
5.9	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic Inchec per gallon	Kg.	18634	18634	18634
5.10	Low Viscosity Acrylate Gel Injection Grout	Kg.	11314	11314	11314
5.11	Low Viscosity Soil Stabilization Injection Grout	Kg.	18634	18634	18634
6	BONDING ADHESIVES (Polymer & Epoxy Resin)				
6.1	Acrylic Bonding Agent For Concrete & Mortar	Kg.	865	865	865
6.2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	Kg.	1131	1131	1131
6.3	High Performance Pure Acrylic Polymer for Concrete & Mortar Modification & Bonding Adhesive	Kg.	1597	1597	1597
6.4	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	Kg.	2396	2396	2396
7	FIBERS (Steel & Polypropylene)				
7.1	FIBERMESH MF [Monofilament PP Fibers]	Kg.	1331	1331	1331
7.2	FIBERMESH FB [Collated PP Fibers]	Kg.	1730	1730	1730
7.3	FIBERMESH MACRO [Structural PP Fibers]	Kg.	2662	2662	2662
7.4	Loose steel Fibers	Kg.	333	333	333
7.5	Glued Steel Fibers	Kg.	466	466	466
7.6	Crimped Steel Fibers	Kg.	245	245	245
8	SURFACE TREATMENT				
8.1	Protective, Decorative Anti Carbonation Coating	Kg.	1597	1597	1597
8.2	Protective, Decorative Insulating Anti Carbonation Coating	Kg.	1797	1797	1797
8.3	Concrete Penetrating Corrosion Inhibitor	Kg.	5990	5990	5990
8.4	Protective Acrylic Sealer	Kg.	1997	1997	1997
8.5	Protective Polyurethane Sealer	Kg.	2396	2396	2396
8.6	Water Based Fire Retardant Coating	Kg.	1597	1597	1597
8.7	High Performance Water Repellent Paint	Ltr.	11979	11979	11979
8.8	Concentrated & Emulsified Chemical Mould Release Agent	Ltr.	666	666	666
8.9	Ready to use Chemical Mould Release Agent	Ltr.	532	532	532
8.10	Concrete Curing Aid	Kg.	532	532	532
8.11	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	700	700	700
	CONCRETE REPAIRS				
9	Rust Remover & Passivator	Ltr.	1331	1331	1331
9.1	Corrosion Inhibitor	Kg.	1331	1331	1331
9.2	Micro Concrete [M55] for Permanent Repairs	Kg.	186	186	186
9.3	Single Component Polymer Modified Cementitious Repair Mortar	Kg.	190	190	190
9.4	Two Component Polymer Modified Cementitious Repair Mortar	Kg.	333	333	333
9.5	Cementitious, Waterproof Crack Repair Mortar	Kg.	266	266	266
9.6	Acrylic Based Crack Filling Putty	Kg.	1597	1597	1597



Handwritten signatures and initials are present at the bottom of the page, along with the page number 'Page 30'.

9.7	Resin ,Polycoboxylate Base For ultra High Strenth Concrete Repairing Dose : Admixture 10% By Wt of Cement	Kg	700	700	700
10	PREPACKED MORTARS				
10.1	Tile, Marble, Granite etc. Adhesive	Kg.	100	100	100
10.2	Marble & Granite etc. Adhesive	Kg.	466	466	466
10.3	Coarse and water resistant Readymix plastering Mortar	Kg.	90	90	90
10.4	High Performance Polymer Based Wall Putty (Skim Coat)	Kg.	70	70	70
10.5	High Performance Polymer Based Insulating Wall Putty (Skim Coat)	Kg.	90	90	90
11	WATERPROOFING SYSTEMS, Bal endura or equivalent				
	INTEGRAL				
11.1	Integral Waterproofing Additive for Concrete & Plaster	Kg.	300	300	300
11.2	Silica Cement Admixture / Microsilica / Silica Fume	Kg.	315	315	315
	LIQUID APPLIED				
11.3	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	Kg.	932	932	932
11.4	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 2 coats	Kg.	666	666	666
11.5	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m ²	Kg.	998	998	998
11.6	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr.	750	750	750
11.7	Acrylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	Ltr.	700	700	700
11.8	Crystalline Based Waterproofing Systems	Kg.	363	363	363
11.9	Fast Setting Plugging Compound for stopping running water	Kg.	424	424	424
11.10	Polyurethane based Waterproofing Coating System	Kg.	1815	1815	1815
11.11	Polymer Modified Bitumen based Waterproofing Coating System	Kg.	1452	1452	1452
11.12	Epoxy Resin based Waterproofing Coating System	Kg.	1815	1815	1815
11.13	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	kg	600	600	600
	PREFORMED				
11.14	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	2178	2178	2178
11.15	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	Sq. M.	2420	2420	2420
11.16	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	1210	1210	1210
11.17	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	Sq. M.	1815	1815	1815
11.18	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M.	1815	1815	1815
11.19	1.2 mm High Polymer PVC Membranes	Sq. M.	2420	2420	2420
11.2	PVC Adhesive	Kg.	3025	3025	3025
11.21	1.2 mm EPDM Membranes	Sq. M.	2420	2420	2420
11.22	EPDM Adhesive	Kg.	3025	3025	3025
11.23	EPDM Primer	Kg.	3630	3630	3630
11.24	2mm TPO Membranes	Sq. M.	4235	4235	4235
11.25	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	968	968	968



नेपाल सरकार
गृह विभाग
निकासा विभाग कार्यालय
नेवाकोट

11.26	100% Synthetic Rubber Roof Coating	Kg.	5445	5445	5445
12	SPECIALTY				
12.1	Antistripping Agent for Bitumen	Kg.	484	484	484
12.2	Anti Termite [Imidacloprid 30.5%]	Kg.	9075	9075	9075
12.3	Expanding Concrete Joint WATERSTOP	RM.	2420	2420	2420
12.4	WB ADHESIVE Primer for Expanding Waterstop	2500	9075	9075	9075
12.5	Swellable WATERSTOP	RM.	3025	3025	3025
12.6	SEALGUARD PVC WATERSTOP - PVC Waterstops	RM.	3025	3025	3025
12.7	Nodular Drain with Geotextile Roof Garden	Sq. M.	2420	2420	2420
12.8	SEALGUARD GEOTEX (P) -Polyester Geotextile [Nonwoven 120gm/sqm]	Sq. M.	121	121	80
12.9	THERMOSEAL XPS - Extruded Polystyrene Boards [25 mm]	Sq. M.	1331	1331	1331
12.10	THERMOSEAL XPS - Extruded Polystyrene Boards [40 mm]	Sq. M.	2420	2420	2420
13	STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING				
13.1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	R. M.	9680	9680	9680
13.2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	R. M.	12100	12100	12100
13.3	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	Sq. M.	12100	12100	12100
13.4	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	Sq. M.	18150	18150	18150
13.5	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	Sq. M.	24200	24200	24200
13.6	FRP [Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	Sq. M.	18150	18150	18150
13.7	EPOXY PRIMER	Kg.	4235	4235	4235
13.8	SATURANT	Kg.	3630	3630	3630
13.9	LAMINATE ADHESIVE	Kg.	2420	2420	2420
13.11	EPOXY TOPCOAT	Kg.	3630	3630	3630
13.12	POLYURETHANE TOPCOAT	Kg.	4840	4840	4840
13.13	Fiber anchor system 5to 10 mm	R. M.	2420	2420	2420
13.14	Carbon Laminate [50 mm Wide 2 mm Thick]	R. M.	9680	9680	9680
13.15	Carbon Laminate [75 mm Wide 2 mm Thick]	R. M.	12100	12100	12100
14	Soil Stabilizer / Admixture				
14.1	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to 0.4 % by wt. of cement	kg	670	670	670
15	Concrete curing compound				
15.10	Concrete Curing Aid	Kg.	453	453	453
15.20	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	721	721	721
50	परम्परागत तिमोया सामग्रीहरू :-				
	१। रपि अया दुलो $4'' \times 2-3/4'' \times 4''$	मोटो	21	21	21
	२। रपि अया सानो $4-2/4'' \times 2-3/4'' \times 4-1/4''$	"	16	16	16
	३। रपिअया दुलोको र्छु	"	25	25	25
	४। रपिअया सानोको र्छु अया	"	21	21	21
	५। र्छु अया दुलो $4-3/4'' \times 2-1/4'' \times 4-3/4''$	"	19	19	19
	६। र्छु अया दुलो 241x60x158 mm	"	24	24	24
	७। र्छु अया सानो $4-2/4'' \times 2'' \times 2''$	"	15	15	15
	८। धुरी र्छु १-३/४'' $4-1/2'' \times 2/4''$	"	24	24	24
	९। धुरी 230x295x25 mm	"	-	-	-
	१०। धुरी र्छु सानो	"	18	18	18
	११। मिलादी र्छु $4-3/4'' \times 4''$	मोटो	11	11	11

१२) फिमटी घुत्तौ	गोटा	7	7	7
१३) बुकु	गोटा	40	40	40
१४) Snake body brick traditional	गोटा	25	25	25
१५) Snake neck brick ,,	गोटा	74	74	74
१६) Snake head brick ,,	गोटा	145	145	145
कामागा	॥	113	113	113
सालुलो	॥	227	227	227
१७) पेट्टीकोनडि बुझा				
का) १८"×१०"×४"	॥	680	680	680
१८) लालोस ईटा	गोटा	19	19	19
१९) ९"×९" १८ इन्च कुना बुझा	१ मि.	2266	2266	2266
२०) फाल्गोह अण्डा दुलो 375x225x100mm	गोटा	170	170	170
२१) फाल्गोह अण्डा साणो 254x229x102mm	॥	142	142	142
२२) तीनकुनै लेखिया ईटा (९"×९"×२-१/४")	॥	14	14	14
२३) तीनकुनै लेखिया ईटा (९"×९"×२-१/४")	॥	10	10	10
२४) चारकुनै लेखिया ईटा (८"×८")	॥	19	19	19
२५) लेखिया ईटा (६"×६")	॥	14	14	14
२६) बुट्टेसारी कर्मिण्डा (काशीमोहर)	॥	28	28	28
२७) बुट्टेसारी कर्मिण्डा कुना	॥	42	42	42
२८) बुट्टेसारी कर्मिण्डा दुलो 222x273x76mm	॥	170	170	170
२९) भ्याल माथिको कर्मिण्डा ईटा बुट्टेसारी	॥	34	34	34
३०) काठको कर्मिण्डा माथिको ईटा ११×६×२.५"	॥	37	37	37
३१) कर्नर स्टीन : १०"×१०"×१४"	॥	1586	1586	1586
३२) का) बिचको ग्राहाकस १०"×८"×१४"	॥	1076	1076	1076
३३) लालोस बुझा १८"×१०"×५"	॥	793	793	793
३४) चौ प्ला	गोटा	227	227	227
३५) लाला पाला (नेपाली)	केजी	1076	1076	1076
लाला पाला (Indian)	केजी	1246	1246	1246
३६) पिचल पाला	केजी	850	850	850
३७) पारो	ग्राम	170	170	170
३८) सुकि ईटा कूटि दुलो बनाएको ।	टन	1360	1360	1360
३९) Wind bell हवा घण्टी ४"	गोटा	467	467	467
४०) लकालो बीचको	१ गोटा	1700	1700	1700
४१) पेट्टीबुझा ४"	१ मि.	2039	2039	2039
४२) पेट्टीबुझा ५"	१ मि.	2493	2493	2493
४३) चौ नपेश	गोटा	1133	1133	1133
४४) कुसार	गोटा	1133	1133	1133
४५) बुझो धारा	गोटा	1133	1133	1133
४६) झाकै सेट	गोटा	2266	2266	2266
४७) लाम्बेलेली बुटा	गोटा	25	25	25
४८) लाम्बेलेली बुटा कुना	गोटा	37	37	37
४९) लाम्बे बुटा	गोटा	35	35	35
४९) चौ बुटा	गोटा	25	25	25
५०) कागैसनायो	गोटा	22	22	22
५१) कागैसना यो	गोटा	34	34	34
५२) टुलो कलश	गोटा	170	170	170
५३) मसीयो सुकि	केजि	13	13	13
५४) लाम्बो सुकि	केजि	8	8	8
५५) मिष्टा घुन	केजि	25	25	25
59) लाम्बे (साइज 200x50x130)	गोटा	15	15	15
60) लाम्बे (साइज 200x55x100)	॥	18	18	18
61) लाम्बे (साइज 110x55x180)	॥	18	18	18

नेपाल सरकार
गृह विभाग
विमान विभाग
नुवाकोट

62	मोल अण्डा (साइज 120x55x80)	"	18	18	18
63	मोला अण्डा (साइज 200x250x35)	"	340	340	340
64	कुमार अण्डा (साइज 200x250x35)	"	340	340	340
65	कासा अण्डा (साइज 200x250x55)	"	340	340	340
66	पुन्य बुट्टा अण्डा (साइज 170x230x55)	"	340	340	340
67	कमल अण्डा (साइज 100x140x40)	"	57	57	57
68	बाबोल अण्डा (साइज 140x52x120)	"	20	20	20
69	कल्लो अण्डा (साइज 230x55x100)	"	29	29	29
70	मकली अण्डा (साइज 140x55x115)	"	25	25	25
71	सागबुट्टा अण्डा (साइज 140x55x115)	"	25	25	25
72	सागो का बुट्टा अण्डा (साइज 180x55x30)	"	29	29	29
73	हूरो का बुट्टा अण्डा (साइज 230x55x110)	"	29	29	29
74	म्यां का बुट्टा अण्डा (साइज 230x55x110)	"	29	29	29
75	सागा म बुट्टा अण्डा (साइज 140x50x110)	"	25	25	25
76	हूरो म बुट्टा अण्डा (साइज 230x55x90)	"	29	29	29
77	मुसा बुट्टा अण्डा (साइज 180x55x70)	"	29	29	29
78	शिमदुने र्छी अण्डा (साइज 200x550x30)	"	29	29	29
79	शिमदुने र्छी अण्डा (साइज 200x550x90)	"	29	29	29
80	सागा र्छी अण्डा (साइज 140x50x110)	"	25	25	25
81	हूरो र्छी अण्डा (साइज 230x55x90)	"	29	29	29
82	नाग टाउको घवाघार्वा (साइज 100x150x50)	"	142	142	142
83	नाग घटी घाँघाउर्वा (साइज 140x60x70)	"	74	74	74
84	नाग नीच (साइज 140x60x70)	"	25	25	25
85	नाग कन्क/मुप (साइज 180x380x55)	"	567	567	567
86	घात पापेल (साइज 130x55x120)	"	20	20	20
87	घात कपो (साइज 130x55x135)	"	20	20	20
88	काटा बुट्टा (साइज 125x45x140)	"	25	25	25
89	नम वेमी (साइज 140x55x120)	"	25	25	25
90	मिच्छाकुली (साइज 140x55x120)	"	34	34	34
91	पल्लो घाँघा/घाँघा (साइज 130x55x120)	"	25	25	25
92	नयाँ पल्लो (साइज 185x52x80)	"	29	29	29
93	विद्या पल्लो (साइज 190x55x90)	"	29	29	29
94	२" सिङ्ग (साइज 95x50x10)	"	34	34	34
95	२" पन्ड (साइज 95x50x100)	"	34	34	34
96	प्रतिष्ठा (साइज 95x50x100)	"	34	34	34
97	श्रीमन्त्र (साइज 70x700x80)	"	45	45	45
98	रवा कापी (साइज 140x55x120)	"	20	20	20
99	लाटा बुट्टा घाँघा (साइज 180x55x80)	"	25	25	25
100	लाटा बुट्टा म्या (साइज 230x70x90)	"	29	29	29
101	स्वाधो घाँघा (साइज 220x55x90)	"	29	29	29
102	सागो बुट्टा (साइज 220x55x80)	"	29	29	29
103	काट बुट्टा सानो (साइज 140x65x130)	"	29	29	29
104	काट बुट्टा ठूलो (साइज 140x100x130)	"	29	29	29
105	लीज मशीन (साइज 200x55x90)	"	20	20	20
106	छी बुट्टा (साइज 210x55x75)	"	29	29	29
107	कापी/ठूलो (साइज)	"	29	29	29
51	Security System				
	Steel Security Gate supply				
	Metal detector (black Scorpion Company)	मोटा	16995	16995	16995
	Access Controller (Taiwanese)	मोटा	28840	28840	28840
	Access Controller (Chainese)	मोटा	13905	13905	13905
	Steel Security Door				
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	8683	8683	8683
	Half leaf :- 50 mm, 70 mm, 100mm	Sqm	9930	9930	9930
	Double leaf :- 50 mm, 70 mm, 100mm	Sqm	10419	10419	10419
	Security System				

	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2) (घर सम्पत्ति सुरक्षा शीर्षक)	रोट	34333	34333	34333
	ii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	रोट	20600	20600	20600
	iii) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	रोट	12875	12875	12875
	iv) Finger print access system with software	रोट	36050	36050	36050
	v) Security from Panic Alarm	रोट	36050	36050	36050
	vi) GPS (Global Positioning System) Device with software	रोट	25749	25749	25749
	vii) Automatic motor operator for water pump Survo , Manglam or Equivalent (पानी बहिर्वाह स्वचालित रूपमा on/off हुने उपकरण)				
	Up to 1/2 H.P.	रोट	4326	4326	4326
	1.0 H.P.	रोट	5948	5948	5948
	5 H.P.	रोट	9734	9734	9734
52	Bridge Materials				
	Elastomeric Bearing Pad				
	Free Type	NOS	20965	20965	20965
	Fix end Dowel Type	"	49459	49459	49459
	Expansion Joint Works				
	Single strip seal	Rm	9515	9515	9515
	Slab seal(320*50)	"	19663	19663	19663
	Thimbles				
	iv) Φ 13 mm thimble	Pc	73	73	73
	v) Φ 26 mm thimble	Pc	368	368	368
	vi) Φ 32 mm thimble	Pc	630	630	630
	vii) Φ 36 mm thimble	Pc	1261	1261	1261
	viii) Φ 40 mm thimble	Pc	1576	1576	1576
	ix) Φ 13 mm Bulldog grip	Pc	73	73	73
	x) Φ 26 mm Bulldog grip	Pc	368	368	368
	xi) Φ 32 mm Bulldog grip	Pc	552	552	552
	xii) Φ 36 mm Bulldog grip	Pc	683	683	683
	xiii) Φ 40 mm Bulldog grip	Pc	683	683	683
	xiv) Steel wire Rope (Right hand ordinary lay, WSC wire strand core, Tensile strength of wire 1570 N/mm ² , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and pre-stretched)				
	xv) Wire mesh netting	m ²	420	420	420
	xvi) Sign Board with Fittings (Size - 60cm X 80cm)	Pc	6829	6829	6829
	xvii) Bolts, Nuts & Washers (Galvanized 4.6 grade)	Kg	263	263	263
	xviii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	368	368	368
	High tensile friction grip nut bolts	kg	342	342	342
	Galvanization				
	Zinc Above 98.5% purity	kg	315	315	315
	Premix of Zinc ammonium chloride	kg	607	607	607
	Hydrochloric acid	Ltr	42	42	42
53	Concrete Post (Size 4"X4")				
	Length 7'	रोट	874	874	874
	Length 8'	"	437	437	437
	Length 3'	"	219	219	219
54	Sheet piling work : Providing, preparing and installing of piling of ms pipe and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	Sq.m	3022	3022	3022



नेपाल सरकार
गठन विभाग
नयाँ बजार
नुवाकोट

55	Readymade RCC Door & windows frame (4"×2.75" of 1:1:1 concrete mix design safety plate all complete work.	Rn	232	232	232	
	" Ventilation	"	232	232	232	
	" Arc frame semi circular	"	464	464	464	

[Handwritten signatures and initials]

[Handwritten signatures and initials]

[Handwritten signatures and initials]

[Handwritten signature]





Electrical Works

बिदुर, नुवाकोट

आ. ब २०८१/८२

ELECTRICAL WORK

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकक	दररेट मु.अ.र. (VAT बाहेक)(रुपैयाँमा)			कैलियत
			आ.सं. ०१९/०२०	आ.सं. ०२०/०२१	आ.सं. ०२१/०२२	
1	Dyana White Plate series SWITCH SOCKET ANCHOR / CPL NG/Flux OR ISI EQUIVALENT					
	One Gang one way switch	सेट	58	58	58	
	One Gang two way switch	सेट	69	69	69	
	One way bell switch	सेट	72	72	72	
	Two gang one way switch	"	96	96	96	
	Two gang one way switch with one bell push	"	105	105	105	
	Two gang Full two way switch	"	107	107	107	
	Three Gang one way switch	"	127	127	127	
	Four gang one way switch	"	161	161	161	
	Six gang one way switch (3x5)	"	253	253	253	
	Eight gang one way switch	"	304	304	304	
	Dimmer single 300 watt	"	309	309	309	
	Dimmer single 750 watt	"	459	459	459	
	5 Step humming free dimmer	"	407	407	407	
	16Amp 3 Pin Plug Top	"	121	121	121	
	1 switch with dimmer	"	368	368	368	
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	151	151	151	
	6/16 Amp , Power sockets with switch , indicator & safety shutter	"	169	169	169	
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safety shutter power socket	"	371	371	371	
	32A D.P. switch with fuse & indicator Surface Mounting	"	206	206	206	
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	611	611	611	
	Blanking plate single	"	40	40	40	
	Telephone socket single	"	118	118	118	
	Telephone socket Double	"	169	169	169	
	Angle / bottom holder	"	35	35	35	
	Ceiling Rose	"	35	35	35	
	Buzzer	"	97	97	97	
	Musical bell	"	222	222	222	
	T.V. antenna single Socket	"	82	82	82	
	6A 2/3 Pin unshuttered multi switch socket	"	128	128	128	
	RJ 45 Computer Socket for modem	"	234	234	234	
	Flush Mounting metallic Box for Plate Series switch / socket (78mm x 78mm x 50mm)	"	35	35	35	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	"	63	63	63	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 205 x 50	"	98	98	98	
	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" . ORANGE. or Equivalent					
	10A 1gang 1way Switch	Set	83	83	83	
	10A 2gang 1way Switch	Set	163	163	163	
	10A 3gang 1way Switch	"	216	216	216	
	10A 4gang 1way Switch	"	350	350	350	
	10A 5gang 1way Switch	"	371	371	371	
	10A 6gang 1way Switch	"	617	617	617	
	10A 1gang 2way Switch	"	144	144	144	
	10A 2gang 2way Switch	"	278	278	278	
	10A 3gang 2way Switch	"	407	407	407	
	10A 4gang 2way Switch	"	613	613	613	
	T V Socket outlet	"	299	299	299	
	Telephone Socket	"	268	268	268	
	13A Universal socket outlet	"	464	464	464	
	13A Socket	"	273	273	273	
	15A switched Socket outlet	"	443	443	443	



ईशान प्रकाश
गृह मन्त्रालय
न्यायालय कार्यालय
नुवाकोट

Page 1

Handwritten signatures and initials are present at the bottom of the page, including names like 'Rajendra', 'Binit', and 'Dhanu'.

	5A Socket	"	340	340	340
	RJ 45 8way Computer Socket	"	824	824	824
	TV and Telephone Socket	"	592	592	592
	7+2 PIN SOCKET OUTLET	"	927	927	927
	3+2 PIN SOCKET OUTLET	"	577	577	577
	X5 2+2 - 2 PIN SOCKET OUTLET	"	783	783	783
	SCHUKO SOCKET WITH ONE SWITCH	"	505	505	505
	Bell Press	"	237	237	237
	Blank Plate	"	93	93	93
	400W Light Dimmer W/ Switch	"	906	906	906
	400W Fan Controller / Multi Step Dimmer	"	917	917	917
	5 Step Fan Controller	"	896	896	896
	2 Pin Socket W/ Switch	"	453	453	453
	13A Twin Socket	"	680	680	680
1	White Plate series modular type(polycarbonate) SWITCH SOCKET power pack,Bentax,Premier,Rathi,Ohms or EQUIVALENT				
	One Gang one way switch	40	100	100	100
	One Gang two way switch	42	112	112	112
	One way bell switch	42	112	112	112
	Two gang one way switch	"	133	133	133
	Two gang one way switch with one bell push	"	146	146	146
	Two gang Full two way switch	"	158	158	158
	Three Gang one way switch	"	167	167	167
	Four gang one way switch	"	202	202	202
	Six gang one way switch	"	307	307	307
	Eight gang one way switch	"	374	374	374
	Dimmer single 300 watt	"	486	486	486
	1 switch with dimmer	"	499	499	499
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	260	260	260
	6/13 Amp , Power sockets with switch , indicator	"	263	263	263
	20 A D.P. switch with fuse & indicator Surface Mounting	"	354	354	354
	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	42	391	391	391
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	42	474	474	474
	Blanking plate single	"	62	62	62
	Telephone socket single	"	152	152	152
	Telephone socket Double	"	249	249	249
	T.V. antenna single Socket	"	142	142	142
	RJ 45 Computer Socket for modem	"	206	206	206
	CAT-6 Computer Socket for modem	"	321	321	321
2	Modular Type Switch Socket set NORTH-WEST/NORYSIS/ABB SCHNIEDER Legrand or ISI Equivalent				
	1P - 6A/10A 1 way switch	No.	139	139	139
	1P - 16A/20A 1 way switch	"	223	223	223
	1P - 25A 1 way switch	"	326	326	326
	1P - 6A/10A 2 way switch	"	167	167	167
	1P - 16A/20A 2 way switch	"	253	253	253
	1P - 6A push button	"	184	184	184
	1 gang blanking module	"	43	43	43
	2 gang blanking module	"	86	86	86
	FAN REGULATOR / DIMMER				
	Step type fan regulator	No.	638	638	638
	60 - 500 W dimmer	"	797	797	797
	1000 W dimmer	"	1524	1524	1524
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
	6A - multi socket 5 pin	No.	240	240	240
	6/16A twin socket 3 pin (flushed)	"	332	332	332
	6/16A twin socket 3 pin (projected)	"	332	332	332
	25A 3 pin socket	"	401	401	401
	13A 3 pin socket	"	270	270	270
	RJ 11 telephone jack	"	159	159	159



नेपाल सरकार
गृह मन्त्रालय
वित्त प्रशासन कार्यालय
नुवाकोट

	RJ 45 cat.6e computer socket	"	337	557	557
	TV socket	"	161	161	161
	250V/110V shaver socket	No.	4355	4355	4355
	Indicator (DO NOT DISTURB)	"	180	180	180
	LED yellow night lamp	"	560	560	560
	LED Blue night lamp	"	560	560	560
	FRONT PLATE (COMPATIBLE TO MARKET BOXES)				
	(White)				
	1 module front plate	No.	72	72	72
	2 module front plate	"	77	77	77
	3 module front plate	"	84	84	84
	4 module front plate	"	89	89	89
	6 module front plate	"	162	162	162
	8 module front plate(4+4)	"	217	217	217
	8 module front plate (Horizontal)	"	174	174	174
	12 module front plate	"	260	260	260
	18 module front plate	"	350	350	350
	Modular Type Switch Socket KOLORSIINDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or ISI Equivalent				
	Separate Module for Modular Switch & Socket				
	1P – 6A/10A 1 way switch	No.	87	87	87
	1P – 16A/20A 1 way switch	"	144	144	144
	1P – 6A/10A 2 way switch	"	134	134	134
	1P – 16A/20A 2 way switch	"	175	175	175
	1P – 6A push button	"	134	134	134
	1 gang blanking module	"	41	41	41
	2 gang blanking module	"	78	78	78
	FAN REGULATOR / DIMMER				
	Step type fan regulator	No.	700	700	700
	80 – 800 W dimmer	"	597	597	597
	SOCKETS / TELEPHONE / COMPUTER				
	SOCKETS / TV SOCKETS				
	6A – null socket 5 pin	No.	185	185	185
	6/16A twin socket 3 pin (flushed)	"	288	288	288
	6/16A twin socket 3 pin (projected)	"	288	288	288
	13A 3 pin socket	"	185	185	185
	RJ 11 telephone jack	"	144	144	144
	RJ 45 cat.6e computer socket	"	237	237	237
	TV socket	"	144	144	144
	1 module front plate	No.	113	113	113
	2 module front plate	"	113	113	113
	3 module front plate	"	148	148	148
	4 module front plate	"	165	165	165
	6 module front plate	"	227	227	227
	8 module front plate(4+4)	"	305	305	305
	8 module front plate (Horizontal)	"	313	313	313
	12 module front plate	"	363	363	363
	18 module front plate	"	453	453	453
	Flush mounting galvanized Metal box for modular type switch & socket				
	1module metal box having L x B x Depth = (78x78x45)mm	kg	52	52	52
	2 module " " " " "(78x78x45)mm	"	52	52	52
	3 gang " " " " =(78x100x45)mm	"	56	56	56
	4 gang " " " " =(78x140x50)mm	"	68	68	68
	5 gang " " " " =(78x205x50)mm	"	134	134	134
	6 gang " " " " =(78x205x50)mm	"	136	136	136
	8 module metal box (4+4) =(78x230x60)mm	"	181	181	181
	8 module metal box (Horizontal) =(135x120x60)mm	"	181	181	181



संज्ञा संकेत
गृह मंत्रालय
प्रशासन शाखा
मुंबई

3

	12 module metal box = (135x120x80)mm	-	231	231	231
	TV socket metal box	-	52	52	52
	Telephone socket metal box	-	52	52	52
	METAL Junction BOX				
	4"x4"	चोटा	100	100	100
	4"x6"	-	150	150	150
	6"x8"	-	237	237	237
	8"x10"	-	349	349	349
	8"x12"	-	349	349	349
	PVC Junction Box	-	34	34	34
	4"x4"	चोटा			0
	4"x6"	-	31	31	31
	6"x8"	-	46	46	46
	8"x10"	-	67	67	67
	8"x12"	-	129	129	129
	Junction box cover	-	144	144	144
4	PVC Listy Double Lock { 6"length = 1 no.(चोटा)}				
	1/2" breadth	चोटा	31	31	31
	3/4"	-	46	46	46
	1"	-	67	67	67
	1 1/2"	-	129	129	129
	2"	-	144	144	144
	PVC Conduit Pipe				
	1) 1/2" diameter	र.सी	31	31	31
	2) 3/4"	-	46	46	46
	3) 1"	-	67	67	67
6	Listy Pipe Accessories				
	1/2"-2" size Saddle	र.सी	8	8	8
	Grips (Denmark)	चोटा	6	6	6
	Steel screws	चोटा	2	2	2
	PVC Tape	चोटा	15	15	15
8	Distribution board (DB)				
	With busbar Neutral link Earth bar and Din Rail Conforming IS13032, IS8532, Powder coated 14SWG CRCA sheet steel housing complete, siemens; abb; hager				
	4 way SPN DB Double Cover	र.सी	1082	1082	1082
	6 way SPN DB " "	-	1135	1135	1135
	8 way SPN DB " "	-	1416	1416	1416
	12 way SPN DB " "	-	1679	1679	1679
	16 way SPN DB " "	-	1795	1795	1795
	3-4 way TPN DB Double Cover	-	2668	2668	2668
	6 way TPN " " " "	-	2998	2998	2998
	8 way TPN " " " " Vertical	-	5799	5799	5799
	12 way TPN " " " " Vertical	-	7727	7727	7727
	50 Pair Telephone D.B. with crown tag	-	5446	5446	5446
9	PVC Box for MCB				
	1-pole PVC box GPS	र.सी	81	81	81
	2-pole PVC " " "	-	81	81	81
	3 and 4-pole PVC " " "	-	130	130	130
10	Miniature Circuits Breaker (MCB) , LEGRAND/Siemens , Abb, schnieder or equivalent				
	0-32 amp MCB SP (single pole)	चोटा	206	206	206
	0-32 amp MCB DP (Double pole)	-	1030	1030	1030
	0-32 amp MCB TP (Triple pole)	-	1710	1710	1710
	32 amp MCB TPN	-	2472	2472	2472
	40-63 amp MCB DP	-	1648	1648	1648
	40-63 amp MCB TP	-	2637	2637	2637
	40-63 amp MCB TPN	-	3157	3157	3157
10	Miniature Circuits Breaker (MCB) KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE, North-west equivalent				
	0.5-5 amp MCB SP (single pole)	चोटा	258	258	258
	0-32 amp MCB SP (single pole)	-	165	165	165
	0-32 amp MCB DP (Double pole)	-	618	618	618
	0-32 amp MCB TP (Triple pole)	-	1236	1236	1236



नेपाल सरकार
गृह विभाग
नयाँ बजार, काठमाडौं
नुवाकोट

Page 4

Handwritten signatures and initials are present at the bottom of the page.

	32 amp MCB TPN	-	1494	1494	1494	
	40-63 amp MCB DP	-	979	979	979	
	40-63 amp MCB TP	-	1391	1391	1391	
	40-63 amp MCB TPN	-	1854	1854	1854	
12	Residual Current Circuit Breaker (RCCB) abb, siemens, hager, legrend, north-west lawson or equivalent					
	25A to 40A (30mA, 100, 300mA) DP RCCB	420	2751	2751	2751	
	63A 30mA DP RCCB	-	3278	3278	3278	
	63A 100mA DP RCCB	-	3014	3014	3014	
	63A 300mA DP RCCB	-	3064	3064	3064	
	25A to 40A (30mA, 100, 300mA) FP RCCB	-	3377	3377	3377	
	63A 30mA Four Pole RCCB	-	3706	3706	3706	
	63A 100mA Four Pole RCCB	-	3706	3706	3706	
	63A 300mA Four Pole RCCB	-	3706	3706	3706	
	Moulded Case Circuit Breaker abb, abb, siemens, hager, legrend, north-west lawson or equivalent					
	16AMP- 63AMP TP MCCB 16KA		5665	5665	5665	
	80AMP TP MCCB 16KA		5665	5665	5665	
	100AMP TP MCCB 16KA		6386	6386	6386	
	125AMP TP MCCB 16KA		8240	8240	8240	
	160AMP TP MCCB 16KA		9785	9785	9785	
	16AMP- 63AMP TP MCCB 25KA		6386	6386	6386	
	80AMP TP MCCB 25KA		7045	7045	7045	
	100AMP TP MCCB 25KA		7045	7045	7045	
	125AMP TP MCCB 25KA		11330	11330	11330	
	160AMP TP MCCB 25KA		13390	13390	13390	
	200AMP TP MCCB 25KA(Adjustable)		21115	21115	21115	
	200AMP TP MCCB 36KA(Adjustable)		23175	23175	23175	
	250AMP TP MCCB 36KA(Adjustable)		27295	27295	27295	
	400AMP TP MCCB 50KA(Adjustable)		35535	35535	35535	
	630AMP TP MCCB 50KA(Adjustable)		48410	48410	48410	
	800AMP TP MCCB 50KA(Adjustable)		63963	63963	63963	
14	Manual Changeover Panel Type					
	Make ABB, Siemens, Hager DELTON or Equivalent					
	63 Amp FP	-	11618	11618	11618	
	80 Amp FP	-	12854	12854	12854	
	100 Amp FP	-	18210	18210	18210	
	125 Amp FP	-	19199	19199	19199	
	160 Amp FP	-	25214	25214	25214	
	200 Amp FP	-	26038	26038	26038	
	250 Amp FP	-	27686	27686	27686	
	315 Amp FP	-	35020	35020	35020	
15	Dome light Make Homedec, Decon, Fumagalli OR equivalent					
	6" Milky type decorative dome light	120	180	180	180	
	6" Brass base decorative dome light	-	736	736	736	
	8" Milky type decorative dome light	-	227	227	227	
	8" Brass base decorative dome light	-	876	876	876	
	8" Silver cast Milky base Decorative Dome Light	-	1107	1107	1107	
	6" 8" Silver cast Black Base base Decorative Dome Light	-	567	567	567	
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	-	1213	1213	1213	



नेपाल सरकार
गृह मन्त्रालय
प्रशासन कक्षा
नुवाकोट

[Handwritten signatures and stamps]

Page 5

	Wall bracket/spot light/mirror light bulk head ordinary Make Homedec/Decon/Fumagali	"	232	232	232	
	Wall bracket/spot light/mirror light bulk head medium decorative.	"	361	361	361	
	Wall bracket/spot light/mirror light bulk head best quality with 11/13W CFL	"	824	824	824	
	1 x 11/13 watt CFL <u>DOWN LIGHT</u> with reflector & diffuser (conceal light) Complete Set Wipro WOG22080	"	968	968	968	
	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set Wipro WOP23118	"	1514	1514	1514	
	Dining lamp.	"	1700	1700	1700	
	<u>Chandeliers</u> 6-8 lamp Medium	"	15090	15090	15090	
	Chandeliers 3-5 lamp Medium	"	10764	10764	10764	
	Mirror Light Euro Light Wipro WRF21111	"	464	464	464	
	Picture light Euro Light POC2	"	670	670	670	
	Wall spot Light E27 60W Euro or eqv.	"	361	361	361	
	Exit Light safety sign(8.24W) Make Samcon	रु	824	824	824	
	Post top Lanterns					
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	"	2575	2575	2575	
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3090	3090	3090	
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3476	3476	3476	
	8" Globe type Post top Lamp complete set	"	1416	1416	1416	
	10" Globe type Post top Lamp complete set	"	2704	2704	2704	
	Roadway light luminaires Wipro, Philips , Legero or Equivalent					
	1 x 36 W FTL street light fixture with acrylic diffuser complete set	"	2637	2637	2637	
	2 x 36 W FTL street light fixture with acrylic diffuser complete set	"	3868	3868	3868	
	300/500 watt halogen weather proof <u>FLOOD LIGHT</u> with glass cover Complete set	"	1545	1545	1545	
	1000 watt halogen weather proof flood light with glass cover Complete set	"	3090	3090	3090	
15.	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	9270	9270	9270	
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	11382	11382	11382	
	Single Piece deep drawn aluminum POT optics <u>road light luminaires</u> with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	रु	5253	5253	5253	
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	रु	2271	2271	2271	
	1X125W HPSV <u>street light</u> fixture with acrylic diffuser	"	5119	5119	5119	
	2X50/100W GLS <u>avialion light</u> fixture all complete set	"	5686	5686	5686	
	CEILING FANS & EXHAUST Fans, BAJAJ/KHATAN/ORIENT/CROMPTON/OWERPACK C/Q . Almond or equivalent					
	36" size ceiling Fan	रु	2163	2163	2163	



Handwritten signatures and initials are present at the bottom of the page, along with the text "Page 5".

16	42" size " "	-	2265	2265	2490
	48" size " "	-	2318	2318	2318
	56" size " "	-	2575	2575	2575
	6" Exhaust Fan	-	1494	1494	1494
	9" Exhaust Fan	-	1803	1803	1803
	16" size wall fan	-	2833	2833	3120
	12" size exhaust fan	-	2575	2575	2575
17	BELL INDICATOR				
	4 way bell indicator with plate	रु	1255	1255	1255
	6 way " " " "	-	2049	2049	2049
	8 way " " " "	-	2851	2851	2851
	12 way " " " "	-	4395	4395	4395
18	Materials For Earthing & Lightening Protection (sp.gr. copper =8930kg/m³)				
	Copper plate	रु.मी	917	917	917
	Copper Strip (25 x 3)mm (Approx 60"=1kg)	रु.मी	1082	1082	1082
	Copper Strip (20mm breadth x 3mm thick)	रु.मी	1082	1082	1082
	Copper Strip (12 x 3)mm	रु.मी	1082	1082	1082
	Lightning rod copper conductor- Air termination set	रु.मी	2730	2730	2730
	8 SWG bare copper wire	रु.मी	144	144	144
	28 mm Diameter GI Pipe of 1m length	रु.मी	252	252	252
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	रु.मी	618	618	618
	5/16 nuts & bolt with spring washer cadmium maker	रु.मी	15	15	15
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	रु.मी	196	196	196
	Funnel with wire mesh	रु.मी	361	361	361
	Charcoal	रु.मी	309	309	309
	Salt	रु.मी	12	12	12
19	STEEL TUBULAR POLE / WOODEN POLE				
	Steel Tubular Poles with welded plate on top and bottom (medium Gauge non Galvanized with folding System and accessories)				
	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia . 1650mm height with overlapping of 200mm & 100 mm Respectively	रु.	13625	13625	13625
	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia2250mm height , 90 mm Dia 2250mm height & 76mm Dia 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	रु.	14665	14665	14665
	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia. 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom (medium Gauge non Galvanized with welded joints)	रु.	14106	14106	14106
	7 mtr length Wooden Pole	रु.	4996	4996	4996
	9 mtr length Wooden Pole	रु.	6798	6798	6798
20	Modular ceiling Luminaries				
	Fluorescent Tube light (FTL) set including Tube, condenser, starter , lamp holder, channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block. PHILIPS, WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTON, MIDEA, ORIENT, PREMIER, OHMS, LEGERO or equivalent				
	1x20 watt FTL (Patti fittings)	रु.	464	464	510
	1x40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	-	775	775	775


 नेपाल प्रजासत्ताक
 नुवाकोट जिल्ला प्रशासन कार्यालय
 नुवाकोट

	1x20 watt FTL (Mirrolite) WRF 20120	"	876	876	876	
	1x40 watt FTL with attractive & functional decorative battens WRF20140	"	1020	1020	1020	
	1x40 watt FTL box fittings WIF 14140	"	1159	1159	1159	
	2x40 watt FTL box fittings WIF 14240	"	1751	1751	1751	
	1x40 watt FTL Industrial channel WIF 36140	"	1782	1782	1782	
	2x40 watt FTL Industrial channel WIF 36240	"	2287	2287	2287	
	1x40 watt FTL, opalite with opal Acrylic diffuser WCF51140	"	1834	1834	1834	
	2x40 watt FTL, opalite with opal Acrylic diffuser WCF51240	"	3090	3090	3090	
	4x20 watt FTL, opalite WCF 93418	"	5410	5410	5410	
	4x20 watt FTL mirror optic, surface/recessed mounting WCF93418	"	5410	5410	5410	
	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting WCF 82138	"	3554	3554	3554	
	2x40 watt FTL mirror optic, surface/recessed mounting with electronic choke WVP40236	"	4326	4326	4326	
	4 x 14 watt FTL T5 with electronic ballast direct / indirect, surface / recessed with paraflo PS louver Complete set WVP20414	रु	9383	9383	9383	
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling WVP 20314	रु	8245	8245	8245	
20	Compact Fluorescent Lamp (CFL) based Luminaires set all complete . PHILIPS, WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTON, MIDEA, LEGERO or ISI equivalent .					
	2 x 18 W CFL, recessed/surface mounting mirror Optic Complete Set WCP32218	"	2678	2678	2678	
	1 x11 W CFL mirror Optic surface/recessed mounting complete set WVP 41111	रु	1833	1833	1833	
	2 x11 W CFL mirror Optic Surface mounting complete set WVP41211	रु	2266	2266	2266	
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect, surface / recessed with louver Complete set WVP24236	रु	6067	6067	6067	
	3x36 W CFL -4 pin low glare fixture with P 5 louvers & electronic ballast complete set WVP 24336	रु	6824	6824	6824	
	Recess mounting Direct indirect LED luminaire LM15-321-XXX-60-XX		10815	10815	10815	
	Recess mounting Direct indirect LED luminaire LM11-291-XXX-57-XX		14060	14060	14060	
	Recess Surface mounted LED luminaire CRCD-101008HP57		13339	13339	13339	
	High efficiency circular LED Down Lighter LD71		3245	3245	3245	
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01		14600	14600	14600	
	IP20 and IP 55 non integral flexible LED Strip Light LS 05/28		1082	1082	1082	
	Circular LED wall/Dome Light suitable for true ceiling LW01		3245	3245	3245	
	Square LED Wall/Dome Light suitable for true ceiling LW02-101-XXX-60-XX		3245	3245	3245	
	Recess mounted indirect and direct luminaires WVP 84236		6129	6129	6129	
	2x36 Watt CFL Surface Mirror Optic WVP44236		6129	6129	6129	
	Down Light Fiam Make					
	FDL004 SMD7W-WWH Taiwan chip (120°90)		1298	1298	1298	
	FDL004 SMD7W-CW Taiwan chip		1298	1298	1298	



FDL004 SMD9W-WWH Taiwan chip (145*90)	1857	1857	1857
FDL004 SMD9W-CW Taiwan chip	1857	1857	1857
FDL004 SMD15W-WWH Taiwan chip (175*90)	2828	2828	2828
FDL004 SMD15W-CW Taiwan chip	2828	2828	2828
FDL004 SMD30W-WWH Taiwan chip (200MM)	5091	5091	5091
FDL004 SMD30W-CW Taiwan chip	5091	5091	5091
FDL012 COB5W-WWH (90MM)	1301	1301	1301
FDL012 COB5W-CW	1301	1301	1301
FDL012 COB10W-WWH (120MM)	1979	1979	1979
FDL012 COB10W-CW	1979	1979	1979
FDL012 COB15W-WWH Taiwan chip (140MM)	5091	5091	5091
FDL012 COB15W-CW Taiwan chip	5091	5091	5091
FDL012 COB25W-WWH Taiwan chip (165*145)	6787	6787	6787
FDL012 COB25W-CW Taiwan chip	6787	6787	6787
FDL012 COB30W-WWH Taiwan chip (200MM)	8483	8483	8483
FDL012 COB30W-CW Taiwan chip	8483	8483	8483
FDL007 SMD12W-WWH Taiwan chip (130*110)	4184	4184	4184
FDL007 SMD12W-CW Taiwan chip	4184	4184	4184
FDL007 SMD18W-WWH Taiwan chip (155*145)	6108	6108	6108
FDL007 SMD18W-CW Taiwan chip	6108	6108	6108
FDL007 SMD24W-WWH Taiwan chip (195*175)	7635	7635	7635
FDL007 SMD24W-CW Taiwan chip	7635	7635	7635
FDL001 HP5W FBK-WWH Taiwan chip (95*110)	3167	3167	3167
FDL001 HP5W FBK-CW Taiwan chip	3167	3167	3167
FDL001 HP5W FWH-WWH Taiwan chip (80*120)	3167	3167	3167
FDL001 HP5W FWH-CW Taiwan chip	3167	3167	3167
FDL005 SMD7W-WWH Taiwan chip (123MM)	1301	1301	1301
FDL005 SMD7W-CW Taiwan chip	1301	1301	1301
FDL005 SMD12W-WWH Taiwan chip (165MM)	1696	1696	1696
FDL005 SMD12W-CW Taiwan chip	1696	1696	1696
FDL005 SMD20W-WWH Taiwan chip (200MM)	3111	3111	3111
FDL005 SMD20W-CW Taiwan chip	3111	3111	3111
FM3161 HP 18W-WWH Cree Led	6787	6787	6787
FM3161 HP 18W-CW Cree Led	6787	6787	6787
HD-5010-13-WWH Osram chip (86*75)	2094	2094	2094
HD-5010-13-CW Osram chip	2094	2094	2094
HD-5010-14-WWH Osram chip (115*105)	3167	3167	3167
HD-5010-14-CW Osram chip	3167	3167	3167
HD-5010-14-WWH Osram chip (140*125)	3959	3959	3959
HD-5010-14-CW Osram chip	3959	3959	3959
HD-5010-18-WWH Osram chip (215*200)	7860	7860	7860
HD-5010-18-CW Osram chip	7860	7860	7860
LET1 100 ROUND BLACK OPAL GX53 LED LAMP 3W	2451	2451	2451
LET1 100 SQUARE BLACK OPAL GX53 LED LAMP 3W 3C1,000,000	2451	2451	2451
LUCIA WHITE OPAL	1803	1803	1803
LUCIA BLACK OPAL	1803	1803	1803
LUCIA-GO WHITE OPAL	1803	1803	1803
LUCIA-GO BLACK OPAL	1803	1803	1803
REM/LUCIA WHITE OPAL	2163	2163	2163
REM/LUCIA BLACK OPAL	2163	2163	2163
REM/LUCIA-EL WHITE OPAL	2163	2163	2163
REM/LUCIA-EL BLACK OPAL	2163	2163	2163
REM/LUCIA-GO WHITE OPAL	2163	2163	2163



	REMI/LUCIA-GO BLACK OPAL		2163	2163	2163	
	MADDI BULKHEAD WHITE OPAL		1803	1803	1803	
	MADDI BULKHEAD BLACK OPAL		1803	1803	1803	
	MADDI-VE BULKHEAD WHITE OPAL		2524	2524	2524	
	MADDI-VE BULKHEAD BLACK OPAL		1803	1803	1803	
	MADDI-HL BULKHEAD WHITE OPAL		1803	1803	1803	
	MADDI-HL BULKHEAD BLACK OPAL		1803	1803	1803	
	REMI/MADDI WHITE OPAL		2163	2163	2163	
	REMI/MADDI BLACK OPAL		2163	2163	2163	
	REMI/MADDI-VE WHITE OPAL		2163	2163	2163	
	REMI/MADDI-VE BLACK OPAL		2163	2163	2163	
	REMI/MADDI-HL WHITE OPAL		2163	2163	2163	
	REMI/MADDI-HL BLACK OPAL		2163	2163	2163	
	GABRI/MADDI 1L BLACK OPAL		7210	7210	7210	
	MINIGABRI/MADDI 1L BLACK OPAL		6489	6489	6489	
	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL		6489	6489	6489	
	GELMI WHITE OPAL E27		2884	2884	2884	
	GELMI BLACK OPAL E27		2884	2884	2884	
	GELMI-EL WHITE OPAL E27		2884	2884	2884	
	GELMI-EL BLACK OPAL E27		2884	2884	2884	
	DANZI WHITE OPAL E27		2884	2884	2884	
	DANZI BLACK OPAL E27		2884	2884	2884	
	STUCCHI WHITE OPAL E27		3245	3245	3245	
	STUCCHI BLACK OPAL E27		3245	3245	3245	
	CECCHI WHITE OPAL E27		3245	3245	3245	
	CECCHI BLACK OPAL E27		3245	3245	3245	
	BISSO ANNA BLACK WITH OPAL DIFFUSER		3605	3605	3605	
	MIKROLOT ANNA BLACK W/OPAL DIFFUSER		3605	3605	3605	
	IESSE LANTERN BLACK W/OPAL DIFFUSER		3245	3245	3245	
	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W		7210	7210	7210	
	System Sensor Product (Honeywell)					
	Photo Electric Smoke Detector		1875	1875	1875	
	Rate of Rise Heat Detector		1875	1875	1875	
	Fixed Temperature Detector		2287	2287	2287	
	Base		371	371	371	
	Conv. MCP, Red, with LED, 470 Ohm, with BB, India		1483	1483	1483	
	Wall mount Horn+Strobe		4120	4120	4120	
	Ceiling mount Horn+Strobe		4120	4120	4120	
	Exit Light Samcon make					
	MODEL SLM 18		12360	12360	12360	
	MODEL ELS 28		12360	12360	12360	
	MODEL ETL 210H-4LA		12360	12360	12360	
21	LUMINARIES Accessories (PHILIPS, HMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO, OHMS or ISICE Eqp.)					
	500 watt halogen rod	rod	232	232	232	
	1000 watt halogen rod	"	278	278	278	
	70Watt SON Lamp (Sodium Vapour)	"	834	834	834	
	150 watt sodium vapour bulb	"	1298	1298	1298	
	250 watt sodium vapour bulb	"	1700	1700	1700	
	20-40 watt FTL rod	"	80	80	80	
	20-40 watt FTL Copper chowk	"	258	258	258	
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	412	412	412	
	Acrylic cover for 4x20 FTL	"	989	989	989	
	FTL starter	"	19	19	19	
21	6 W to 11W, C.F.L. Direct fit	"	232	232	232	
	13 to 22W, C.F.L. Direct fit	"	299	299	299	
	15-100 watt bulb (ISI)	bulb	26	26	26	
	PL-S 8W/86 (CFL)	"	165	165	165	



	PL-S 11W/86 (CFL)	"	173	175	175	
	PL-L 38W/86 (CFL)	"	417	417	417	
	125W HPL-N (Mercury Vapour)	"	371	371	371	
	250W HPL-N	"	876	876	876	
	Solar LED bulb					
	12V/2W LED bulb	"	361	361	361	
	12V/3W LED bulb	"	412	412	412	
	12V/4W LED bulb	"	464	464	464	
	COPPER CONDUCTOR /WIRE /CABLE (PER COIL=90 RM) NS marked					
	1/18 size p.v.c. insulated copper wire/ cable	मामा	967	967	967	
	3/22 " " " "	"	1156	1156	1156	
	3/20 " " " "	"	1839	1839	1839	
	7/22 " " " "	"	2574	2574	2574	
22	7/20 " " " "	"	4202	4202	4202	
	7/18 " " " "	"	6619	6619	6619	
	7/16 " " " "	"	13658	13658	13658	
	18/18 " " " "	"	18386	18386	18386	
	18/16 " " " "	"	36771	36771	36771	
	2/20 " " " "	"	1397	1397	1397	
	2/22 " " " "	"	946	946	946	
	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.					
	1.0 mm PVC insulated Copper wire	मामा	1051	1051	1051	
	1.5 mm PVC insulated Copper wire	"	1681	1681	1681	
	2.5 mm PVC insulated Copper wire	"	2469	2469	2469	
	4.0 mm PVC insulated Copper wire	"	3992	3992	3992	
	6.0 mm PVC insulated Copper wire	"	6304	6304	6304	
	10.0mm PVC insulated Copper wire	"	10506	10506	10506	
23	Concentric cable NS marked Eqv.					
	4mm size concentric cable	र.म.	24	24	24	
	6mm size " " "	र.म.	27	27	27	
	10mm size concentric cable	र.म.	41	41	41	
	16mm size " " "	र.म.	70	70	70	
	25mm size " " "	र.म.	93	93	93	
	RG6 Coaxial cable	र.म.	24	24	24	
	RG59 Coaxial cable	र.म.	27	27	27	
	UTP cat -5 networking cable	र.म.	27	27	27	
24	Telephone Drop wire/pair cable NS marked Eqv.					
	2 _{1/2} Telephone drop wire	मामा	989	989	989	
	2 _{1/2} " " "	मामा	670	670	670	
	2- pair cable wire (2×2×0.45) mm Heavy	र.म.	14	14	14	
	3- pair cable wire (3×2×0.45) mm Heavy	"	20	20	20	
	5- pair cable wire (5×2×0.45) mm Heavy	"	32	32	32	
	10- pair cable wire (10×2×0.45) mm Heavy	"	62	62	62	
	15- pair cable wire (15×2×0.45) mm Heavy	"	91	91	91	
	20- pair cable wire (20×2×0.45) mm Heavy	"	119	119	119	
	1mm drop wire	"	10	10	10	
	1-4 Line EPABX, with 1set programmable master telephone set of corresponding brand Panasonic, Creative, Matrix Or Eqv.	र.म.	7648	7648	7648	
	2-6 Line EPABX	"	18411	18411	18411	
	3-8 Line EPABX	"	20538	20538	20538	
	4-12 Line EPABX	"	36823	36823	36823	
	6-16 Line EPABX	"	49569	49569	49569	
	8-24 Line EPABX	"	84975	84975	84975	
	8-48 Line EPABX	"	90923	90923	90923	
	8-72 Line EPABX	"	97288	97288	97288	
	Other Accessories					
25	8" size Dome light glass	मामा	65	65	65	
	8" size " " "	"	76	76	76	



नेपाल सरकार

गृह मन्त्रालय

निम्न प्रशासन कार्यालय

नुवाकोट

	well bracket glass	५५	५५	५५	
	Fan regulator	२७१	२७१	२७१	
27	Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board. (Rates of MCCB / MCB & measuring instrument are not included here.) Ankur metal or Equivalent				
	60/75/100 AMP, 8"x36"x48" size	२१४१४	२१४१४	२१४१४	
	60/75/100 AMP 12"x36"x48" size	२५४९३	२५४९३	२५४९३	
	60/75/100 AMP 9"x48"x60" size	३५६९०	३५६९०	३५६९०	
	60/75/100 AMP 12"x49"x60" size	४२४८८	४२४८८	४२४८८	
	150/200 AMP 8"x36"x52" size	२३७९३	२३७९३	२३७९३	
	150/200 AMP 12"x36"x52" size	२३७९३	२३७९३	२३७९३	
	150/200 AMP 9"x42"x56" size	२६४९६	२६४९६	२६४९६	
	150/200 AMP 12"x42"x56" size	२८१७९	२८१७९	२८१७९	
	250/300AMP 12"x48"x60" size	३४५०३	३४५०३	३४५०३	
	250/300AMP 12"x52"x62" size	३८६२६	३८६२६	३८६२६	
	400 AMP 12"x52"x66" size	४१११८	४१११८	४१११८	
29	Panel Board measurement instrument				
	0-500 volt meter	१०२३	१०२३	१०२३	
	60/100 Amp meter	९७९	९७९	९७९	
	Panel Indicator	२३७	२३७	२३७	
	2 Amp glass fuse with holder 12 mm size	१३४	१३४	१३४	
	AMP meter selector switch	६४९	६४९	६४९	
	volt meter selector switch	७११	७११	७११	
	60/100 Amp C.T. coil per set 3 Pos	१४३२	१४३२	१४३२	
	150-200AMP C.T coil. 3 PC / Set	१७८२	१७८२	१७८२	
	250-300 AMP " " "	२४२१	२४२१	२४२१	
	400/500/600AMP " " "	३५५४	३५५४	३५५४	
	Kilo watt hour energy meter single phase	२२७१	२२७१	२२७१	
	Kilo watt hour energy meter 3 phase direct	१०२२८	१०२२८	१०२२८	
30	Trailing Protected Industrial Plug IP44				
	16A 3P+E 400V Industrial plug	५४१	५४१	५४१	
	32 A 3p +N+E " Plug	८०३	८०३	८०३	
	32 A 3P+N+E water tight Plug IP67	१५४५	१५४५	१५४५	
31	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door	२०६००	२०६००	२०६००	
32	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	१३९०५	१३९०५	१३९०५	
33	CABLE SHOE				
	16 sq.mm cable shoe	६४	६४	६४	
	25 sq.mm " "	८३	८३	८३	
	35 sq.mm " "	६४	६४	६४	
	50 sq.mm " "	७५	७५	७५	
	70 sq.mm " "	९२	९२	९२	
	95 sq.mm " "	१४३	१४३	१४३	
	150 sq.mm " "	२१५	२१५	२१५	
	195 sq.mm " "	३०५	३०५	३०५	
	250 sq.mm " "	४८५	४८५	४८५	



सुदूर पश्चिम प्रदेश
नुवाकोट जिल्ला
नगर कार्यलय
१९७१/७२

Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones and initials on the right, some with dates like '25' and '28'.

34	Copper Conductor Armoured Power Cables NS marked or eqv.				
	a) 2 Core				
	1.5 mm ²	103	103	103	
	2.5 mm ²	139	139	139	
	4.0 mm ²	191	191	191	
	6.0 mm ²	247	247	247	
	10.0 mm ²	371	371	371	
	16.0 mm ²	494	494	494	
	25.0 mm ²	721	721	721	
	35.0 mm ²	958	958	958	
	50.0 mm ²	1339	1339	1339	
	b) 3 Core				
	1.5 mm ²	129	129	129	
	2.5 mm ²	180	180	180	
	4.0 mm ²	258	258	258	
	6.0 mm ²	330	330	330	
	10.0 mm ²	494	494	494	
	16.0 mm ²	690	690	690	
	25.0 mm ²	1051	1051	1051	
	35.0 mm ²	1391	1391	1391	
	50.0 mm ² Copper Conductor Armoured	1906	1906	1906	
	70.0 mm ²	2678	2678	2678	
	95.0 mm ²	3605	3605	3605	
	120.0 mm ²	4532	4532	4532	
	150.0 mm ²	5562	5562	5562	
	c) 3.5 Core				
	25.0 mm ²	1257	1257	1257	
	35.0 mm ²	1597	1597	1597	
	50.0 mm ²	2245	2245	2245	
	70.0 mm ²	3090	3090	3090	
	95.0 mm ²	4120	4120	4120	
	120.0 mm ²	5408	5408	5408	
	150.0 mm ²	6386	6386	6386	
	185.0 mm ²	7931	7931	7931	
	240.0 mm ²	10403	10403	10403	
	300.0 mm ²	13184	13184	13184	
	400.0 mm ²	17304	17304	17304	
	d) 4 Core				
	1.5 mm ²	155	155	155	
	2.5 mm ²	221	221	221	
	4.0 mm ²	319	319	319	
	6.0 mm ²	412	412	412	
	10.0 mm ²	618	618	618	
	16.0 mm ²	901	901	901	
	25.0 mm ²	1339	1339	1339	
	35.0 mm ²	1803	1803	1803	
	50.0 mm ²	2575	2575	2575	
	70.0 mm ²	3502	3502	3502	
34	95.0 mm ² Copper Conductor Armoured	4738	4738	4738	
	120.0 mm ²	5974	5974	5974	
	150.0 mm ²	7416	7416	7416	
	185.0 mm ²	9064	9064	9064	
	240.0 mm ²	12360	12360	12360	
	300.0 mm ²	14832	14832	14832	
	400.0 mm ²	20085	20085	20085	
	Copper Conductor Unarmoured Power Cables NS marked or Eqv.				
	a) 1-core				
	10 sq. mm.	43	43	43	
	16 sq. mm.	65	65	65	
	25 sq. mm.	76	76	76	
	35 sq. mm.	91	91	91	
	50 sq. mm.	121	121	121	
	70 sq. mm.	158	158	158	

	95 sq. mm.	"	214	214	214	
	120 sq. mm.	"	260	260	260	
	150 sq. mm.	"	308	308	308	
	b) 2- core					
	1.5 sq.mm Copper Conductor Unarmoured	र.सं.	72	72	72	
	2.5 sq.mm	"	103	103	103	
	4 sq.mm	"	144	144	144	
	6 sq.mm	"	196	196	196	
	10 sq.mm	"	309	309	309	
	16 sq.mm	"	427	427	427	
	25 sq.mm	"	659	659	659	
	35 sq.mm	"	896	896	896	
	50 sq.mm	"	1236	1236	1236	
	70 sq.mm	"	1236	1236	1236	
	95 sq.mm	"	2318	2318	2318	
	120 sq.mm	"	3039	3039	3039	
	150 sq.mm	"	3811	3811	3811	
	c) 3-core					
	1.5 sq.mm. 3-core copper conductor	र.सं.	93	93	93	
	2.5 sq.mm	"	134	134	134	
	4 sq.mm	"	196	196	196	
	6 sq.mm	"	278	278	278	
	10 sq.mm	"	438	438	438	
	16 sq.mm	"	639	639	639	
	25 sq.mm	"	979	979	979	
	35 sq.mm	"	1318	1318	1318	
	50 sq.mm	"	1854	1854	1854	
	70 sq.mm	"	2575	2575	2575	
	95 sq.mm	"	3502	3502	3502	
	120 sq.mm	"	4429	4429	4429	
	150 sq.mm	र.सं.	5459	5459	5459	
	d) 3.5 core					
	25 sq.mm	र.सं.	1205	1205	1205	
	35 sq.mm Copper Conductor Unarmoured	"	1545	1545	1545	
	50 sq.mm	"	2163	2163	2163	
	70 sq.mm	"	3013	3013	3013	
	95 sq.mm	"	4069	4069	4069	
	120 sq.mm	"	5356	5356	5356	
	150 sq.mm	"	6335	6335	6335	
	e) 4-core Copper Conductor Unarmoured					
	1.5 sq.mm	र.सं.	113	113	113	
	2.5 sq.mm	"	170	170	170	
	4 sq.mm	"	252	252	252	
	6 sq.mm	"	350	350	350	
	10 sq.mm	"	556	556	556	
	16 sq.mm	"	845	845	845	
	25 sq.mm	"	1318	1318	1318	
35	35 sq.mm	"	1772	1772	1772	
	50 sq.mm	"	2472	2472	2472	
	70 sq.mm	"	3451	3451	3451	
	95 sq.mm	"	4687	4687	4687	
	120 sq.mm	"	5923	5923	5923	
	150 sq.mm	"	7365	7365	7365	
	185 sq.mm	"	9064	9064	9064	
	240 Sq. mm	"	12257	12257	12257	
	300 Sq. mm	"	14832	14832	14832	
	400 Sq. mm	"	20085	20085	20085	
	Aluminum conductor Armoured (Power) cable NS marked or eqv.					
	a) 2-core					
	1.5 sq.mm	र.सं.	-	-	-	
	2.5 sq.mm	र.सं.	93	93	93	
	4 sq.mm	"	118	118	118	
	6 sq.mm	"	134	134	134	
	10 sq.mm	"	160	160	160	
	16 sq.mm	"	180	180	180	
36	25 sq.mm	"	216	216	216	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several initials on the right.

35 sq.mm	.	247	247	247	
50 sq.mm	.	319	319	319	
70 sq.mm	.	397	397	397	
95 sq.mm	.	505	505	505	
b) 3-core					
2.5 sq.mm, Aluminum conductor	र.क.	108	108	108	
Armoured	.				
4 sq.mm	.	134	134	134	
6 sq.mm	.	149	149	149	
10 sq.mm	.	180	180	180	
16 sq.mm	.	206	206	206	
25 sq.mm Aluminum conductor	.	278	278	278	
Armoured	.				
35 sq.mm	.	335	335	335	
50 sq.mm	.	427	427	427	
70 sq.mm	.	541	541	541	
95 sq.mm	.	694	694	694	
120 sq.mm	.	834	834	834	
150 sq.mm	.	1004	1004	1004	
185 sq.mm	.	1236	1236	1236	
240 sq.mm	.	1514	1514	1514	
300 sq.mm	.	1854	1854	1854	
400 sq.mm	.	2318	2318	2318	
c) 3.5 core					
25 sq.mm.	र.क.	319	319	319	
35 sq.mm	.	371	371	371	
50 sq.mm	.	489	489	489	
70 sq.mm	.	628	628	628	
95 sq.mm	.	803	803	803	
120 sq.mm Aluminum conductor	.	979	979	979	
Armoured	.				
150 sq.mm	र.क.	1174	1174	1174	
185 sq.mm	.	1421	1421	1421	
240 sq.mm	.	1772	1772	1772	
300 sq.mm	.	2215	2215	2215	
400 sq.mm	.	2781	2781	2781	
d) 4-core					
2.5 sq.mm	र.क.	124	124	124	
4 sq.mm	.	155	155	155	
6 sq.mm	.	180	180	180	
10 sq.mm	.	196	196	196	
16 sq.mm	.	252	252	252	
25 sq.mm	.	340	340	340	
35 sq.mm	.	402	402	402	
50 sq.mm	.	548	548	548	
70 sq.mm	.	700	700	700	
95 sq.mm	.	901	901	901	
120 sq.mm	.	1082	1082	1082	
150 sq.mm	.	1370	1370	1370	
185 sq.mm	.	1627	1627	1627	
240sq.mm	.	2039	2039	2039	
300 sq.mm Aluminum conductor	.	2524	2524	2524	
Armoured	.				
400sq.mm	.	3193	3193	3193	
37 Aluminum conductor unarmoured (power) cable NS marked or eqv.					
a) 1-core					
16 sq.mm	र.क.	52	52	52	
25 sq.mm	.	72	72	72	
35 sq.mm	.	88	88	88	
50 sq.mm	.	113	113	113	
70 sq.mm	.	144	144	144	
95 sq.mm	.	196	196	196	
120 sq.mm	.	237	237	237	
150 sq.mm	.	391	391	391	
185 sq.mm	.	361	361	361	
240 sq.mm	.	443	443	443	
300 sq.mm	.	536	536	536	
b) 2-core Aluminum conductor unarmoured					

Handwritten notes and stamps on the right margin, including a circular official stamp and some illegible text.

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several initials on the right.

	2.5 sq.mm	र.री	52	52	52	
	4 sq.mm	-	62	62	62	
	6 sq.mm	र.री	77	77	77	
	10 sq.mm	-	98	98	98	
	16 sq.mm	-	103	103	103	
	25 sq.mm	-	144	144	144	
	35 sq.mm	-	185	185	185	
	50 sq.mm	-	237	237	237	
	70 sq.mm	-	299	299	299	
	95 sq.mm 2 core	-	402	402	402	
	c) 3-core					
	2.5 sq.mm	र.री	62	62	62	
	4 sq.mm	-	72	72	72	
	6 sq.mm	-	88	88	88	
	10 sq.mm	-	124	124	124	
	16 sq.mm	-	144	144	144	
	25 sq.mm	-	206	206	206	
	35 sq.mm	-	258	258	258	
	50 sq.mm	-	340	340	340	
	70 sq.mm	-	453	453	453	
	95 sq.mm	-	597	597	597	
37	120 sq.mm	-	742	742	742	
	150 sq.mm	-	886	886	886	
	185 sq.mm	-	1112	1112	1112	
	240 sq.mm	-	1380	1380	1380	
	300 sq.mm Aluminium conductor unarmoured	-	1751	1751	1751	
	d) 3.5-core					
	25 sq.mm	र.री	258	258	258	
	35 sq.mm	-	309	309	309	
	50 sq.mm	-	412	412	412	
	70 sq.mm	-	567	567	567	
	95 sq.mm	-	742	742	742	
	120 sq.mm	-	927	927	927	
	150 sq.mm	-	1112	1112	1112	
	185 sq.mm	-	1391	1391	1391	
	240 sq.mm	-	1751	1751	1751	
	300 sq.mm	-	2163	2163	2163	
	e) 4-core core aluminium unarmoured					
	2.5 sq.mm	र.री	72	72	72	
	4 sq.mm	-	82	82	82	
	6 sq.mm	-	98	98	98	
	10 sq.mm	-	134	134	134	
	16 sq.mm	र.री	196	196	196	
	25 sq.mm	-	288	288	288	
	35 sq.mm	-	350	350	350	
	50 sq.mm	-	484	484	484	
	70 sq.mm 4	-	639	639	639	
	95 sq.mm	-	845	845	845	
	120 sq.mm	-	1030	1030	1030	
	150 sq.mm	-	1288	1288	1288	
	185 sq.mm	-	1597	1597	1597	
	240 sq.mm	-	2009	2009	2009	
	300 sq.mm	-	2472	2472	2472	
38	Security Gate System					
	Metal Detector (wire within mesh)	र.री	16995	16995	16995	
39	Air Conditioning system, Daikin, Mitsubishi heavy or Japanese eqv					
	0.75 TR capacity Wall Mounted split type Air	र.री	-	-	-	
	Conditioning system					
	1.0 TR capacity Wall Mounted split type Air	र.री	-	-	-	
	Conditioning system					
	Air Conditioning system, McQuay, Panasonic, Fujair, Malaysian or Eqv Company					
	0.75 TR capacity Wall Mounted split type Air Conditioning system	र.री	-	-	-	

नेपाल ३
गृह मन्त्रालय
नित्य प्रशासन कक्ष
नुवाकोट

41	1.0 TR capacity Wall Mounted split type Air Conditioning system	42	-	-	-
	1.5 TR capacity Wall Mounted split type Air Conditioning system	42	-	-	-
	2.0 TR capacity Wall Mounted split type Air Conditioning system	42	-	-	-
	Air Conditioning system, whirlpool or Eqp. Company				
	0.75 TR capacity Wall Mounted split type Air	42	-	-	-
	1.0 TR capacity Wall Mounted split type Air	42	-	-	-
	1.5 TR capacity Wall Mounted split type Air	42	-	-	-
	2.0 TR capacity Wall Mounted split type Air	42	-	-	-
42	General Lightig ANCHOR, CIG, bqr.				
	1 x 40 W FTL Parti fitting	42	252	252	252
	1 x 20 W FTL Parti fitting	42	232	232	232
	1 x 40 W FTL Box Fitting	42	427	427	427
	1 x 20 W FTL Box fitting	42	417	417	417
	9/11W Mini mirror light with electronic Blast suitable for PL lamp	42	355	355	355
43	GEWISS /BEC PVC Conduit product of Italy				
	RK Range				
	16 mm medium rigid conduit DX 25 316	Mr.	88	88	88
	20 mm medium rigid conduit DX 25 320	"	124	124	124
	25 mm medium rigid conduit DX 25 325	"	173	173	173
	32 mm medium rigid conduit DX 25 332	"	252	252	252
	40 mm medium rigid conduit DX 25 340	"	345	345	345
	50 mm medium rigid conduit DX 25 350	"	530	530	530
	63 mm medium rigid conduit DX 25 363	"	999	999	999
	16 mm heavy rigid conduit DX 25 716	"	165	165	165
	20 mm heavy rigid conduit DX 25 720	"	216	216	216
	25 mm heavy rigid conduit DX 25 725	"	288	288	288
	32 mm heavy rigid conduit DX 25 732	"	433	433	433
	40 mm heavy rigid conduit DX 25 740	"	587	587	587
	50 mm heavy rigid conduit DX 25 750	"	793	793	793
	63 mm heavy rigid conduit DX 25 763	"	1488	1488	1488
	16 mm polymer cable gland GW 52 043 with fixing nut and screws	"	196	196	196
	20 mm polymer cable gland GW 52 044 with fixing nut and screws	"	247	247	247
	25 mm polymer cable gland GW 52 045 with fixing nut and screws	"	376	376	376
	32 mm polymer cable gland GW 52 046 with fixing nut and screws	"	623	623	623
	40 mm polymer cable gland GW 52 047 with fixing nut and screws	"	747	747	747
	50 mm polymer cable gland GW 52 048 with fixing nut and screws	"	963	963	963
	63 mm polymer cable gland GW 52 049 with fixing nut and screws	"	1200	1200	1200
	16 mm shockproof polymer saddle collar clip GW 50 605	"	31	31	31
	20 mm shockproof polymer saddle collar clip GW 50 606	"	36	36	36
	25 mm shockproof polymer saddle collar clip GW 50 607	"	41	41	41
	32 mm shockproof polymer saddle collar clip GW 50 608	"	62	62	62
	40 mm shockproof polymer saddle collar clip GW 50 630	"	98	98	98
	50 mm shockproof polymer saddle collar clip GW 50 631	"	118	118	118
	16 mm conduit coupler DX 40 016	"	36	36	36
	20 mm conduit coupler DX 40 020	"	46	46	46
	25 mm conduit coupler DX 40 025	"	57	57	57
	32 mm conduit coupler DX 40 032	"	103	103	103
	40 mm conduit coupler DX 40 040	"	139	139	139
	50 mm conduit coupler DX 40 050	"	242	242	242
	63 mm conduit coupler DX 40 063	"	458	458	458
	16 mm tight bend DX 40 116	"	57	57	57
	20 mm tight bend DX 40 120	"	82	82	82
44					

	25 mm tight bend DX 40 125	"	129	129	129
	32 mm tight bend DX 40 132	"	237	237	237
	40 mm tight bend DX 40 140	"	335	335	335
	60 mm tight bend DX 40 150	"	603	603	603
	83 mm tight bend DX 40 163	"	2359	2359	2359
	4 way junction box DX 45 004	"	670	670	670
	7 way junction box DX 45 007	"	803	803	803
	10 way junction box DX 45 010	"	1020	1020	1020
	Closing cap for junction box DX 47 000	"	118	118	118
	16 mm inspectionable T bend DX 40216	"	118	118	118
	20 mm inspectionable T bend DX 40220	"	149	149	149
	25 mm inspectionable T bend DX 40225	"	196	196	196
	32 mm inspectionable T bend DX 40232	"	237	237	237
	16 mm inspectionable bend DX 40 316	"	98	98	98
	20 mm inspectionable bend DX 40 320	"	118	118	118
	25 mm inspectionable bend DX 40 325	"	155	155	155
	32 mm inspectionable bend DX 40 332	"	185	185	185
45	GEWISS/BEC Cable Tray with Cover and Accessories BRN Range				
	85X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Ft.	819	819	819
	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	973	973	973
	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	1174	1174	1174
	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	1318	1318	1318
	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	1540	1540	1540
	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	"	1710	1710	1710
	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	"	2137	2137	2137
	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	"	2513	2513	2513
	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	"	3090	3090	3090
	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	"	3281	3281	3281
	85X50 mm2 hot deep galvanised steel cable tray MV 40 120	"	984	984	984
	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	"	1179	1179	1179
	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	"	1298	1298	1298
	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	"	1468	1468	1468
	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	"	1663	1663	1663
	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	"	1859	1859	1859
	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	"	2276	2276	2276
	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	"	2657	2657	2657
46	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	"	3456	3456	3456
	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	"	3749	3749	3749
	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	"	4584	4584	4584
	55X65 mm2 hot deep galvanised steel cable tray MV 40 141	"	1313	1313	1313
	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	"	2122	2122	2122
	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	"	2781	2781	2781
	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	"	3852	3852	3852
	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	"	4836	4836	4836
	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	"	5449	5449	5449
	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	"	1494	1494	1494
	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	"	2271	2271	2271
	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	"	2884	2884	2884



नेपाल सरकार
गृह मन्त्रालय
सिन्धु प्रशासन कार्यालय
मुवाकोट

	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	-	4151	4151	4151
	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	-	5016	5016	5016
47	Intrusion Detection System Make Honeywell or equivalent				
	Main Controller	₹	38851	38851	38851
	CONTROL, FIRE/BURG COMMERCIAL VISTA-128FEP				
	Smoke & Heat Detector	₹	10545	10545	10545
	Wireless Smoke and Heat Detector				
	Door Contact	₹	2678	2678	2678
	Wireless Door Contact with transmitter				
	Motion Detector	₹	4178	4178	4178
	Wireless Passive Infrared, Pet Immune Motion Detector				
	Panic Switch	₹	4921	4921	4921
	Wireless Panic Transmitter				
	Key	₹	4780	4780	4780
	Wireless Key to Arm and Disarm the System				
	Window Contact	₹	2812	2812	2812
	Wired door Contact with transmitter slim				
	Earth Quake Detector(JDS Inc, USA)	₹	3601	3601	3601
	Quake Alarm				
48	Automatic Motor Operator for water motor				
	Upto 1/2 HP single phase motor	₹	4120	4120	4120
	Upto 1 HP single phase motor	₹	5665	5665	5665
	Upto 5 HP three phase motor	₹	9270	9270	9270
49	CCTV System				
	Out door high speed Dome Integrated CAMERA Multi Protocol 480 TVL, 128 preset points , automatic surveillance, 360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec , weather resistance, water resistance, robust type.				
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	₹	56650	56650	56650
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	₹	58916	58916	58916
	Indoor high speed Dome Integrated CAMERA				
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	₹	54384	54384	54384
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	₹	56650	56650	56650
50	VISTA Box camera with adaptor, IR view distance 25mm Mirror shutter; with mirror image switchable, white balance; auto, Horizontal resolution ; 480 TV line , system signal: NTSC/PAL, Blacklight compression : ON/OFF (Switchable) , AGC: ON/OFF	₹	15450	15450	15450
	7" Spherical Shilded with bracket included chip excluded Camera		8364	8364	8364
	ii) 8 Channel DVR MJPEG Compression Type 8 Channel input 2 Channel output USB2.0 interface , Hard Disc > 200G, Multi-Record, Motion Detector Function , Remote Control	₹	33990	33990	33990
	ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Intimate Explore, MPG-4 Record	₹	50985	50985	50985
	17" LCD Monitor SAMSUNG or Korean Eqp.	₹	10815	10815	10815
51	Electrical Equipments				
	Earthing Materials (ISI or other International Standard)				
	5 mm thick 600mmx 600 mm G.I. Plate	No	2829	2829	2829

नेपाल सरकार
गृह मन्त्रालय
सिन्धु पञ्चायत का
नुवाकोट

	Fanning Mechanism with cover (mild steel)	set	618	618	618
	3.2 mm thick 600mm x 400 mm Copper Plate	No.	9517	9517	9517
	Copper wire (10 SWG)	Mtr.	155	155	155
	Service wire (Al)				
	2.5 mm ²	Mtr.	18	18	18
	4.0 mm ²	"	22	22	22
	6.0 mm ²	"	28	28	28
	Lightening Arrestor for 3 Phase				
	0.5 KV	Set	1236	1236	1236
	11 KV	Set	4326	4326	4326
	Cross Arms V Channel	No	3090	3090	3090
	Stay set with accessories				
	GI wire	No	1182	1182	1182
	GI Plate	"	1183	1183	1183
	Gay Insulator	"	56	56	56
	Elbow		103	103	103
	Rod, Nut	No	445	445	445
	Grip	"	49	49	49
	Overhead Insulators (0.4KV)				
	Saddle Insulator	No	31	31	31
	D-Iron	"	93	93	93
	Nut Bolt (3" with 8 mm Ø)	"	15	15	15
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	23	23	23
	Overhead Insulators with fixing accessories (11KV)				
	Pin Insulator	No	185	185	185
	Disc Insulator	"	989	989	989
	Cross Arms V Channel	"	2719	2719	2719
	Square ACSR conductor 20mm ²	Rm.	17	17	17
	weasel ACSR conductor 30 mm ²	"	25	25	25
	Rabbit ACSR conductor 50 mm ²	"	41	41	41
	Dog ACSR conductor 100 mm ²	"	82	82	82
	Supply of aluminium ABC cable				
	25mm square 4 core ABC cable	Rm.	175	175	175
	50 mm square 4 core ABC cable	"	291	291	291
	95 mm square 4 core ABC cable	"	570	570	570
	Alternator 3 Phase Brush less with compounded Excitation. (KEL)				
52	AMF with ATS panel for DG Ankur metal or Equivalent				
	5KVA AMF with ATS panel	set	22660	22660	22660
	7.5KVA AMF with ATS panel	"	28840	28840	28840
	10KVA AMF with ATS panel	"	36050	36050	36050
	15KVA AMF with ATS panel	"	46350	46350	46350
	20KVA AMF with ATS panel	"	66950	66950	66950
	25KVA AMF with ATS panel	"	77250	77250	77250
	30KVA AMF with ATS panel	"	92700	92700	92700
53	Solar system/Backup Power				
	Pure sine wave inverter				
	675 VA inverter	set	11483	11483	11483
	875 VA inverter	"	12691	12691	12691
	1500 VA inverter	"	18987	18987	18987
	3 KVA inverter	"	55947	55947	55947
	Exide Battery				
	tubular inverter Battery				
	80 AH inverter Battery	set	9935	9935	9935
	100 AH inverter Battery	"	11958	11958	11958
	150 AH inverter Battery	"	16698	16698	16698
	200 AH inverter Battery	"	20745	20745	20745
	75 AH tubular inverter Battery	"	12731	12731	12731
	100 AH tubular inverter Battery	"	16966	16966	16966
	150 AH tubular inverter Battery	"	24967	24967	24967
	200 AH tubular inverter Battery	"	31477	31477	31477
	Solar Panel	with	144	144	144
54	Angel Eyes solar street light absorb energy				



नेपाल सरकार
गृह मन्त्रालय
नक्सालेख कार्यालय
नुवाकोट

	AST 1205 (12 W pv 65w led, 12.8v 5.2 Ah motion sensor)	set	29465	29465	29465	
	AST 1805 (18 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	39743	39743	39743	
	AST 2505 (25 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	45112	45112	45112	
	AST 3612 (36 W pv 012w led, 12.8v 13 Ah motion sensor)	"	62814	62814	62814	
	AE 2518B8 (AE 2 off - grid power system, pv 18w 12.8v 7.8 Ah motion Sensor)	"	35746	35746	35746	
	AE 2525B10 (AE 2 off - grid power system, pv 25w 12.8v 10.4 Ah motion Sensor)	"	44882	44882	44882	
	AE 2536B13 (AE 2 off - grid power system, pv 36w 12.8v 13 Ah motion Sensor)	"	55961	55961	55961	
55	MCB/ISOLATOR ORIENT or equivalent					
	B CURVE MCB SP 6A-32A	pole	239	239	239	
	B CURVE MCB SP 40A	pole	281	281	281	
	B CURVE MCB SP 50A-63A	pole	281	281	281	
	C CURVE MCB SP 0.5-4A	pole	281	281	281	
	C CURVE MCB SP 6-32A	pole	239	239	239	
	C CURVE MCB SP 40A	pole	445	445	445	
	C CURVE MCB SP 50-63A	pole	445	445	445	
	C CURVE MCB SPN 0.5-4A	pole	479	479	479	
	C CURVE MCB SPN 6-32A	pole	513	513	513	
	C CURVE MCB SPN 40A	pole	561	561	561	
	C CURVE MCB SPN 50-63A	pole	561	561	561	
	C CURVE MCB DP 0.5-4A	pole	617	617	617	
	C CURVE MCB DP 6-32A	pole	564	564	564	
	C CURVE MCB DP 40A	pole	617	617	617	
	C CURVE MCB DP 50-63A	pole	617	617	617	
	C CURVE MCB TP 0.5-4A	pole	925	925	925	
	C CURVE MCB TP 6-32A	pole	847	847	847	
	C CURVE MCB TP 40A	pole	925	925	925	
	C CURVE MCB TP 50-63A	pole	925	925	925	
	C CURVE MCB TPN 0.5-4A	pole	1206	1206	1206	
	C CURVE MCB TPN 6-32A	pole	1103	1103	1103	



नेपाल सरकार
गृह विभाग
सिन्धु प्रशासन कार्यालय
नुवाकोट

[Handwritten signatures and initials]

C CURVE MCB TPN 40A	pole	1206	1206	1206
C CURVE MCB TPN 50-63A	pole	1206	1206	1206
C CURVE MCB FP 0.5-4A	pole	1290	1290	1290
C CURVE MCB FP 6-32A	pole	1180	1180	1180
C CURVE MCB FP 40A	pole	1290	1290	1290
C CURVE MCB FP 50-63A	pole	1290	1290	1290
ISOLATOR DP 40A	pole	551	551	551
ISOLATOR DP 63A	pole	551	551	551
ISOLATOR DP 80-100A	pole	576	576	576
ISOLATOR DP 125A	pole	611	611	611
ISOLATOR FP 40A	pole	902	902	902
ISOLATOR FP 63A	pole	902	902	902
ISOLATOR FP 80-100A	pole	998	998	998
ISOLATOR FP 125A	pole	998	998	998
RCCB DP 25A 30mA	pole	3547	3547	3547
RCCB DP 40A 30mA	pole	3547	3547	3547
RCCB DP 63A 30mA	pole	3547	3547	3547
RCCB DP 25A 100mA	pole	3345	3345	3345
RCCB DP 40A 100mA	pole	3345	3345	3345
RCCB DP 63A 100mA	pole	3345	3345	3345
RCCB DP 25A 300mA	pole	3345	3345	3345
RCCB DP 40A 300mA	pole	3345	3345	3345
RCCB DP 63A 300mA	pole	3345	3345	3345
RCCB FP 25A 30mA	pole	4155	4155	4155
RCCB FP 40A 30mA	pole	4155	4155	4155
RCCB FP 63A 30mA	pole	4155	4155	4155
RCCB FP 25A 100mA	pole	4004	4004	4004
RCCB FP 40A 100mA	pole	4004	4004	4004
RCCB FP 63A 100mA	pole	4004	4004	4004
RCCB FP 25A 300mA	pole	4004	4004	4004
RCCB FP 40A 300mA	pole	4004	4004	4004
RCCB FP 63A 300mA	pole	4004	4004	4004
56 Solar component				
Solar PV Module	Per watt	123	123	123
Solar Tubular Battery (200Ah@c20,12v)	Nos	29767	29767	29767
Solar Tubular Battery (150 Ah@c20,12v)	Nos	21763	22763	22763
Solar Tubular Battery (100 Ah@c20,12v)	Nos	15759	15759	15759
Solar Gel Battery (100 Ah@c20,12v)	Nos	31868	31868	31868
Solar Gel Battery (75 Ah@c20,12v)	Nos	24339	24339	24339
Solar Gel Battery (40 Ah@c20,12v)	Nos	14008	14008	14008
Charge controller (60Ah/24v)	Nos	31518	31518	31518
Charge controller 45Ah/12-24-48 V	Nos	23201	23201	23201
Charge controller 10a/12-24 V	Nos	2627	2627	2627
Charge controller 20a/12-24 V	Nos	3940	3940	3940
Solar dusk to down controller 20A/12Vwith driver curd	Nos	4378	4378	4378
Solar street light 20W/10W- 12V DC with autodimming system	Nos	14884	14884	14884
Solar street light 40W/20W- 12V DC with autodimming system	Nos	30643	30643	30643
Ms pole 5 m high with rustproof enamel paint dimension 4" for bottom 3 m 3" for top 3 m	Nos	16197	16197	16197
Ms pole 9 m high with rustproof enamel paint dimension 4" for bottom m 6" for top 3 m	Nos	20137	20137	20137
40 watt solar street light	Nos	14008	14008	14008
20 watt solar street light	Nos	8405	8405	8405
12 watt solar street light	Nos	5428	5428	5428
Pure sine wave inverter 250 VA /12 V	Nos	7004	7004	7004
Pure sine wave inverter 400 VA /12 V	Nos	13133	13133	13133
pure sine wave inverter 3400 VA	Nos	22763	22763	22763
Ms light Arms	Set	2189	2189	2189
SPV mounting frame	set	5691	5691	5691
Battery box	Set	4378	4378	4378
Battery stand	Set	4378	4378	4378



Handwritten signatures and initials at the bottom of the page, including a large signature on the right and several smaller ones on the left.



Sanitary Works

बिदुर, नुवाकोट

आ. ब २०८१/८२

SANITARY WORK						
क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकक	दरदर म.व.क. (VAT बाहेक)(रुपैयामा)			टोल
			म.व. ०७९/०८०	म.व. ०८०/०८१	म.व. ०८१/०८२	
	Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कनरीका कागज/कागज)					
	White glazed porcelain pan					
	i) 530mm size white glazed without siphon	सेट	2524	2524	2770	
	ii) 500 mm size white glazed without siphon	"	2741	2741	3010	
	iii) 580 mm size orrisa Pan	"	3371	3371	3371	
	iii) 580 mm size white glazed Indian pan	"	1049	1049	1049	
	iv) Siphon 'p' or 's' type	"	390	390	390	
	v) Asian Pan 51x40 Rectangular	"	2524	2524	2524	
	Porcelain Clay Cistern					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	"	3559	3559	3559	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	667	667	667	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	3698	3698	3698	
	Commode					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1587	1587	1587	
	ii) White glazed porcelain clay EWC regular commode with 's' trap	"	1825	1825	1825	
	iii) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.)	"	18119	18119	18119	
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	28875	28875	28875	
	iv) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.)	"	20389	20389	20389	
	viii) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set.(Bolan, Tita, Akwa or eqv.)	"	5252	5252	5252	
	ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"	8656	8656	8656	
	x) 600 to 900 mm Grab bar	"	6062	6062	6062	
	Bidet set					
	i) Porcelain clay white glaze Bidet.	सेट	3692	3692	3692	
	Urinal set					
	i) Porcelain clay white glaze large flat back urinal 61x41x38 cm size (Hindware, Paryware, Somany, cera or eqv.)	सेट	4174	4174	4174	
	ii) Porcelain clay small Urinal (46.5x35.5x26.5) cm size (Hindware, Paryware, Somany, cera or eqv.)	"	1880	1880	1880	



नेपाल सरकार
मुख्य मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

Handwritten signatures and stamps at the bottom of the page.

iv) White glazed porcelain clay corner Urinal (35x35x44)cm size with complete set.(Hardware, Paryware, Somany, cera or eqv.)	-	1619	1619	1619	
vi) Wall mounted Urinal with sensor complete set.(Duravit, Grohe, American standard and equivalent)	-	100291	100291	100291	
Porcelain Clay Urinal Squatting Plate					
i) white glaze squatting plate Small Size (45x35)cm	रु	1212	1212	1212	
ii) Porcelain clay white glaze squatting plate large size	-	1454	1454	1454	
iii) Porcelain clay super color squatting plate large size.	-	2831	2831	2831	
iv) Urinal Spreader	-	915	915	915	
Wash basin					
i) Porcelain clay white glaze wash basin (500x400) cm size regular.	रु	1095	1095	1095	
iii) Porcelain clay white glaze wash basin (50x40) cm	-	1481	1481	1481	
iv) Do bat wash basin (45x32)cm	-	1065	1065	1065	
vi) white glazed porcelain clay Corner basin 40x40 complete set	रु	1201	1201	1201	
vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	-	8348	8348	8348	
ix) white glazed porcelain clay U-counter wash basin, complete. (Duravit, Grohe, American standard or equiv)	-	13776	13776	13776	
x)(a) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	-	9785	9785	9785	
x)(b) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.	-	6232	6232	6232	
4) White glaze porcelain clay Basin for disable with grab bar all complete	-	20549	20549	20549	
Pedestal:					
i) Porcelain clay white glaze pedestal	-	1378	1378	1378	
ii) White glazed Porcelain clay half pedestal complete set.	-	1670	1670	1670	
iv) First color glazed Porcelain clay half pedestal complete set.	-	1973	1973	1973	
v) Two piece pedestal with Basin" complete set.(Duravit, Grohe, American standard or equivalent)	-	13313	13313	13313	
Urinal Partition					
White glaze porcelain clay (68x30)cm division plate	-	1741	1741	1741	
Lab sink					
i) Porcelain clay white glaze large size	-	2222	2222	2222	
ii) Porcelain clay white glaze small size	-	1653	1653	1653	
iii) Porcelain clay janitor sink 53x71x43.5 size	-	27553	27553	27553	
Kitchen sink					
i) Porcelain clay large	रु	3763	3763	3763	
ii) Porcelain clay small	-	3409	3409	3409	
iii) drain board white 53x45	-	1304	1304	1304	
iii) Soap dish	-	661	661	661	
iv) White glaze foot rest	-	419	419	419	
v) White glaze Toilet paper holder	-	1157	1157	1157	



नैपाल प्रजातन्त्र
गृह मन्त्रालय
नैपाल प्रशासन कार्यालय
कुवाकोट

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

2	PVC Cistern Set				
	i) single flush	१२	1973	1973	1973
	ii) Deluxe single flush	"	2204	2204	2204
	iii) Dual flush 6/3 lit. cistern complete set.	"	2966	2966	2966
	iv) concealed cistern with plate complete set(Viega, Geberit, American standard or equivalent)	"	16862	16862	16862
	v) 32 mm pvc bottle trap set.	१२	476	476	476
	vi) 1.5x45 cm pvc pipe connector set.	"	143	143	143
	vi) Balcellite toilet seat cover set.	"	276	276	276
3	Stainless Steel Accessories etc.				
	Stainless steel Deep sink 45x45x30 size	"	18183	18183	18183
	Stainless steel Orissa pan LP 210 size	"	8486	8486	8486
	Stainless steel wash basin model 251 12" round size with pedestal	"	13262	13262	13262
	Stainless steel wash basin 500 mm model 277 with complete set	"	10276	10276	10276
	Stainless steel commode S trap with self closing complete set	"	17554	17554	17554
	Wall mixer (single lever) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	14634	14634	14634
	Bath tub (single lever)with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	18432	18432	18432
	External Shower Wall mixer (single control) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	25764	25764	25764
	Wall mixer (single control) bath faucet with hand shower(conceal system)(Grohe, Hansgrohe, American standard or equivalent)	"	15952	15952	15952
	Wall mixer (single control) shower faucet (conceal system)(Jaquar, Somany, Essel or equivalent)	"	4182	4182	4182
	conceal mixer faucet(Jaquar, Somany, Essel or equivalent)	"	6455	6455	6455
	Stainless steel Angle valve(Grohe, Hansgrohe, American standard or equivalent)	"	827	827	827
	Stainless steel two way Angle valve(Jaquar, Somany, Essel or equivalent)	"	1157	1157	1157
	Stainless steel bowl 19"x16" diamond board 37" long	"	2673	2673	2673
	Stainless steel bowl with diamond board 37" long	"	3660	3660	3660
	Stainless steel bowl with ordinary board 37" long	"	2314	2314	2314
	Stainless steel double bowl with double drain board 36" * 18 "size	"	13917	13917	13917
	Stainless steel double bowl with single drain board ordinary	"	5786	5786	5786
	Stainless steel p trap bottle trap for basin	"	2324	2324	2324
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8408	8408	8408
	Stainless steel Kitchen sink faucet(Jaquar, Somany, Essel or equivalent)	"	5565	5565	5565
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8408	8408	8408
	Stainless steel 1.500mm flexible hose pipe(connection pipe)	"	1462	1462	1462



	Stainless steel Hose ringer 1200 mm	.	1274	1274	1274	
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	.	1798	1798	1798	
	Stainless steel basin mixer(single control)(Grohe, hansgrohe, American standard or equivalent)	.	6943	6943	6943	
	Stainless steel single faucet for basin(Jaquar, Somany, Essel or equivalent)	.	4425	4425	4425	
	Stainless steel Sink 700*450*200	.	24246	24246	24246	
	Stainless steel Sink table top 1200*600*300	.	33504	33504	33504	
	Steel Split clamp with washer all complete					
	75 mm dia	पिस	331	331	331	
	110 mm dia	.	441	441	441	
	160 mm dia	.	771	771	771	
	Stainless steel telephonic shower(Jaquar, Somany, Essel or equivalent)	चौरा	1240	1240	1240	
	Stainless steel shower with sliding bar(Jaquar, Somany, Essel or equivalent)	.	2976	2976	2976	
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	.	9785	9785	9785	
	Stainless steel bottle trap (Viega, Somany, Jaquar or equivalent)	.	647	647	647	
	Stainless steel towel bar 450 mm	.	1240	1240	1240	
	Stainless steel water tank fitting with all complete set (304 grade steel)					
	Capacity 500 ltr	set	12124	12124	12124	
	Capacity 1000 ltr	.	17699	17699	17699	
	Capacity 1500 ltr	.	27212	27212	27212	
	Capacity 2000 ltr	.	32743	32743	32743	
	Sinks Other Types:					
	Super lab sink					
	i) super lab sink large size	.	4313	4313	4313	
	ii) super lab sink small size	.	3401	3401	3401	
	Super kitchen sink					
	i) super kitchen sink large size	.	7465	7465	7465	
	ii) super kitchen sink small size	.	6756	6756	6756	
	Modern Sanitaryware:Grohe, Hansgrohe, American Standard or eqv.					
	iv) Hand dryer Germany	.	19397	19397	19397	
	v) Hand Dryer Chinese	.	7164	7164	7164	
	vi) Indian Mark Brand Flush valve	.	5731	5731	5731	
	xii) Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	.	35267	35267	35267	
	xv) European pattern liquid soap container stainless steel	.	6062	6062	6062	
	xvii) Locking Mirror Modi guard 450x600mm (18"x 24")	.	1459	1459	1459	
	European Pattern C.P. Grab Bar for disable					
	a) 30cm long bend type	.	4786	4786	4786	
	b) 45 cm long bend type	.	5012	5012	5012	
	c) 60 cm long bend type	.	6418	6418	6418	
	C.P. Accessories(jaquar, somany, essel or equivalent)					
	1) Toilet paper holder	.	510	510	510	



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

2) Soap dish	"	510	510	510
3) Towel rod 1/2"x18" size	"	510	510	510
4) Towel rod 3/4" x24" size	"	567	567	567
5) Glass shelf	"	680	680	680
6) C.P. bottle trap	"	1246	1246	1246
7) 32 mm x60cm long C.P. flush pipe	"	510	510	510
8) 15 mm flush cock push type	"	1133	1133	1133
9) 15 mm dia. C.P. shower arm	"	976	976	976
10) 15 mm dia. C.P. spreader	"	940	940	940
11) 15 mm dia. C.P. wall mixture	"	5435	5435	5435
i) 3" dia. Shower rose, revolving type	"	906	906	906
ii) 4" dia. Shower rose, revolving type	"	1020	1020	1020
iii) Shower rose ordinary	"	567	567	567
iv) Shower rod 12" long	"	283	283	283
C.P. 15 mm dia. Angle Valve	"	1244	1244	1244
C.P. 15 mm dia Concealed Stop Cock	"	1807	1807	1807
C.P. 15mm Bib Cock	"	1361	1361	1361
C.P. 15 mm dia. swan neck Pillar Cock	"	1331	1331	1331
C.P. 15 mm dia Stop Cock	"	1331	1331	1331
C.P. 15 mm dia Sink Cock	"	1309	1309	1309
C.P. 15 mm dia Sink Mixture	"	4472	4472	4472
C.P. 32 mm dia Flush Valve	"	5404	5404	5404
C.P. 32 mm dia Waste Coupling for basin	"	424	424	424
C.P. 32 mm dia Waste Coupling for Urinal	"	689	689	689
C.P. Basin Mixture	"	4640	4640	4640
15 mm dia Bath Tub Spout with Wall Hinge	"	1731	1731	1731
C.P. Exclusive Shower Arm with Hinge	"	2014	2014	2014
15 mm bath tub spout with bottom attachment of telephonic shower	"	4169	4169	4169
15 mm wall mixture lever type telephonic shower of flexible type heavy.	"	6849	6849	6849
C.P. flexible pipe	"	181	181	181
C.P. Gazing	"			
i) 4" dia.	"	50	50	50
ii) 5" dia.	"	62	62	62
i) C.P. Toilet Paper Holder	"	929	929	929
ii) C.P. Soap Dish(Polyurethane)	"	1042	1042	1042
iii) C.P. Towel Rod 18"	"	1578	1578	1578
iv) C.P. Towel Rod 24"	"	1663	1663	1663
v) C.P. Glass Shelf 22"	"	2260	2260	2260
vi) C.P. Coat Hook Double	"	812	812	812
C.P. नग्न पछिवा मर्दिर (jaquar, somany, essel or equivalent)	"			
i) C.P. Toilet Paper Holder	"	969	969	969
ii) C.P. Soap Dish(Polyurethane)	"	843	843	843
iv) C.P. Towel Rod 24"	"	1643	1643	1643
v) C.P. Glass Shelf 22"	"	2232	2232	2232
vi) C.P. Coat Hook Double	"	758	758	758
ix) C.P. Angle Cock	"			
15mm C.P. Angle Cock	"	927	927	927
15 mm C.P. Angle Cock Long Thread	"	986	986	986
x) C.P. Conceal Stop Cock	"			
i) 15 mm Reduced body	"	1136	1136	1136
ii) 15 mm Extra Heavy Body	"	1390	1390	1390



xi) C.P. Bib Cock	-			
i) 15mm C.P. Auto Closing Bib Cock With Aerator	-	2612	2612	2612
ii) 15mm C.P. Bib Cock	-	952	952	952
iii) 15mm C.P. Bib Cock with nozzle	-	1054	1054	1054
xii) C.P. Pillar Cock	-			
i) 15 mm C.P. Pillar Cock With Aerator	-	1263	1263	1263
ii) 15mm Auto Closing Pillar Cock With Aerator	-	2527	2527	2527
i) 15mm C.P. Sink Cock	-	1600	1600	1600
ii) C.P. Sink Mixer	-	3966	3966	3966
iii) 15 mm C.P. Sink Mixer With Revolving Spout	-	3456	3456	3456
xv) C.P. Bottle Trap 32mm	-	1852	1852	1852
32 mm C.P. Conceal Flush Valve Dual Flow	-	3874	3874	3874
xvii) C.P. Waste Coupling	-			
32 mm C.P. Waste Coupling H/T	-	446	446	446
32 mm C.P. Waste Coupling F/T	-	446	446	446
xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock	-	2694	2694	2694
xix) 15 mm C.P. Wall Mixer	-			
15 mm C.P. Wall Mixer With Lower Bend Pipe	-	4463	4463	4463
15 mm C.P. Wall Mixer With Upper Bend Pipe	-	4463	4463	4463
xx) C.P. Basin Mixer	-			
15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	-	3706	3706	3706
15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	-	3891	3891	3891
xxi) 15mm Bath Tub Spout with wall flange	-			
15mm Bath Tub Spout with wall Flange	-	1263	1263	1263
15mm Bath Tub Spout with button attachment	-	2021	2021	2021
xxii) C.P. Casted Shower Arm with Flange	-			
15 mm Casted Shower Arm Light	-	673	673	673
15 mm Casted Shower Arm Heavy	-	1094	1094	1094
xxiii) 15 mm Telephonic Hand Shower	-			
With 1.50 m. PVC Tube	-	1791	1791	1791
With 1.5 Flexible Tube	-			
xxiv) Auto closing urinal flush valve	-			
15mm presmatic auto closing urinal flush valve	रंग	3224	3224	3224
xxiv) Other accessories	-			
15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	रंग	4834	4834	4834
15 mm Braided Hese for E.W.C.	-	298	298	298
15 mm Health Faoet (Commode Spray)	-	1146	1146	1146
15 mm pillar cock with 200 mm extended lever handle	-	1515	1515	1515
15 mm Bib cock with 200 mm extended lever handle	-	1598	1598	1598
Single lever surgical purpose elbow action basin mixer with extended operating lever	-	5956	5956	5956



	Single lever surgical purpose elbow action Sink mixer with extended operating lever	-	5776	5776	5776	
	Sensor mixer for wash basin (Battery operated)	-	20481	20481	20481	
	Wall mounted Sensor mixer for operation theater (Battery operated)	-	20481	20481	20481	
	Sensor conceal type flushing valve for Western commode (battery operated)	-	16221	16221	16221	
	Sensor valve for Urinal	-	10651	10651	10651	
	Basin cock Sensor	-	14418	14418	14418	
	15mm U shaped sink cock	-	1712	1712	1712	
	Sink Mixture with U shape swinging spout	-	3358	3358	3358	
	15mm metallic Health Faucet (Commode Spray)	-	2171	2171	2171	
7	Electric & Solar Geyser					
	i) 10 lit. cap. electric water heater	रुपैया	11241	11241	11241	
	ii) 25 lit cap. " " "	-	17331	17331	17331	
	iii) 35 lit cap. " " "	-	21546	21546	21546	
	iv) 50 lit cap. " " "	-				
	v) 15.0 Lit water heater including copper pipe connector with coupling and other necessary fittings complete American.	रुपैया	12124	12124	12124	
8	C.I. Manhole Cover including frame.					
8.1	Square Frame (in outer dia)					
	Medium Duty					
	i) 10" x 10" (4 Kg.)	रुपैया	669	669	669	
	ii) 12" x 12" (5 Kg.)	-	836	836	836	
	iii) 14" x 14" (7 Kg.)	-	1171	1171	1171	
	iv) 16" x 16" (10 Kg.)	-	1673	1673	1673	
	v) 18" x 18" (14 Kg.)	-	2509	2509	2509	
	vi) 20" x 20" (16 Kg.)	-	2677	2677	2677	
	vii) 22" x 22" (20 Kg.)	-	3346	3346	3346	
	viii) 24" x 24" (24 Kg.)	-	4294	4294	4294	
	ix) 27" x 27" (31 Kg.)	-	5186	5186	5186	
	Heavy Duty					
	iii) 14" x 14" (14 Kg.)	-	2342	2342	2342	
	ix) 22" x 22" (22 Kg.)	-	3681	3681	3681	
	xi) 27" x 27" (45 Kg.)	-	7528	7528	7528	
8.2	Rounded Manhole Cover (Outer dia.)					
	Medium class					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	रुपैया	9092	9092	9092	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	-	12123	12123	12123	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	-	15154	15154	15154	
	iv) 22" dia. Medium class. (125 Kg.)	-	19397	19397	19397	
	v) 22" dia. Heavy class. (208Kg.)	-	28974	28974	28974	
	vi) 24" dia. Medium class. (40 Kg.)	-	6207	6207	6207	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	-	7759	7759	7759	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	-	11153	11153	11153	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	-	13578	13578	13578	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	-	17942	17942	17942	
	xi) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	-	17942	17942	17942	
8.3	C.I. Tank Cover Locking Types					
	Round					
	18" (8 Kg.)	रुपैया	1673	1673	1673	



	20" (12 Kg.)	"	2454	2454	2454
	22" (14 Kg.)	"	2788	2788	2788
	24" (16 Kg.)	"	3346	3346	3346
	28" (24 Kg.)	"	5019	5019	5019
	Square				
	18" x 18" (13 Kg.)	सेर	2788	2788	2788
	24" x 24" (50 Kg.)	"	10038	10038	10038
	Rectangular				
	18" x 24" (27 Kg.)	सेर	5577	5577	5577
8.4	C.I. Gully Gratings & Jali				
	Round Jali Strip Medium Duty				
	4"	सेर	100	100	100
	5"	"	134	134	134
	6"	"	178	178	178
	10"	"	613	613	613
	Square Jali Strip Medium Duty				
	4" x 4"	सेर	89	89	89
	5" x 5"	"	112	112	112
	6" x 6"	"	134	134	134
	9" x 9"	"	390	390	390
	10" x 10"	"	502	502	502
	12" x 12"	"	725	725	725
	C.I. Gully Gratings				
	i) 15"x18" Medium (18 Kg.)	सेर	3681	3681	3681
	ii) 15"x18" Heavy (25 Kg.)	सेर	5019	5019	5019
	Grit Cover				
	कठारको ढाँचाको फ्रेममा कठारको ग्रीसले जाली लगाई सेलिनियम गर्ने गरि, एक सेर Red oxide point लगाई जङ्गन गरी काम (सिपिलि माइलमा)	से.से.	162	162	162
	Aluminum Grating 4" dia.	सेर	42	42	42
9	G.I. Water Tank (17 Gauge)				
	i) 100 gls	सेर	8317	8317	8317
	ii) 200 gls	"	13066	13066	13066
	iii) 300 gls	"	16434	16434	16434
	iv) 400 gls	"	19730	19730	19730
	v) 500 gls	"	23036	23036	23036
	G.I. Water Tank (16 BWG TATA Sheet)				
	i) 100 gls	सेर	8773	8773	8773
	ii) 200 gls	"	13267	13267	13267
	iii) 300 gls	"	17615	17615	17615
	iv) 400 gls	"	21106	21106	21106
	v) 500 gls	"	24597	24597	24597
10	Roof Top PVC Water Tank				
	i) 200 lit - 5000 lit cap.	सेर	11	11	11
	ii) 5000 lit - 10,000 lit cap	"	12	12	12
	iii) Horizontal PVC water tank	"	12	12	12
11	Water Pumps/Hand Pumps				
	Minimum 1000000, except well pump				
	6 No. hand pump	सेर	1582	1582	1582
	Water Pump :				
	i) 1/4 H.P. Water Pump (Multi stage pump)	सेर	10885	10885	10885
	ii) 1/2 H.P. water pump mono block	"	6258	6258	6258
	iii) 1.0 H.P. water pump Multistage	"	14258	14258	14258
	iv) 1.0 H.P. water pump (mono block type)	"	9465	9465	9465
	v) 2.0 H.P. water pump	"	22587	22587	22587
	vi) 2.0 H.P. 3 phase water pump	"	23847	23847	23847
	vii) 3.0 HP 3 phase water pump	"	28656	28656	28656
	Jet Water Pump				
	i) 1.10 H.P.	सेर	21630	21630	21630
	ii) Double Stage jet 1.10 H.P.	"	25956	25956	25956
	ii) 1.5 H.P.	"	29201	29201	29201
	Super Sanction				



Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

	i) ½ H.P.	रु	8922	8922	8922
	ii) 0.75 H.P.	..	8328	8328	8328
	iii) 1.0 H.P.	..	14276	14276	14276
	Water Pump (Grundfoss, pentair, Pedrello or equiv)				
	i) 1.0 H.P. Single pump set with Booster (Pressure Pump) with 25 lit. Pressure Tank.	रु	18202	18202	18202
	ii) 2 H.P. single pump set "	..	29233	29233	29233
	Fire pump				
	Submersible Pump (Italian)				
	i) 1.0 H.P.	..	26089	26089	26089
	ii) 2.0 H.P.	..	48397	48397	48397
	Electric Water Pump (Chinese)				
	i) ½ H.P.	..	1703	1703	1703
	ii) ¾ H.P.	..	2219	2219	2219
	iii) 1.0 H.P.	..	3270	3270	3270
	Submersible Pump Sarvo/Bimal or equivalent				
	i) ½ H.P open well type	..	16655	16655	16655
	ii) 1.1 H.P open well type	..	24388	24388	24388
	iii) 1.5 H.P open well type	..	29741	29741	29741
	Vertical Submersible Pump Sarvo/Bimal or equivalent				
	i) 1.1 H.P.	..	27254	27254	27254
	iii) 1.5 H.P.	..	32932	32932	32932
12	Fire fighting equipment and accessories (safeguard india or equiv)				
	swinging nose nozzle with 20mm hydraulic rubber braided hose length 30m winding up to 170° U-shape hose reel carrier with drum set	रु	-	-	-
	Gun metal two way collection head with 63 mm dia instantaneous type inlet with built in check meter fire fine bridge connection to under ground tank or to fire reel, minimax	..	-	-	-
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pipe with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve = 8500	..	-	-	-
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	..	-	-	-
13	Fire extinguisher ABC stored Pressure जलचालित जलमयी हवा प्रयोग गरिने सामग्री (safeguard india or equivalent)				
	i) 1 kg size ABC stored pressure type Fire extinguisher	रोटा	-	-	-
	ii) 2 kg size ABC	रोटा	-	-	-
	iii) 3.0kg size ABC	..	-	-	-
	iii) 5.0kg size ABC	..	-	-	-
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	पुर्जिद	-	-	-
	v) ABC store pressure type 2.0kg cap of fire extinguisher re-fill	..	-	-	-
	vi) ABC store pressure type 3 kg cap of fire extinguisher re-fill	..	-	-	-
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	..	-	-	-
	viii) 2.5 kg size ABC	..	-	-	-
	ix) Co ₂ Type fire extinguisher 6.80 lit	..	-	-	-
	x) Foam type fire extinguisher 9 lit capacity	रोटा	-	-	-



14	Insulation for hot water pipe 'Acroflex'				
	15mm Insulation 6 mm wall thickness	रमी	-	-	-
	20mm Insulation 6 mm wall thickness	"	-	-	-
	25mm Insulation 6 mm wall thickness	"	-	-	-
	32mm Insulation 6 mm wall thickness	"	-	-	-
15	ACRYLIC GLASS SHELF				
	i) Acrylic glass shelf best quality	रुप	-	-	-
	ii) Acrylic glass shelf ordinary	"	-	-	-
	iii) Shower curtain	"	-	-	-
16	Water Purification System				
	Euro Guard Water purification system (one litre per minute)	कुनट	-	-	-
	Euro-guard water purification system (bi-flow 3 lit/min)	"	-	-	-
	AQUA-ALO water purifier (1.0 lit/min)	"	-	-	-
	AQUA-power water purifier	"	-	-	-
	RO feed pump	रुप	-	-	-
	Fire Sprinkler	"	-	-	-
	Supply, installation, testing and commissioning of Aeration system (FRP Tray type)	"	-	-	-
	Supply, installation, testing and commissioning of Dual Media Filter (DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" Ø)	"	-	-	-
	Supply, installation, testing and commissioning of Dosing Pump 0.5 HP (Grundfos or equivalent)	"	-	-	-
	Filter Media for existing filtration system				
	Pebbles	रुमी	-	-	-
	Coarse silex	"	-	-	-
	Gravel	"	-	-	-
	Golden sand	"	-	-	-
	Anthracite	"	-	-	-
	MNo2	"	-	-	-
	Activated Carbon	"	-	-	-
	Motor starter switch	"	-	-	-
	Pressure sensor switch for water tank (Italian)	"	-	-	-
17	विभिन्न ब्राण्डको Bath tub fiber (Duravit, grohe, American standard or equiv)				
	a) Bath tub - 3'6" Medium	रुप	-	-	-
	Bath tub - 3'6" Heavy	"	-	-	-
	b) Bath tub - 4'0" Medium	"	6705	6705	6705
	Bath tub - 4'0" Heavy	"	7787	7787	7787
	c) Bath Tub - 4'6" Medium	"	8111	8111	8111
	Bath tub - 4'6" Heavy	"	8137	8137	8137
	d) Bath tub - 5'0" Medium	"	8868	8868	8868
	Bath tub - 5'0" Heavy	"	29355	29355	29355
	e) Bath Tub - 5'6" Medium	"	7957	7957	7957
	Bath tub - 5'6" Heavy	"	9373	9373	9373
	f) Bath Tub - 6'0" Medium	"	12875	12875	12875
	Bath tub - 6'0" Heavy	"	36823	36823	36823
18	Shower Tray 3'0"x3'0"	रुप	500	500	500
	Pipes and fittings				
19	PPR Pipe (Poly propylene random co- polymer pipe Panchakanya, Negatap or Ekv.)				
	1) PP-R Pipe (PN-10)				
	20mm outer, 1.9 mm thick, 0.107 kg/m	र/मि	63	63	63

नेपाल सरकार
गृह मन्त्रालय
मिनीय एजान्सन को
नुवाकोट

25mm 2.3 mm thick 0.164kg/m	"	95	95	95
32mm 2.9 mm thick 0.26kg/m	"	152	152	152
40mm 3.7 mm thick 0.412kg/m	"	239	239	239
50mm 4.6 mm thick 0.638kg/m	"	372	372	372
63 mm 8.6 mm thick 0.638kg/m	"	588	588	588
75 mm	"	820	820	820
90 mm	"	1181	1181	1181
110 mm	"	1751	1751	1751
2) PP-R Pipe (PN-16)				
20mm 2.80 mm thick 0.148kg/m	"	84	84	84
25mm 3.50 mm thick 0.26kg/m	"	131	131	131
32mm 3.7 mm thick 0.230kg/m	"	209	209	209
40mm 5.50 mm thick 0.575kg/m	"	335	335	335
50mm 6.90 mm thick 0.896kg/m	"	521	521	521
63 mm 4.6 mm thick 0.638kg/m	"	820	820	820
75 mm	"	1169	1169	1169
90 mm	"	1670	1670	1670
110 mm	"	2501	2501	2501
3) PP-R Pipe (PN-20)				
20mm 3.4 mm thick 0.172 kg/m	"	100	100	100
25mm 4.20 mm thick 0.266kg/m	"	155	155	155
32mm 5.40 mm thick 0.434kg/m	"	252	252	252
40mm 6.70mm thick 0.671kg/m	"	390	390	390
50mm 8.30 mm thick 1.04kg/m	"	605	605	605
63mm 8.6mm thick 1.04kg/m	"	960	960	960
75 mm	"	1361	1361	1361
90 mm	"	1955	1955	1955
110 mm	"	2915	2915	2915
PP-R Pipe Accessories :				
Elbow (90°)				
20mm	सेटा	13	13	13
25mm	"	27	27	27
32mm	सेटा	45	45	45
40mm	"	95	95	95
50mm	"	159	159	159
63 mm	"	280	280	280
75 mm	"	526	526	526
90 mm	"	888	888	888
110 mm	"	1653	1653	1653
Equal Tee				
20mm	"	18	18	18
25mm	"	32	32	32
32mm	"	56	56	56
40mm	"	109	109	109
50mm	"	185	185	185
63mm	"	337	337	337
75 mm	"	584	584	584
90 mm	"	1069	1069	1069
110 mm	"	1858	1858	1858
Coupler				
20mm	सेटा	11	11	11
25mm	"	13	13	13
32mm	"	27	27	27
40mm	"	52	52	52
50mm	"	86	86	86
63 mm	"	151	151	151
75 mm	"	292	292	292
90 mm	"	432	432	432
110 mm	"	788	788	788
45 Degree Elbow				
20 mm	"	18	18	18
25 mm	"	30	30	30
32 mm	"	46	46	46
40 mm	"	86	86	86
50 mm	"	144	144	144
63 mm	"	238	238	238
75 mm	"	467	467	467
90 mm	"	788	788	788
110 mm	"	1378	1378	1378



Handwritten signatures and initials at the bottom of the page.

Union (Plastic)				
20mm	१०८	70	70	70
25mm	"	119	119	119
32mm	"	192	192	192
40mm	"	290	290	290
50mm	"	456	456	456
63mm	"	544	544	544
Reducing Coupler				
25mm*20mm	"	14	14	14
32mm*20mm	"	19	19	19
32mm*25mm	"	21	21	21
40mm*20mm	"	31	31	31
40mm*25mm	"	37	37	37
40mm*32mm	"	44	44	44
50mm*20mm	"	58	58	58
50mm*25mm	"	64	64	64
50mm*32mm	"	69	69	69
50mm*40mm	"	76	76	76
63mm*32mm	"	117	117	117
63mm*40mm	"	122	122	122
63mm*50mm	"	131	131	131
75mm*40mm	"	195	195	195
75mm*50mm	"	239	239	239
75mm*63mm	"	241	241	241
90mm*50mm	"	483	483	483
90mm*63mm	"	521	521	521
90mm*75mm	"	614	614	614
110mm*75mm	"	818	818	818
110mm*90mm	"	949	949	949
Reducing Tee				
25*20*25 mm	"	26	26	26
32*20*32 mm	"	42	42	42
32*25*32 mm	"	45	45	45
40*20*40 mm	"	66	66	66
40*25*40 mm	"	69	69	69
40*32*40 mm	"	76	76	76
50*20*50 mm	"	88	88	88
50*25*50 mm	"	93	93	93
50*32*50 mm	"	151	151	151
50*40*50 mm	"	161	161	161
63*32*63 mm	"	199	199	199
63*40*63 mm	"	193	193	193
63*50*63 mm	"	214	214	214
75*50*75 mm	"	439	439	439
75*63*75 mm	"	458	458	458
90*63*90 mm	"	926	926	926
90*75*90 mm	"	993	993	993
110*75*110 mm	"	1622	1622	1622
110*90*110 mm	"	1700	1700	1700
Reducing Elbow				
25mm*20mm	"	22	22	22
32mm*20mm	"	32	32	32
32mm*25mm	"	41	41	41
High Footed Pipe Clip				
20mm	१०८	14	14	14
25mm	"	17	17	17
32mm	"	22	22	22
40mm	"	25	25	25
50mm	"	34	34	34
63 mm	"	39	39	39
Low Footed Pipe Clip				
20mm	"	7	7	7
25mm	"	8	8	8
32mm	"	14	14	14
40mm	"	19	19	19
50mm	"	30	30	30
63 mm	"	38	38	38
"Y" type Pipe Clip				
20mm	"	25	25	25
25mm	"	25	25	25



32mm	"	34	34	34	
40 mm	"	48	48	48	
End Plug (short)					
20mm	"	14	14	14	
25mm	"	22	22	22	
32mm	"	34	34	34	
End Plug with Ring					
20mm	"	25	25	25	
End Plug (long)					
20mm	"	10	10	10	
End Cap					
20mm	"	14	14	14	
25mm	"	22	22	22	
32mm	"	34	34	34	
40mm	"	53	53	53	
50mm	"	88	88	88	
63 mm	"	164	164	164	
75 mm	"	246	246	246	
Cross Tee					
20mm	"	25	25	25	
25mm	"	36	36	36	
32mm	"	64	64	64	
Short Passover					
20mm	"	70	70	70	
25mm	"	99	99	99	
32mm	"	143	143	143	
Long Bypass					
20mm	"	93	93	93	
25mm	"	135	135	135	
32mm	"	191	191	191	
Male Tee					
20mmx1/2"	"	145	145	145	
25mmx1/2"	"	142	142	142	
25mmx3/4"	"	176	176	176	
32mmx1/2"	"	219	219	219	
32mmx3/4"	"	224	224	224	
32mmx1"	"	401	401	401	
Female Tee					
20mmx1/2"	"	108	108	108	
25mmx1/2"	"	122	122	122	
25mmx3/4"	"	160	160	160	
32mmx1/2"	"	181	181	181	
32mmx3/4"	"	200	200	200	
32mmx1"	"	323	323	323	
Male elbow					
20mmx1/2"	"	139	139	139	
25mmx1/2"	"	143	143	143	
25mmx3/4"	"	174	174	174	
32mmx1/2"	"	188	188	188	
32mmx3/4"	"	205	205	205	
32mmx1"	"	396	396	396	
Female elbow					
20mmx1/2"	"	105	105	105	
25mmx1/2"	"	148	148	148	
25mmx3/4"	"	136	136	136	
32mmx1/2"	"	200	200	200	
32mmx3/4"	"	229	229	229	
32mmx1"	"	281	281	281	
Male Coupling					
20mmx1/2"	"	136	136	136	
20mmx3/4"	"	163	163	163	
25mmx1/2"	"	130	130	130	
25mmx3/4"	"	164	164	164	
32mmx1/2"	"	182	182	182	
32mmx3/4"	"	23	23	23	
32mmx1"	"	385	385	385	
40mmx1-1/4"	"	548	548	548	
50mmx1-1/2"	"	828	828	828	
63mmx2"	"	1201	1201	1201	



नेपाल सरकार
मुख्य मन्त्रालय
सिन्धु प्रदेशका
विकास

[Handwritten signatures and marks]

21	CPVC Pipes & Fittings for hot and cold water distribution system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-403 2846 (Flowguard : extra, salted, dry, mineral or eqv.					
	CPVC Pipe SDR 13.5 (22.5 Kg/cm ²)					
	1/2" dia	Rm	115	115	121	
	3/4" dia	"	160	160	168	
	1" dia	"	210	210	220	
	1-1/4" dia	"	261	261	274	
	1-1/2" dia	"	366	366	384	
	2" dia	"	599	599	587	
	CPVC Pipe SDR 11 (28.1 Kg/cm ²)					
	1/2" dia	"	133	133	140	
	3/4" dia	"	178	178	187	
	1" dia	"	248	248	261	
	1-1/4" dia	"	300	300	313	
	1-1/2" dia	"	418	418	438	
	2" dia	"	677	677	711	
	CPVC Pipe SDR 11.0 (Hiltaki, Panchakanya, Mangalam flow life or eqv.)					
	1/2" dia	Rm	126	126	132	
	3/4" dia	"	168	168	177	
	1" dia	"	234	234	246	
	1-1/4" dia	"	289	289	303	
	1-1/2" dia	"	402	402	422	
	2" dia	"	679	679	713	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	"	365	365	384	
	3/4"	"	486	486	510	
	1"	"	588	588	617	
	1-1/4"	"	1371	1371	1440	
	1-1/2"	"	1643	1643	1725	
	2"	"	2117	2117	2223	
	CPVC Reducer Brass Coupling	रोटर				
	3/4" X 1/2"	"	138	138	145	
	1" X 1/2"	"	181	181	190	
	CPVC Tee	रोटर				
	1/2"	"	36	36	38	
	3/4"	"	77	77	80	
	1"	"	117	117	123	
	1-1/4"	"	220	220	231	
	1-1/2"	"	320	320	336	
	2"	"	687	687	721	
	CPVC Reducer Tee	रोटर				
	1/2" x 1/2" x 3/4"	"	70	70	74	
	3/4" x 3/4" x 1/2"	"	107	107	113	
	3/4" x 1/2" x 3/4"	"	134	134	141	
	3/4" x 1/2" x 1/2"	"	153	153	161	
	1" x 1" x 3/4"	"	161	161	169	
	1-1/2" x 1-1/2" x 1"	"	251	251	263	
	2" x 2" x 1"	"	436	436	458	
	1-1/4" x 1-1/4" x 1/2"	"	142	142	149	
	1-1/4" x 1-1/4" x 1"	"	153	153	161	
	2" x 2" x 1/2"	"	428	428	450	
	1" x 1" x 1/2"	"	100	100	105	
	CPVC Brass FPT Tee	रोटर				
	1/2" x 1/2" x 1/2"	"	120	120	126	
	3/4" x 3/4" x 1/2"	"	125	125	131	



	1" x 1" x 1/2"	॥	139	139	140
	1-1/4" x 1-1/4" x 1-1/4"	॥	501	501	520
	1-1/4" x 1-1/4" x 1/2"	॥	272	272	286
CPVC Elbow 90°		चेंडी			
	1/2"	॥	25	25	27
	3/4"	॥	52	52	55
	1"	॥	95	95	100
	1-1/4"	॥	179	179	188
	1-1/2"	॥	267	267	281
	2"	॥	572	572	601
CPVC Reducer Elbow 90°					
	3/4" X 1/2"		53	53	56
CPVC Brass FPT Elbow 90°		चेंडी			
	1/2" x 1/2"	॥	84	84	88
	3/4" x 1/2"	॥	97	97	102
	3/4" x 3/4"	॥	111	111	117
	1" X 1/2"	॥	215	215	225
	1" X 1"	॥	596	596	626
	1-1/4" x 1-1/4"	॥	774	774	813
CPVC Elbow 45°		चेंडी			
	1/2"	॥	30	30	31
	3/4"	॥	54	54	57
	1"	॥	77	77	81
	1-1/4"	॥	136	136	143
	1-1/2"	॥	197	197	207
	2"	॥	427	427	448
CPVC Male Adapter (CPVC Threads)		चेंडी			
	1/2"	॥	22	22	23
	3/4"	॥	39	39	41
	1"	॥	59	59	62
	1-1/4"	॥	106	106	111
	1-1/2"	॥	149	149	156
	2"	॥	290	290	305
CPVC Reducing Male Adapter (CPVC Threads)		चेंडी			
	3/4" x 1/2"	॥	41	41	43
CPVC Male Adapters (Brass Threads)					
	1/2"	॥	206	206	216
	3/4"	॥	267	267	280
	1"	॥	421	421	443
	1-1/4"	॥	926	926	973
	1-1/2"	॥	1080	1080	1134
	2"	॥	2224	2224	2335
CPVC Reducing Male Adapter (Brass Threads)					
	3/4" x 1/2"	॥	229	229	241
CPVC Female Adapter (CPVC Threads)					
	1/2"		31	31	32
	3/4"		51	51	54
	1"		77	77	80
CPVC Female Adapters Brass Threads		चेंडी			
	1/2"	॥	198	198	208
	3/4"	॥	269	269	282
	1"	॥	349	349	367
	1-1/4"	॥	917	917	963
	1-1/2"	॥	1020	1020	1071
	2"	॥	1994	1994	2093
CPVC Caps					
	1/2"	॥	13	13	14
	3/4"	॥	25	25	26
	1"	॥	37	37	39

Page 16

	1-1/4"	"	72	72	76	
	1-1/2"	"	106	106	111	
	2"	"	225	225	237	
CPVC Union						
	1/2"	"	270	270	284	
	3/4"	"	398	398	418	
	1"	"	471	471	495	
	1-1/4"	"	862	862	905	
	1-1/2"	"	942	942	990	
	2"	"	1352	1352	1430	
CPVC Cross Tee						
	1/2"	"	49	49	51	
	3/4"	"	106	106	111	
CPVC Step Over Band						
	1/2"	"	63	63	66	
	3/4"	"	104	104	109	
CPVC Ball Valve (CTS Sockets)						
	1/2"	"	661	661	694	
	3/4"	"	805	805	846	
	1"	"	921	921	967	
	1-1/4"	"	1879	1879	1973	
	1-1/2"	"	2391	2391	2510	
	2"	"	3075	3075	3219	
CPVC Flow Guard Adhesive Solution						
	60ML	"	199	199	209	
	118ML	"	329	329	346	
	227ML	"	533	533	559	
	473ML	"	838	838	880	
	940ML	"	1471	1471	1545	
Plastic Strap						
	1/2"	"	5	5	5	
	3/4"	"	5	5	6	
	1"	"	8	8	8	
	1-1/4"	"	11	11	12	
	1-1/2"	"	15	15	15	
	2"	"	18	18	19	
Metal Strap						
	1/2"	"	13	13	14	
	3/4"	"	16	16	17	
	1"	"	21	21	22	
	1-1/4"	"	25	25	26	
	1-1/2"	"	27	27	28	
	2"	"	29	29	31	
Tee Holder						
	1/2" X 1/2" X 1/2"	"	5	5	6	
	3/4" X 3/4" X 1/2"	"	8	8	8	
Elbow Holder						
	1/2" X 1/2"	"	5	5	6	
	1/2" X 3/4"	"	7	7	7	
Snap Fix Repair Coupling						
	1/2"	"	229	229	241	
	3/4"	"	248	248	261	
End plug threaded 1/2"						
		"	11	11	12	
21 MS SEAMLESS PIPES						
-PIPES: ASTM-A-106 Gr.'B'/SA-1106Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239						
MS PIPE SEAMLESS SIZE OD (MM)						
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	"	420	420	441	


 नुवाकोट जिल्ला
 प्रशासनिक कार्यालय
 काठमाडौं

26.1mm OD 3/4" SCH.40, 2.87 mm thickness	"	503	503	528	
33.4 mm OD 1" SCH.40, 3.38mm thickness	"	631	631	662	
42.2mm OD 1 1/4" SCH.40, 3.56mm thickness	"	778	778	817	
48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	"	890	890	935	
60.3mm OD 2" SCH.40, 3.91 mm thickness	"	1144	1144	1201	
73mm OD 3" SCH.40, 5.16 mm thickness	"	1757	1757	1845	
88.9mm OD 3.5" SCH.40, 5.49 mm thickness	"	2300	2300	2415	
101.6mm OD 4" SCH.40, 5.74 mm thickness	"	2972	2972	3121	
114.3mm OD 5" SCH.40, 6.02 mm thickness	"	3275	3275	3438	
141.3mm OD 6" SCH.40, 6.557 mm thickness	"	4434	4434	4656	
168.3mm OD 8" SCH.40, 7.11 mm thickness	"	5756	5756	6044	
22 ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)					
Single Socket (R/R)	Mr	410	410	410	
Single Socket (R/R)	"	762	762	762	
Single Socket (R/R)	"	821	821	821	
Single Socket Self Fit	"	1058	1058	1058	
Single Socket Self Fit	"	1294	1294	1294	
Single Socket Self Fit	"	1778	1778	1778	
Single Socket Self Fit	"	2093	2093	2093	
Single Socket Self Fit	"	2795	2795	2795	
Single Socket Self Fit	"	3331	3331	3331	
Long Radius Bend - 45 Degree	Pe	1083	1083	1083	
Long Radius Bend - 45 Degree	"	1977	1977	1977	
Long Radius Bend - 45 Degree	"	3569	3569	3569	
Long Radius Bend - 45 Degree	"	6921	6921	6921	
Long Radius Bend - 60 Degree	"	1193	1193	1193	
Long Radius Bend - 60 Degree	"	2186	2186	2186	
Long Radius Bend - 60 Degree	"	4010	4010	4010	
Long Radius Bend - 60 Degree	"	7593	7593	7593	
Long Radius Bend - 90 Degree	"	585	585	585	
Long Radius Bend - 90 Degree	"	1413	1413	1413	
Long Radius Bend - 90 Degree	"	2606	2606	2606	
Long Radius Bend - 90 Degree	"	4874	4874	4874	
Long Radius Bend - 90 Degree	"	8980	8980	8980	
Fab. Coupler	"	168	168	168	
Fab. Coupler	"	404	404	404	
Fab. Coupler	"	869	869	869	
Fab. Coupler	"	1700	1700	1700	
Fab. Coupler	"	3127	3127	3127	
End Cap	"	360	360	360	
End Cap	"	592	592	592	
End Cap	"	945	945	945	
End Cap	"	1380	1380	1380	
Equal Tee	"	10303	10303	10303	
Equal Tee	"	5929	5929	5929	
Equal Tee	"	3291	3291	3291	
Gully Trap with grating	"	962	962	962	
Rodding Point	"	570	570	570	
Adjustable Bend 7 Degree to 37.5 Degree	"	608	608	608	
Adjustable Bend 7 Degree to 37.5 Degree	"	834	834	834	
Inspection Chamber Body	"	3000	3000	3000	

नेपाल सरकार
गृह मन्त्रालय
सिन्धुली प्रशासन कार्यालय
नुवाकोट

	Inspection Chamber Riser	"	1490	1490	1490
	Inspection Chamber Lid with Cover	"	2829	2829	2829
	Inspection Chamber Body	"	8284	8284	8284
	Inspection Chamber Riser	"	2634	2634	2634
	Inspection Chamber Lid with Cover	"	4395	4395	4395
23	GEBERIT				
	Geberit Products				
	Concealed Cisterns 9cm	"	7431	7431	7431
	Concealed Cisterns Kombo fix 8cm	"	9103	9103	9103
	Dual Flush Actuator Plate Shiny Chrome	"	3646	3646	3646
	Concealed Cisterns 12cm	"	9140	9140	9140
	Dual Flush Actuator Plate Shiny Chrome	"	3646	3646	3646
	Traps for Wash Basins	"	1004	1004	1004
	Sensor for Urinal 9V DC	"	25764	25764	25764
	Sensor for Urinal 230V AC	"	25764	25764	25764
	control box for urinal sensor	"	7078	7078	7078
	Sensor Faucet Cold / Mixed water 6V DC	"	32159	32159	32159
	Sensor Faucet Cold / Mixed water 230V AC	"	32159	32159	32159
24	PVC Lead Free White Pipes SCHEDULE 40				
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 40 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564				
	PVC Lead Free White Pipes SCH 40 (..... Kg/cm ²)	m.			
	1/2" dia. (42.19 Kg/cm ²)	"	114	114	120
	3/4" dia. (33.75 Kg/cm ²)	"	147	147	154
	1" dia. (21.64 Kg/cm ²)	"	226	226	237
	1-1/4" dia. (26.01 Kg/cm ²)	"	279	279	293
	1-1/2" dia. (23.20 Kg/cm ²)	"	342	342	359
	2" dia. (19.60 Kg/cm ²)	"	485	485	509
	2-1/2" dia. (21.09 Kg/cm ²)	"	678	678	712
	3" dia. (18.28 Kg/cm ²)	"	856	856	899
	4" dia. (15.47 Kg/cm ²)	"	1256	1256	1319
	6" dia. (12.68 Kg/cm ²)	"	2616	2616	2747
	PVC Tee - Soc	रोटर			
	1/2"	"	32	32	33
	3/4"	"	44	44	46
	1"	"	69	69	73
	1-1/4"	"	109	109	114
	1-1/2"	"	143	143	150
	2"	"	221	221	232
	2-1/2"	"	633	633	664
	3"	"	831	831	872
	4"	"	1503	1503	1578
	6"	"	8336	8336	8753
	PVC Reducer Tee - Soc	रोटर			
	3/4 x 1/2	"	63	63	66
	1 x 1/2	"	97	97	102
	1 x 3/4	"	97	97	102
	1-1/2 x 1/2	"	329	329	346
	1-1/2 x 3/4	"	329	329	346
	1-1/2 x 1	"	329	329	346
	1-1/2 x 1-1/4	"	329	329	346
	2 x 1/2	"	406	406	426
	2 x 3/4	"	406	406	426
	2 x 1	"	406	406	426



2 X 1-1/4"	"	406	406	426	
2 X 1-1/2"	"	406	406	426	
2-1/2 X 1/2"	"	1043	1043	1095	
2-1/2 X 3/4"	"	1043	1043	1095	
2-1/2 X 1"	"	1043	1043	1095	
2-1/2 X 1-1/4"	"	1043	1043	1095	
2-1/2 X 1-1/2"	"	1043	1043	1095	
2-1/2 X 2"	"	1043	1043	1095	
3 X 1/2"	"	1523	1523	1599	
3 X 3/4"	"	1523	1523	1599	
3 X 1"	"	1523	1523	1599	
3 X 1-1/4"	"	1523	1523	1599	
3 X 1-1/2"	"	1523	1523	1599	
3 X 2"	"	1523	1523	1599	
3 X 2-1/2"	"	1523	1523	1599	
6 X 1-1/4"	"	8007	8007	8408	
6 X 1-1/2"	"	8007	8007	8408	
6 X 2"	"	8007	8007	8408	
6 X 2-1/2"	"	8007	8007	8408	
6 X 3"	"	8007	8007	8408	
6 X 4"	"	8007	8007	8408	
PVC Brass Tee - Soc x Flt SCH 80		रीट			
1/2"	"	161	161	169	
3/4"	"	292	292	306	
3/4" X 1/2"	"	237	237	249	
1" X 1/2"	"	420	420	441	
PVC 90° Elbow - Soc		रीट			
1/2"	"	26	26	27	
3/4"	"	30	30	31	
1"	"	53	53	56	
1-1/4"	"	93	93	97	
1-1/2"	"	109	109	114	
2"	"	167	167	176	
2-1/2"	"	496	496	521	
3"	"	594	594	624	
4"	"	1216	1216	1277	
6"	"	5121	5121	5377	
PVC Brass 90° Elbow Soc x Flt SCH 80		रीट			
1/2"	"	173	173	181	
3/4"	"	242	242	254	
3/4" X 1/2"	"	250	250	263	
PVC 45° Elbow - Soc		रीट			
1/2"	"	55	55	58	
3/4"	"	86	86	90	
1"	"	102	102	107	
1-1/4"	"	143	143	150	
1-1/2"	"	180	180	189	
2"	"	234	234	246	
2-1/2"	"	669	669	702	
3"	"	1040	1040	1091	
4"	"	1866	1866	1959	
6"	"	5135	5135	5392	
PVC Coupling - Soc		रीट			
1/2"	"	17	17	18	
3/4"	"	26	26	27	
1"	"	41	41	43	
1-1/4"	"	56	56	59	
1-1/2"	"	76	76	79	



	2"	"	117	117	123
	2-1/2"	"	247	247	259
	3"	"	386	386	405
	4"	"	604	604	634
	6"	"	2420	2420	2541
PVC Reducer Coupling - Soc		मीटर			
	3/4 X 1/2	"	42	42	44
	1 X 3/4	"	73	73	77
	1-1/2 X 1-1/4	"	131	131	137
	2 X 1-1/2	"	208	208	218
	4 X 2	"	1392	1392	1462
	4 X 3	"	1392	1392	1462
	6 X 4	"	2895	2895	3040
PVC Reducer Bushing - (Flush Style)		मीटर			
	3/4 X 1/2	"	35	35	37
	1 X 1/2	"	50	50	52
	1 X 3/4	"	50	50	52
	1-1/4 X 1/2	"	86	86	90
	1-1/4 X 3/4	"	86	86	90
	1-1/4 X 1	"	86	86	90
	1-1/2 X 1/2	"	90	90	95
	1-1/2 X 3/4	"	90	90	95
	1-1/2 X 1	"	90	90	95
	1-1/2 X 1-1/4	"	90	90	95
	2 X 1/2	"	165	165	173
	2 X 3/4	"	165	165	173
	2 X 1	"	165	165	173
	2 X 1-1/4	"	165	165	173
	2 X 1-1/2	"	165	165	173
	2-1/2 X 1-1/4	"	232	232	244
	2-1/2 X 1-1/2	"	232	232	244
	2-1/2 X 2	"	232	232	244
	3 X 1-1/2	"	344	344	361
	3 X 2	"	344	344	361
	3 X 2-1/2	"	344	344	361
	4 X 2	"	676	676	710
	4 X 3	"	676	676	710
	6 X 2	"	2271	2271	2384
	6 X 3	"	2271	2271	2384
	6 X 4	"	2271	2271	2384
PVC Cap - Soc		मीटर			
	1/2"	"	24	24	26
	3/4"	"	30	30	31
	1"	"	42	42	44
	1-1/4"	"	60	60	63
	1-1/2"	"	66	66	69
	2"	"	79	79	83
	2-1/2"	"	254	254	266
	3"	"	278	278	292
	4"	"	633	633	664
	6"	"	2498	2498	2623
PVC Union - Soc With EPDM O-Ring Seal		मीटर			
	1/2"	"	254	254	266
	3/4"	"	291	291	305
	1"	"	298	298	313
	1-1/4"	"	960	960	1008
	1-1/2"	"	1001	1001	1051
	2"	"	1350	1350	1418



Handwritten signatures and initials at the bottom left of the page.

Handwritten signatures and initials at the bottom right of the page.

	2-1/2"	"	1189	1889	1984	
	3"	"	3018	3018	3169	
	4"	"	4178	4178	4387	
	PVC Male Adaptor - Soc x MBSP		रुपैया			
	1/2"	"	46	46	48	
	3/4"	"	54	54	57	
	1"	"	71	71	75	
	1-1/4"	"	87	87	92	
	1-1/2"	"	121	121	127	
	2"	"	156	156	163	
	2-1/2"	"	543	543	573	
	3"	"	648	648	680	
	4"	"	1025	1025	1076	
	6"	"	2359	2359	2477	
	PVC Brass Male Adapter - Soc x Flpt SCH 80		रुपैया			
	1/2"	"	262	262	275	
	3/4"	"	350	350	368	
	1"	"	527	527	553	
	PVC Female Adaptor - Soc x FBSP		रुपैया			
	1/2"	"	59	59	62	
	3/4"	"	61	61	64	
	1"	"	64	64	67	
	1-1/4"	"	167	167	175	
	1-1/2"	"	245	245	257	
	2"	"	238	238	249	
	PVC Brass Female Adapter - Soc x Flpt SCH 80		रुपैया			
	1/2"	"	239	239	231	
	3/4"	"	311	311	327	
	1"	"	399	399	419	
	PVC Ball Valve - Soc		रुपैया			
	1/2"	"	881	881	925	
	3/4"	"	1048	1048	1100	
	1"	"	1466	1466	1539	
	1-1/4"	"	1985	1985	2084	
	1-1/2"	"	3027	3027	3178	
	2"	"	3828	3828	4019	
	2-1/2"	"	6323	6323	6640	
	3"	"	10018	10018	10519	
	4"	"	16556	16556	17383	
	6"	"	35961	35961	37759	
	PVC Adhesive Solution (Med. Bonded 705)		रुपैया			
	118ML	"	306	306	321	
	237ML	"	439	439	461	
	473ML	"	795	795	834	
	946ML	"	1308	1308	1373	
	PVC Adhesive Solution (Heavy Bonded 717)		रुपैया			
	118ML	"	492	492	517	
	237ML	"	649	649	681	
	473ML	"	1138	1138	1194	
	946ML	"	1969	1969	2068	
25	Rainwater Collection System sintex or Prince Brand Roof)					
	140 mm Dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.		Rm.	159	159	167

JOINT BRACKET To connect two lengths of roof water	Pc.	257	257	269	
RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	352	352	360	
90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	432	432	454	
90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	432	432	454	
SHORT STOP END To close the end of roof water pipe line.	Pc.	95	95	100	
STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	305	305	320	
SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	77	77	80	
TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	50	50	53	
CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	32	32	33	
RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	77	77	81	
RUBBER GASKET To provide leak proof joints.	Pc.	30	30	31	
75 mm dia.					
PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	63	63	66	
RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	38	38	40	
SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	126	126	132	
180 mm dia.					
ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	302	302	317	
JOINT BRACKET To connect two lengths of roof water	Pc.	358	358	376	
RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	518	518	543	
90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	592	592	622	



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	592	592	622	
SHORT STOP END To close the end of roof water pipe line.	Pc.	140	140	147	
STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water.	Pc.	424	424	445	
SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	108	108	113	
TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	91	91	95	
CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	51	51	54	
RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	110	110	115	
RUBBER GASKET To provide leak proof joints.	Pc.	41	41	43	
110 mm dia.				0	
PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	68	68	72	
RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	44	44	46	
SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	243	243	255	
250 mm dia.					
ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	585	585	614	
JOINT BRACKET To connect two lengths of roof water	Pc.	614	614	644	
RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	965	965	1013	
90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1387	1387	1456	
90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1387	1387	1456	
SHORT STOP END To close the end of roof water pipe line.	Pc.	302	302	317	
STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	802	802	842	
SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	300	300	315	
TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	164	164	172	



नेपाल सरकार
नगर प्रशासन
नगर कार्यलय
नुवाकोट

Handwritten signatures and dates: 25/12/2072, 28/12/2072, 29/12/2072

Handwritten signature: 29/12/2072

CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	122	122	138	
RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	318	318	334	
RUBBER GASKET To provide leak proof joints.	Pc.	166	166	174	
160 mm dia.					
PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	82	82	86	
RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	191	191	200	
SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	437	437	459	
ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems					
ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY					
FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	247	247	259	
FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	438	438	459	
FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	262	262	275	
FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	470	470	494	
FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	447	447	470	
FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	673	673	707	
FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	473	473	497	
FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	696	696	731	
FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	959	959	1007	
FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1196	1196	1256	
FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1022	1022	1073	
FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1350	1350	1418	
ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY					
DWV Bend 45 Degree 75 mm size	pcs	140	140	147	
DWV Bend 87.5 Degree	"	177	177	186	
DWV Bend 87.5 Degree with Door	"	81	81	85	
DWV Socket Plug	"	189	189	199	
DWV Cleaning Pipe	"	114	114	120	
DWV Coupler	"	202	202	212	
DWV Single Tee	"	222	222	233	
DWV Single Tee with Door	"	349	349	367	
DWV Cross Tee	"	491	491	516	
DWV Cross Tee with Door	"	361	361	379	
DWV Double "Y"	"	481	481	505	
DWV Double "Y" with Door	"	226	226	237	
DWV Single "Y"	"	288	288	302	
DWV Single "Y" with Door	"	12	12	12	
DWV Pipe Clip	"	25	25	26	
DWV Vent Cover	"	230	230	241	
DWV Bend 45 Degree 110mm size	"	282	282	296	
DWV Bend 87.5 Degree	"	323	323	339	
DWV Bend 87.5 Degree with Door	"	103	103	108	



DWV Socket Plug	"	370	370	389	
DWV Cleansing Pipe	"	206	206	216	
DWV Coupler	"	684	684	718	
DWV Double 'Y'	"	808	808	848	
DWV Double 'Y' with Door	"	566	566	595	
DWV Cross Tee	"	642	642	674	
DWV Cross Tee with Door	"	370	370	389	
DWV Single Tee	"	437	437	458	
DWV Single Tee with Door	"	453	453	476	
DWV Single 'Y'	"	475	475	499	
DWV Single 'Y' with Door	"	47	47	49	
DWV Vent Cowl	"	161	161	169	
DWV Reducer 110*75 mm	"	36	36	37	
DWV Pipe Clip size 110mm	"	436	436	457	
DWV W.C. Connectors (Straight type)	"	348	348	366	
DWV W.C. Connectors (Bend type)	"	174	174	183	
DWV Nahani Trap - 3" Height without Jali 75 mm	"	24	24	25	
DWV Nahani Trap Jali	"	539	539	565	
DWV P-Trap with Leap Ring 10*110 mm	"	773	773	812	
DWV P-Trap with Leap Ring 25*110 mm	"	232	232	243	
DWV Multi Floor Trap 4" w/o Jali 75 mm	"	470	470	494	
DWV Reducer 50*110 mm	"	449	449	472	
DWV Coupler size 160mm	"	1077	1077	1131	
DWV Single Tee	"	1157	1157	1215	
DWV Single Tee with Door	"	2016	2016	2116	
DWV Single 'Y'	"	2118	2118	2223	
DWV Single 'Y' with Door	"	742	742	779	
DWV Bend 87.5 Degree	"	988	988	1037	
DWV Bend 87.5 Degree with Door	"	864	864	907	
DWV Bend 45 Degree	"				
FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	584	584	613	
FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	606	606	636	
FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	630	630	661	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	593	593	623	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	604	604	634	
FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1078	1078	1132	
FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1120	1120	1176	
FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1163	1163	1221	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1096	1096	1151	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1116	1116	1172	
FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1688	1688	1772	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1718	1718	1804	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1746	1746	1834	
FOAMCORE Plain Both End (3mtrs length) SN-4	"	2801	2801	2941	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2849	2849	2992	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2899	2899	3044	

	FOAMCORE Plain Both End (3mtrs length) SN-2 515 mm	*	3709	3709	3894	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	*	3773	3773	3962	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	*	3838	3838	4030	
	FOAMCORE Plain Both End (3mtrs length) SN-4	*	4583	4583	4812	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	*	4663	4663	4896	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	*	4743	4743	4980	
	FOAMCORE Plain Both End (5mtrs length) SN-8	*	583	583	612	
	FOAMCORE Single Socket (R/R) (5mtrs length) SN-8	*	598	598	628	
	FOAMCORE Double Socket (R/R) (5mtrs length) SN-8	*	613	613	643	
	FOAMCORE Single Socket Self Fit (5mtrs length) SN-8	*	594	594	624	
	FOAMCORE Double Socket Self Fit (5mtrs length) SN-8	*	605	605	635	
	FOAMCORE Plain Both End (6mtrs length) SN-4	*	1077	1077	1131	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	*	1109	1109	1164	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	*	1139	1139	1196	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	*	1097	1097	1152	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	*	1116	1116	1172	
	FOAMCORE Plain Both End (6mtrs length) SN-4	*	1688	1688	1772	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	*	1718	1718	1804	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	*	1747	1747	1835	
	FOAMCORE Plain Both End (6mtrs length) SN-4	*	2801	2801	2941	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	*	2849	2849	2992	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	*	2898	2898	3043	
	FOAMCORE Plain Both End (6mtrs length) SN-2	*	3709	3709	3894	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	*	3773	3773	3962	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	*	3838	3838	4030	
	FOAMCORE Plain Both End (6mtrs length) SN-4	*	4583	4583	4812	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	*	4663	4663	4896	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	*	4743	4743	4980	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	DWV Coupler SN-8 110mm	per pc	294	294	309	
	DWV Coupler SN-4 160 mm	*	708	708	743	
	DWV Coupler SN-4 200 mm	*	1447	1447	1520	
	DWV Coupler SN-4 250 mm	*	2697	2697	2832	
	DWV Coupler SN-2 315mm	*	4338	4338	4555	
	DWV Coupler SN-4 315 mm	*	4736	4736	4973	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	*	1001	1001	1051	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	*	2787	2787	2926	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	*	5205	5205	5465	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	*	11668	11668	12251	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	*	27705	27705	29090	
26	Multilayer Composite Pipe (Sanghai, or eqv.)					
	Cold Water Pipe (White)					
	12-16 mm 1/2"	Rm	101	101	101	
	14-18 mm 3/4"	*	111	111	111	
	16-20 mm 1"	*	119	119	119	



नेपाल सरकार
गृह विभाग
काठमाडौं
२०७३

20-25 mm 3/4"	"	180	180	180
26-32 mm 1"	"	281	281	281
32-40 mm 1 1/4"	"	446	446	446
41-50 mm 1 1/2"	"	653	653	653
Hot Water Pipe (Orange)				
12-16 mm 1/2"	Rm	111	111	111
14-18 mm 3/4"	"	123	123	123
16-20 mm 1"	"	141	141	141
20-25 mm 1 1/4"	"	208	208	208
26-32 mm 1"	"	302	302	302
32-40 mm 1 1/4"	"	465	465	465
Gas Lines Pipe (Yellow)				
12-16 mm 1/2"	Rm	87	87	87
14-18 mm 3/4"	"	87	87	87
MULTILAYER COMPOSITE Fittings				
a. Equal Straight Union				
1/2"ø (16mm ø)	मीटर	133	133	133
1/2"ø (18mm ø)	"	140	140	140
1/2"ø (20mm ø)	"	154	154	154
3/4"ø (25 mm ø)	"	225	225	225
1"ø (32 mm ø)	"	351	351	351
1 1/4"ø (40 mm ø)	"	1296	1296	1296
1 1/2"ø (50 mm ø)	"	1958	1958	1958
b. Unequal Straight Union				
25 - 16 mm ø	"	252	252	252
25 - 18 mm ø	"	261	261	261
25 - 20 mm ø	"	275	275	275
32 - 16 mm ø	"	338	338	338
32 - 18 mm ø	"	356	356	356
32 - 20 mm ø	"	383	383	383
32 - 25 mm ø	"	410	410	410
40 - 32 mm ø	"	1121	1121	1121
50 - 20 mm ø	"	1634	1634	1634
50 - 32 mm ø	"	1958	1958	1958
50 - 40 mm ø	"	1845	1845	1845
c. Male Union				
16mm x 1/2"M	मीटर	95	95	95
18mm x 1/2"M	"	110	110	110
20mm x 1/2"M	"	126	126	126
25mm x 1/2"M	"	153	153	153
25mm x 3/4"M	"	194	194	194
25mm x 1"M	"	248	248	248
32mm x 3/4"M	"	284	284	284
32mm x 1"M	"	311	311	311
32mm x 1 1/2"M	"	315	315	315
40mm x 1"M	"	995	995	995
40mm x 1 1/2"M	"	1030	1030	1030
50mm x 1"M	"	1563	1563	1563
50mm x 1 1/4"M	"	1590	1590	1590
50mm x 1 1/2"M	"	2160	2160	2160
50mm x 2"M	"	1623	1623	1623
d. Female Straight Union				
16mm x 1/2"F	मीटर	104	104	104
18mm x 1/2"F	"	113	113	113
20mm x 1/2"F	"	122	122	122
25mm x 1/2"F	"	162	162	162
25mm x 3/4"F	"	194	194	194
25mm x 1"F	"	198	198	198
32mm x 1/2"F	"	203	203	203
32mm x 3/4"F	"	207	207	207
32mm x 1"F	"	293	293	293
40mm x 1 1/2"F	"	1168	1168	1168
50mm x 1 1/2"F	"	1575	1575	1575
50mm x 1 1/4"F	"	2160	2160	2160
50mm x 2"F	"	1638	1638	1638
e. Equal Elbow				
1/2"ø (16mm ø)	मीटर	126	126	126
1/2"ø (18mm ø)	"	153	153	153
1/2"ø (20mm ø)	"	207	207	207



पञ्चांग
पञ्चांग
पञ्चांग
पञ्चांग
पञ्चांग

50mm x 2.5						
e. Equal Elbow						
1/2"ø (16mm ø)	126	126	126			
3/4"ø (18mm ø)	153	153	153			
1"ø (20mm ø)	207	207	207			

Handwritten signatures and notes are present below the table.

	3/4" o (25 mm o)	"	315	315	315
	1" o (32 mm o)	"	509	509	509
	1 1/4" o (40 mm o)	"	1656	1656	1656
	1 1/2" o (50 mm o)	"	2565	2565	2565
f. Unequal Elbow					
	40 - 32 mm o	"	1836	1836	1836
	50 - 20 mm o	"	2115	2115	2115
	50 - 40 mm o	"	2156	2156	2156
g. Female Elbow					
	16mm x 1/2"F	थेडा	167	167	167
	18mm x 1/2"F	"	185	185	185
	20mm x 1/2"F	"	203	203	203
	25mm x 1/2"F	"	225	225	225
	25mm x 3/4"F	"	279	279	279
	25mm x 1"F	"	306	306	306
	32mm x 3/4"F	"	329	329	329
	32mm x 1"F	"	410	410	410
	50mm x 1 1/4"F	"	2115	2115	2115
h. Male Elbow					
	25mm x 3/4"M	"	225	225	225
	25mm x 1"M	"	293	293	293
	32mm x 3/4"M	"	221	221	221
	32mm x 1"M	"	374	374	374
	40mm x 1"M	"	1215	1215	1215
	50mm x 1 1/4"M	"	1732	1732	1732
i. Equal Tee					
	1/2"o (16mm o)	थेडा	225	225	225
	1/2"o (18mm o)	"	252	252	252
	1/2"o (20mm o)	"	315	315	315
	3/4" o (25 mm o)	"	455	455	455
	1" o (32 mm o)	"	711	711	711
	1 1/4" o (40 mm o)	"	2658	2658	2658
	1 1/2" o (50 mm o)	"	3884	3884	3884
j. Unequal Tee					
	20 mm x 16 mm x 20 mm	"	203	203	203
	20 mm x 18 mm x 20 mm	"	225	225	225
	25 mm x 16 mm x 25 mm	"	338	338	338
	25 mm x 18 mm x 25 mm	"	383	383	383
	25 mm x 20 mm x 25 mm	"	396	396	396
	32 mm x 16 mm x 32 mm	"	653	653	653
	32 mm x 18 mm x 32 mm	"	675	675	675
	32 mm x 20 mm x 32 mm	"	702	702	702
	32 mm x 25 mm x 32 mm	"	720	720	720
	40 mm x 32 mm x 32 mm	"	1967	1967	1967
	40 mm x 32 mm x 40 mm	"	2278	2278	2278
	50 mm x 20 mm x 50 mm	"	3105	3105	3105
	50 mm x 32 mm x 32 mm	"	2047	2047	2047
	50 mm x 32 mm x 50 mm	"	3137	3137	3137
	50 mm x 40 mm x 40 mm	"	3147	3147	3147
	50 mm x 40 mm x 50 mm	"	3595	3595	3595
k. Female Tee					
	16mm x 1/2"F x 16mm	थेडा	225	225	225
	18mm x 1/2"F x 18mm	"	234	234	234
	20mm x 1/2"F x 20mm	"	252	252	252
	25mm x 1/2"F x 25mm	"	237	237	237
	25mm x 3/4"F x 25mm	"	261	261	261
	25mm x 1"F x 25mm	"	338	338	338
	32mm x 1/2"F x 32mm	"	365	365	365
	32mm x 3/4"F x 32mm	"	374	374	374
	32mm x 1"F x 32mm	"	507	507	507
	40mm x 3/4"F x 32mm	"	1496	1496	1496
	50mm x 3/4"F x 40mm	"	2219	2219	2219
l. Equal Ball Valve Union					
	1/2"o (16mm o)	थेडा	262	262	262
	1/2"o (18mm o)	"	291	291	291
	1/2"o (20mm o)	"	383	383	383
	3/4" o (25 mm o)	"	635	635	635
	1" o (32 mm o)	"	882	882	882
	1 1/4" o (40 mm o)	"	2882	2882	2882



[Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.]

	1½" ø (50 mm ø)	"	4159	4159	4159
m. Female Ball Valve Union					
	16mm x ½"F	संख्या	244	244	244
	18mm x ½"F	"	280	280	280
	20mm x ½"F	"	313	313	313
	20mm x ¾"F	"	351	351	351
	25mm x ¾"F	"	653	653	653
	25mm x 1"F	"	666	666	666
	32mm x 1"F	"	702	702	702
n. Plug					
	1½" ø (40 mm ø)	"	1440	1440	1440
	1½" ø (50 mm ø)	"	1980	1980	1980
p. Wall Plated Female Elbow					
	16mm x ½"F	संख्या	189	189	189
	18mm x ½"F	"	207	207	207
	20mm x ½"F	"	225	225	225
q. Nipple					
	N 1/2" x 1/2"	संख्या	49	49	49
	N 1/2" x 1/2"	"	49	49	49
	N 3/4" x 1/2"	"	68	68	68
	N 1" x 1/2"	"	77	77	77
	N 1" x 3/4"	"	87	87	87
	N 3/4" x 1/2"	"	68	68	68
	N 1" x 1/2"	"	77	77	77
	N 3/4" x 3/4"	"	87	87	87
	N 1/2" x 1/2"	"	59	59	59
	N 1/2" x 3/4"	"	68	68	68
	N 1/2" x 1"	"	107	107	107
	N 1/2" x 3/4"	"	68	68	68
	N 1/2" x 1"	"	112	112	112
	N 3/4" x 3/4"	"	87	87	87
	N 3/4" x 1"	"	96	96	96
	N 1" x 1"	"	127	127	127
27 Supplying laying & jointing of Nepal Plastic (Blue colour slotted) Pvc pipe for different size of Ordinary Boring work by manually					
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि.	486	486	486
	a.2) Failure charge per well	संख्या	1350	1350	1350
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि.	693	693	693
	b.2) Failure charge per well	संख्या	3600	3600	3600
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि.	1323	1323	1323
	c.2) Failure charge per well	संख्या	4680	4680	4680
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि.	1872	1872	1872
	d.2) Failure charge per well	संख्या	5400	5400	5400
	Submersible pump installation fixing position with GI touching wire all complete work	संख्या	1575	1575	1575
28 R.C.C. Hume Pipe & Hume Pipe Collar					
PIPES					
a) NP-2					
	150 mm dia.	र.मि.	592	592	592
	200 mm dia.	"	775	775	775
	250 mm dia.	"	974	974	974
	300 mm dia.	"	1316	1316	1316
	350 mm dia.	"	1459	1459	1459
	375 mm dia.	"	1596	1596	1596
	400 mm dia.	"	1826	1826	1826
	450 mm dia.	"	1938	1938	1938
	500 mm dia.	"	2178	2178	2178
	600 mm dia.	"	2856	2856	2856
	700 mm dia.	"	3749	3749	3749
	750 mm dia.	"	4055	4055	4055



सुदूर पश्चिम प्रदेश
नुवाकोट जिल्ला
नगर कार्यलय
१७७३६

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

800 mm dia.	"	4529	4529	4529	
900 mm dia.	"	6120	6120	6120	
1000 mm dia.	"	7140	7140	7140	
1200 mm dia.	"	8711	8711	8711	
1500 mm dia.	"	18309	18309	18309	
b) NP-3					
150 mm dia.	"	1331	1331	1331	
200 mm dia.	"	1775	1775	1775	
250 mm dia.	"	2224	2224	2224	
300 mm dia.	"	3509	3509	3509	
350 mm dia.	"	3585	3585	3585	
375 mm dia.	"	3825	3825	3825	
400 mm dia.	"	4080	4080	4080	
450 mm dia.	"	4809	4809	4809	
500 mm dia.	"	5110	5110	5110	
600 mm dia.	"	6314	6314	6314	
700 mm dia.	"	7625	7625	7625	
750 mm dia.	"	8762	8762	8762	
800 mm dia.	"	9563	9563	9563	
900 mm dia.	"	12393	12393	12393	
1000 mm dia.	"	13770	13770	13770	
1200 mm dia.	"	16402	16402	16402	
1500 mm dia.	"	25775	25775	25775	
R.C.C. Hume Pipe Collar					
a) NP-2					
150 mm dia.	चौटा	148	148	148	
200 mm dia.	"	194	194	194	
250 mm dia.	"	240	240	240	
300 mm dia.	"	326	326	326	
350 mm dia.	"	357	357	357	
375 mm dia.	"	398	398	398	
400 mm dia.	"	459	459	459	
450 mm dia.	"	485	485	485	
500 mm dia.	"	546	546	546	
600 mm dia.	"	719	719	719	
700 mm dia.	"	938	938	938	
750 mm dia.	"	1010	1010	1010	
800 mm dia.	"	1122	1122	1122	
900 mm dia.	"	1530	1530	1530	
1000 mm dia.	"	1785	1785	1785	
1200 mm dia.	"	2173	2173	2173	
1500 mm dia.	"	4565	4565	4565	
b) NP-3					
150 mm dia.	"	332	332	332	
200 mm dia.	"	444	444	444	



Handwritten signatures and initials are present below the table, including a large signature on the left and several smaller ones on the right.

250 mm dia.	"	556	556	556	
300 mm dia.	"	791	791	791	
350 mm dia.	"	893	893	893	
375 mm dia.	"	949	949	949	
400 mm dia.	"	1020	1020	1020	
450 mm dia.	"	1142	1142	1142	
500 mm dia.	"	1275	1275	1275	
600 mm dia.	"	1371	1371	1371	
700 mm dia.	"	1897	1897	1897	
750 mm dia.	"	2188	2188	2188	
800 mm dia.	"	2387	2387	2387	
900 mm dia.	"	3091	3091	3091	
1000 mm dia.	"	3443	3443	3443	
1200 mm dia.	"	4100	4100	4100	
1500 mm dia.	"	6426	6426	6426	
R.C.C. Spigot Pipes (Socket System)					
a) NP-2					
150 mm dia.	र.दि	-	-	-	
200 mm dia.	"	-	-	-	
250 mm dia.	"	-	-	-	
300 mm dia.	"	-	-	-	
350 mm dia.	"	-	-	-	
400 mm dia.	"	-	-	-	
450 mm dia.	"	-	-	-	
500 mm dia.	"	-	-	-	
600 mm dia.	"	-	-	-	
700 mm dia.	"	-	-	-	
750 mm dia.	"	-	-	-	
800 mm dia.	"	-	-	-	
900 mm dia.	"	-	-	-	
1000 mm dia.	"	-	-	-	
1200 mm dia.	"	-	-	-	
b) NP-3					
150 mm dia.	र.दि	1505	1505	1505	
200 mm dia.	"	2040	2040	2040	
250 mm dia.	"	2555	2555	2555	
300 mm dia.	"	3672	3672	3672	
350 mm dia.	"	-	-	-	
400 mm dia.	"	4697	4697	4697	
450 mm dia.	"	5273	5273	5273	
500 mm dia.	"	5880	5880	5880	
600 mm dia.	"	7262	7262	7262	
700 mm dia.	"	8772	8772	8772	
800 mm dia.	"	10996	10996	10996	
900 mm dia.	"	14260	14260	14260	
1000 mm dia.	"	15851	15851	15851	
1200 mm dia.	"	18860	18860	18860	
1500 mm dia.	"	30330	30330	30330	
1600 mm dia.	"	34986	34986	34986	
1800 mm dia.	"	46504	46504	46504	



Handwritten signatures and initials are present below the table, including a large signature on the right that appears to read "Dharmendra".

29	High Density Polythene Pipe(PE:100) NS-40				
	Pipes of different sizes, series & pressure as per NS Standard				
	HDPE Pipe	Kg	280	290	290
Double wall Corrugated (SN8) pipes for Sewage and Rain water(Non Pressure Pipes)					
1	100 mm dia	मिटर	520	520	520
2	150mm dia	"	1040	1040	1040
3	200mm dia	"	1560	1560	1560
4	250mm dia	"	1976	1976	1976
5	300mm dia	"	3286	3286	3286
6	400mm dia	"	4233	4233	4233
7	500mm dia	"	5564	5564	5564
8	600mm dia	"	8705	8705	8705
9	800mm dia	"	12870	12870	12870
10	1000mm dia	"	17888	17888	17888
30	UPVC (Pipe NS 206/046				
30.1	A) pipe 2.5 kg /cm ² pressure				
a)	90 mm	रु.मी	141	141	154
b)	110 mm	"	209	209	229
c)	125 mm	"	266	266	292
d)	140 mm	"	328	328	361
e)	160 mm	"	429	429	472
f)	180 mm	"	549	549	604
g)	200 mm	"	671	671	737
30.2	B) PVC Pipe 4 kg / cm ²				
a)	63mm	रु.मी	112	112	122
b)	75 mm	"	154	154	169
c)	90 mm	"	219	219	241
d)	110 mm	"	301	301	331
e)	125 mm	"	415	415	456
f)	140 mm	"	527	527	579
g)	160 mm	"	683	683	750
h)	180 mm	"	877	877	964
i)	200 mm	"	1064	1064	1169
30.3	C) PVC Pipe 6 Kg/ cm ² pressure				
a)	40 mm	रु.मी	66	66	72
b)	50 mm	"	99	99	109
c)	63 mm	"	159	159	174
d)	75 mm	"	222	222	243
e)	90 mm	"	320	320	351
f)	110 mm	"	462	462	508
g)	125 mm	"	616	616	677
h)	140 mm	"	766	766	842
i)	160 mm	"	982	982	1080
j)	180 mm	रु.मी	1252	1252	1377
k)	200 mm	"	1534	1534	1687
30.4	C) PVC Pipe 10 Kg/ cm ² pressure				
a)	20 mm	रु.मी	25	25	27
b)	25 mm	"	40	40	43
c)	32mm	"	65	65	71
a)	40 mm	"	98	98	108
b)	50 mm	"	155	155	170
c)	63 mm	"	246	246	270
d)	75 mm	"	351	351	386
e)	90 mm	"	501	501	550
f)	110 mm	"	742	742	816
g)	125 mm	"	950	950	1045
h)	140 mm	"	1199	1199	1318
i)	160 mm	"	1542	1542	1696
j)	180 mm	"	1966	1966	2162
k)	200 mm	"	2431	2431	2674
30.5	UPVC fittings :				
	Coupler				



50 mm	मेटा	31	31	34
75 mm	"	73	73	82
110 mm	"	128	128	140
Bend 87.5 degree				
50 mm	मेटा	46	46	50
75 mm	"	108	108	119
110 mm	"	200	200	220
Bend 45 degree				
50 mm	मेटा	45	45	49
75 mm	"	88	88	96
110 mm	"	158	158	173
Single Tee				
50 mm	मेटा	68	68	74
75 mm	"	147	147	161
110 mm	"	279	279	306
Pipe clip				
50 mm	मेटा	14	14	15
75 mm	"	28	28	30
110 mm	"	37	37	40
Bend 87.5 degree with door				
75 mm	मेटा	139	139	152
110 mm	"	340	342	365
Single Tee with door				
75 mm	मेटा	198	198	218
110 mm	"	369	369	405
Double Tee				
75 mm	मेटा	322	322	354
110 mm	"	510	510	560
Double Tee with door				
75 mm	मेटा	427	427	470
110 mm	"	662	662	728
Vent cowl				
75 mm	मेटा	53	53	57
110 mm	"	87	87	96
Socket plug				
75 mm	मेटा	66	66	72
110 mm	"	108	108	118
Single "Y"				
75 mm	मेटा	168	168	184
110 mm	"	363	363	399
Single "Y" with door				
75 mm	मेटा	230	230	253
110 mm	"	438	438	481
Double "Y"				
75 mm	मेटा	253	253	278
110 mm	"	499	499	540
Double "Y" with door				
75 mm	मेटा	325	325	357
110 mm	"	523	523	575
Cleaning pipe				
75 mm	"	147	147	162
110 mm	"	284	284	312
Reducer				
110x 75 mm	"	131	131	144
75x50 mm	"	69	69	75
P -Trap				
125mmx110mm	"	539	539	592
110mmx110mm	"	505	505	556
75mmx75mm	"	193	193	212
Multi-Floor -Trap				
110mmx75mm	"	280	280	308
Nahani-Trap				
110mmx75mm	"	255	255	280



नेपाल सरकार
गृह मन्त्रालय
सिन्धु बजार, काठमाडौं
चौमाली

	W.C. Connector (bent type)	"	261	261	286
	Square tile with jali	"	84	84	91
	Round jali	"	38	38	42
	End cap 50mm	"	25	25	27
31.0	G.I Pipe threaded, 6 m. length w/o Cap				
	a) Light class				
	i. ½" (15 mm)	र.पी	134	134	147
	ii. ¾" (20 mm)	"	184	184	202
	iii. 1" (25 mm)	"	259	259	284
	iv. 1 ¼" (32 mm)	"	333	333	366
	v. 1 ½" (40 mm)	"	413	413	453
	vi. 2" (50 mm)	"	632	632	694
	vii. 2 ½" (65 mm)	"	719	719	790
	viii. 3" (80 mm)	"	845	845	929
	ix. 4" (100 mm)	"	1215	1215	1336
	x. 5" (125 mm)	"	1843	1843	2027
	xi. 6" (150 mm)	"	2266	2266	2492
	xii. 8" (200 mm)	"	3265	3265	3591
	b) Medium class				
	i. ½" (15 mm)	र.पी	164	164	180
	ii. ¾" (20 mm)	"	206	206	226
	iii. 1" (25 mm)	"	314	314	345
	iv. 1 ¼" (32 mm)	"	410	410	451
	v. 1 ½" (40 mm)	र.मि	471	471	518
	vi. 2" (50 mm)	"	646	646	710
	vii. 2 ½" (65 mm)	"	827	827	909
	viii. 3" (80 mm)	"	1027	1027	1129
	ix. 4" (100 mm)	"	1994	1994	2193
	x. 5" (125 mm)	"	2973	2973	3280
	xi. 6" (150 mm)	"	2508	2508	2759
	xii. 8" (200 mm)	"	3835	3835	4218
	c) Heavy duty				
	i. ½" (15 mm)	र.मि	195	195	214
	ii. ¾" (20 mm)	"	244	244	267
	iii. 1" (25 mm)	"	346	346	380
	iv. 1 ¼" (32 mm)	"	471	471	518
	v. 1 ½" (40 mm)	"	544	544	598
	vi. 2" (50 mm)	"	799	799	879
	vii. 2 ½" (65 mm)	"	998	998	1097
	viii. 3" (80 mm)	"	1177	1177	1294
	ix. 4" (100 mm)	"	1811	1811	1992
	x. 5" (125 mm)	"	2336	2336	2569
	xi. 6" (150 mm)	"	2188	2188	2384
	xii. 8" (200 mm)	"	4075	4075	4482
32.0	G.I. Pipe fittings ISI or NS Standard				
	a) G.M. Gate valve				
	i. ½"	बोर	970	970	970
	ii. ¾"	"	1208	1208	1208
	iii. 1"	"	1945	1945	1945
	iv. 1 ¼"	"	2775	2775	2775
	v. 1 ½"	"	3495	3495	3495
	vi. 2"	"	5565	5565	5565
	vii. 2 ½"	"	11506	11506	11506
	viii. 3"	"	14306	14306	14306
	ix. 4"	"	23432	23432	23432
	b) G.M Check valve				
	i. ½"	बोर	900	900	900
	ii. ¾"	"	1210	1210	1210
	iii. 1"	"	1790	1790	1790
	iv. 1 ¼"	"	2645	2645	2645
	v. 1 ½"	"	3060	3060	3060



vi.	2"	"	5073	5073	5073
vii.	2 1/2"	"	10311	10311	10311
viii.	3"	"	13771	13771	13771
ix.	4"	"	19461	19461	19461
e) G.I. Elbow					
i.	1/2"	सीट	52	52	52
ii.	3/4"	"	94	94	94
iii.	1"	"	147	147	147
iv.	1 1/4"	"	221	221	221
v.	1 1/2"	"	312	312	312
vi.	2"	"	468	468	468
vii.	2 1/2"	"	812	812	812
viii.	3"	"	1263	1263	1263
ix.	4"	"	2176	2176	2176
x.	5"	"	5387	5387	5387
xi.	6"	"	6483	6483	6483
d) G.I. Tee					
i.	1/2"	सीट	81	81	81
ii.	3/4"	"	128	128	128
iii.	1"	"	187	187	187
iv.	1 1/4"	"	299	299	299
v.	1 1/2"	"	413	413	413
vi.	2"	"	676	676	676
vii.	2 1/2"	"	1062	1062	1062
viii.	3"	"	1436	1436	1436
ix.	4"	"	2609	2609	2609
x.	5"	"	7220	7220	7220
xi.	6"	"	8367	8367	8367
e) G.I. Union					
i.	1/2"	सीट	171	171	171
ii.	3/4"	"	240	240	240
iii.	1"	"	352	352	352
iv.	1 1/4"	"	484	484	484
v.	1 1/2"	"	599	599	599
vi.	2"	"	891	891	891
vii.	2 1/2"	"	1824	1824	1824
viii.	3"	"	2457	2457	2457
ix.	4"	"	3236	3236	3236
x.	5"	"	7220	7220	7220
xi.	6"	"	8735	8735	8735
f) G.I. Socket					
i.	1/2"	सीट	47	47	47
ii.	3/4"	"	73	73	73
iii.	1"	"	100	100	100
iv.	1 1/4"	"	155	155	155
v.	1 1/2"	"	209	209	209
vi.	2"	"	308	308	308
vii.	2 1/2"	"	558	558	558
viii.	3"	"	824	824	824
ix.	4"	"	1427	1427	1427
x.	5"	"	3564	3564	3564
xi.	6"	"	4791	4791	4791
g) C.I. Plug					
i.	1/2"	सीट	30	30	30
ii.	3/4"	"	40	40	40
iii.	1"	"	50	50	50
iv.	1 1/4"	"	99	99	99
v.	1 1/2"	"	125	125	125
vi.	2"	"	150	150	150
vii.	2 1/2"	"	215	215	215
viii.	3"	"	440	440	440



4 23 20/25 2. 29 2/2/2020

ix.	4"	"	845	845	845
h) Hex Nipple					
i.	½"	सोटा	57	57	57
ii.	¾"	"	87	87	87
iii.	1"	"	141	141	141
iv.	1 ¼"	"	219	219	219
v.	1 ½"	"	277	277	277
vi.	2"	"	412	412	412
vii.	2 ½"	"	756	756	756
viii.	3"	"	977	977	977
ix.	4"	"	1497	1497	1497
i) Reducing Tee					
i.	¾"	सोटा	141	141	141
ii.	1"	"	206	206	206
iii.	1 ¼"	"	327	327	327
iv.	1 ½"	"	455	455	455
v.	2"	"	743	743	743
vi.	2 ½"	"	1170	1170	1170
vii.	3"	"	1582	1582	1582
viii.	4"	"	2890	2890	2890
x.	5"	"	7949	7949	7949
xi.	6"	"	9202	9202	9202
j) Reducing Elbow					
i.	¾"	सोटा	104	104	104
ii.	1"	"	161	161	161
iii.	1 ¼"	"	245	245	245
iv.	1 ½"	"	345	345	345
v.	2"	"	516	516	516
vi.	2 ½"	"	890	890	890
vii.	3"	"	1373	1373	1373
viii.	4"	"	2430	2430	2430
x.	5"	"	5927	5927	5927
xi.	6"	"	7131	7131	7131
j) Reducing socket					
i.	¾"	सोटा	81	81	81
ii.	1"	"	109	109	109
iii.	1 ¼"	"	170	170	170
iv.	1 ½"	"	227	227	227
v.	2"	"	340	340	340
vi.	2 ½"	"	608	608	608
vii.	3"	"	867	867	867
viii.	4"	"	1565	1565	1565
x.	5"	"	4474	4474	4474
xi.	6"	"	5260	5260	5260
k) Short bend					
i.	½"	सोटा	140	140	140
ii.	¾"	"	215	215	215
iii.	1"	"	330	330	330
iv.	1 ¼"	"	635	635	635
v.	1 ½"	"	960	960	960
vi.	2"	"	1405	1405	1405
vii.	2 ½"	"	3605	3605	3605
viii.	3"	"	5590	5590	5590
ix.	4"	"	7921	7921	7921
l) Cross Tee					
i.	½"	सोटा	132	132	132
ii.	¾"	"	188	188	188
iii.	1"	"	296	296	296
iv.	1 ¼"	"	513	513	513
v.	1 ½"	"	616	616	616
vi.	2"	"	998	998	998



[Handwritten signatures and notes at the bottom of the page]

vii.	2 1/2"	"	1684	1684	1684
viii.	3"	"	2441	2441	2441
ix.	4"	"	3295	3295	3295
M) Tanki nipple					
i.	1/2"	रोटा	155	155	155
ii.	3/4"	"	216	216	216
iii.	1"	"	321	321	321
iv.	1 1/4"	"	484	484	484
v.	1 1/2"	"	616	616	616
vi.	2"	"	998	998	998
vii.	2 1/2"	"	1921	1921	1921
viii.	3"	"	2559	2559	2559
ix.	4"	"	3395	3395	3395
G.I. Nipple Medium Class ISI or NS					
2" Long					
i.	1/2"	रोटा	26	26	26
ii.	3/4"	"	38	38	38
iii.	1"	"	51	51	51
iv.	1 1/4"	"	69	69	69
v.	1 1/2"	"	84	84	84
vi.	2"	"	128	128	128
3" Long					
i.	1/2"	रोटा	38	38	38
ii.	3/4"	"	57	57	57
iii.	1"	"	76	76	76
iv.	1 1/4"	"	103	103	103
v.	1 1/2"	"	127	127	127
vi.	2"	"	190	190	190
vii.	2 1/2"	"	261	261	261
viii.	3"	"	381	381	381
4" Long					
i.	1/2"	रोटा	51	51	51
ii.	3/4"	"	75	75	75
iii.	1"	"	102	102	102
iv.	1 1/4"	"	137	137	137
v.	1 1/2"	"	166	166	166
vi.	2"	"	255	255	255
vii.	2 1/2"	"	350	350	350
viii.	3"	"	509	509	509
ix.	4"	"	655	655	655
6" Long					
i.	1/2"	रोटा	76	76	76
ii.	3/4"	"	113	113	113
iii.	1"	"	152	152	152
iv.	1 1/4"	"	207	207	207
v.	1 1/2"	"	255	255	255
vi.	2"	"	382	382	382
vii.	2 1/2"	"	522	522	522
viii.	3"	"	748	748	748
ix.	4"	"	925	925	925
9" Long					
i.	1/2"	रोटा	114	114	114
ii.	3/4"	"	168	168	168
iii.	1"	"	204	204	204
iv.	1 1/4"	"	310	310	310
v.	1 1/2"	"	416	416	416
vi.	2"	"	573	573	573
vii.	2 1/2"	"	774	774	774
viii.	3"	"	1146	1146	1146
ix.	4"	"	4912	4912	4912
12" Long					



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

i.	1/8"	मीटर	152	152	152
ii.	3/8"	"	223	223	223
iii.	1"	"	253	253	253
iv.	1 1/4"	"	414	414	414
v.	1 1/2"	"	509	509	509
vi.	2"	"	764	764	764
vii.	2 1/2"	"	1031	1031	1031
viii.	3"	"	1527	1527	1527
ix.	4"	"	1823	1823	1823
18" Long					
i.	1/8"	मीटर	228	228	228
ii.	3/8"	"	281	281	281
iii.	1"	"	381	381	381
iv.	1 1/4"	"	620	620	620
v.	1 1/2"	"	761	761	761
vi.	2"	"	1146	1146	1146
vii.	2 1/2"	"	1549	1549	1549
viii.	3"	"	2267	2267	2267
ix.	4"	"	2766	2766	2766
G.I./C.I. Flange					
i.	1 1/4"	मीटर	971	971	971
ii.	1 1/2"	"	1195	1195	1195
iii.	2"	"	1466	1466	1466
iv.	2 1/2"	"	1713	1713	1713
v.	3"	"	1908	1908	1908
vi.	4"	"	2368	2368	2368
vii.	5"	"	3385	3385	3385
viii.	6"	"	3517	3517	3517
ix.	8"	"	7006	7006	7006
G.I./HDP Flange					
i.	1 1/2"	मीटर	1046	1046	1046
ii.	1 1/2"	"	1333	1333	1333
iii.	2"	"	1575	1575	1575
iv.	2 1/2"	"	1839	1839	1839
v.	3"	"	1966	1966	1966
vi.	4"	"	2425	2425	2425
vii.	5"	"	3385	3385	3385
viii.	6"	"	3535	3535	3535
ix.	8"	"	7690	7690	7690
GI Endcap					
i.	1"	मीटर	128	128	128
ii.	1 1/4"	"	237	237	237
iii.	1 1/2"	"	290	290	290
iv.	2"	"	345	345	345
v.	2 1/2"	"	508	508	508
CI Plug					
i.	1"	मीटर	119	119	119
ii.	1 1/8"	"	220	220	220
iii.	1 1/2"	"	270	270	270
iv.	2"	"	321	321	321
v.	2 1/2"	"	472	472	472
GI Stainer					
i.	1"	मीटर	581	581	581
ii.	1 1/4"	"	784	784	784
iii.	1 1/2"	"	1083	1083	1083
iv.	2"	"	1384	1384	1384
v.	2 1/2"	"	1755	1755	1755
vi.	3"	"	2372	2372	2372
HDPE Saddle clamp					
i.	1"	मीटर	141	141	141
ii.	1 1/2"	"	141	141	141
iii.	1 1/2"	"	183	183	183



iv.	2"	"	242	242	242
v.	2 1/2"	"	272	272	272
vi.	3"	"	301	301	301
Non returning CI Valve					
i.	3"	"	13794	13794	13794
ii.	4"	"	18392	18392	18392
iii.	5"	"	23716	23716	23716
iv.	6"	"	27588	27588	27588
HDP/HDP Flange set with adaptor					
i.	1 1/4"	रोटा	865	865	865
ii.	1 1/2"	"	1102	1102	1102
iii.	2"	"	1302	1302	1302
iv.	2 1/2"	"	1520	1520	1520
v.	3"	"	1625	1625	1625
vi.	4"	"	2005	2005	2005
vii.	5"	"	3178	3178	3178
viii.	6"	"	2921	2921	2921
ix.	8"	"	6356	6356	6356
Brass tap 1/2"					
i.	1/2" (Wt. 400 gm)	रोटा	914	914	914
ii.	1/2" ordinary	रोटा	207	207	207
Globe Valve (GM)					
i.	1/2"	रोटा	931	931	931
ii.	3/4"	"	1517	1517	1517
iii.	1"	"	1874	1874	1874
iv.	1 1/4"	"	2977	2977	2977
v.	1 1/2"	"	3747	3747	3747
vi.	2"	"	4678	4678	4678
vii.	2 1/2"	"	9190	9190	9190
viii.	3"	"	15185	15185	15185
ix.	4"	"	24553	24553	24553
Float Valve					
i.	1/2"	रोटा	1144	1144	1144
ii.	3/4"	"	1293	1293	1293
iii.	1"	"	1569	1569	1569
iv.	1 1/4"	"	2713	2713	2713
v.	1 1/2"	"	4075	4075	4075
vi.	2"	"	5426	5426	5426
C.I. Air valve (Heavy)					
i.	1/2"	रोटा	3788	3788	3788
ii.	3/4"	"	5224	5224	5224
iii.	1"	"	5793	5793	5793
Brass Union with Adaptor					
i.	1/2"	रोटा	247	247	247
ii.	3/4"	"	379	379	379
iii.	1"	"	575	575	575
iv.	1 1/4"	"	747	747	747
v.	1 1/2"	"	1333	1333	1333
vi.	2"	"	1977	1977	1977
Saddle Ferrule					
i.	1 1/2"	रोटा	356	356	356
ii.	2"	"	471	471	471
iii.	2 1/2"	"	1316	1316	1316
iv.	3"	"	1741	1741	1741
v.	4"	"	2483	2483	2483
Flow Regulating Valve (G.M.)					
i.	1/2"	रोटा	1333	1333	1333
C.I Sluice Valve					
i.	1 1/2"	रोटा	6903	6903	6903
ii.	2"	"	9207	9207	9207
iii.	2 1/2"	"	11501	11501	11501



नेपाल सरकार
गृह विभाग
प्रमुख प्रशासन कार्यालय
नुवाकोट

Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and several smaller ones on the right, some with dates like '2073'.

iv.	3"	"	13804	13804	13804
v.	4"	"	18401	18401	18401
v.	5"	"	27967	27967	27967
v.	6"	"	33565	33565	33565
v.	8"	"	46992	46992	46992
Brass Ferrule Cock					
i.	1/4"	घोट	1517	1517	1517
ii.	3/4"	"	1977	1977	1977
iii.	1"	"	2902	2902	2902
Ball valve					
a)	15mm	घोट	517	517	517
b)	20 mm	"	655	655	655
c)	25 mm	"	879	879	879
d)	32 mm	"	1060	1060	1060
e)	40 mm	"	2052	2052	2052
f)	50 mm	"	3368	3368	3368
33.0	Supplying of Rec ring for construction of well				
33.1	Ring				
i)	28" dia. R.C.C. ring 20 cm ht, 5 cm thick	घोट	563	563	591
ii)	36" dia. R.C.C. ring 20 cm ht, 5 cm thick	"	697	697	732
iii)	42" dia. R.C.C. ring 20 cm ht, 5 cm thick	"	811	811	852
iv)	48" dia. R.C.C. ring 20 cm ht, 5 cm thick	"	1074	1074	1128
33.2	Supplying & fixing of metal frame and Rec cover				
i)	28" dia. 60m thick R.C.C. ring cover with metal frame	घोट	1700	1700	1785
ii)	36" dia. 60m thick R.C.C. ring cover with metal frame	"	2250	2250	2363
iii)	42" dia. 60m thick R.C.C. ring cover with metal frame	"	2470	2470	2594
iv)	48" dia. 60m thick R.C.C. ring cover with metal frame	"	2950	2950	3098
34.0	ईन्टर बलको लागि R.C.C. रिङ जाफुली चरि माटे बन्ने आवश्यक प्वाइन्टर सामग्री राख्ने तथा बहाल गर्नेको सबै कार्यहरू (१० पैट १५ पैट काम को महीनामा प्रकलन गरेको)				
i)	28" dia. R.C.C. Ring	र.म	3892	3892	4080
ii)	36" dia. R.C.C. Ring	"	4940	4940	5187
iii)	42" dia. R.C.C. Ring	"	5730	5730	6037
iv)	48" dia. R.C.C. Ring	"	7093	7093	7447
34.1	२५ पैट पैट जाफुलीको महीनामा प्रकलन				
	ईन्टर बलको लागि R.C.C. रिङ जाफुली चरि माटे बन्ने ,आवश्यक प्वाइन्टर सामग्री राख्ने तथा बहाल गर्नेको सबै कार्यहरू (२५ पैट पैट जाफुलीको महीनामा प्रकलन गरेको)				
i)	28" dia. R.C.C. Ring	र.म	5223	5223	5484
ii)	36" dia. R.C.C. Ring	"	8832	8832	9273
iii)	42" dia. R.C.C. Ring	"	10690	10690	11234
iv)	48" dia. R.C.C. Ring	"	12843	12843	13485
35.0	Sanitary Tools				
a	Adjustable spanner				
	10"	Pc	248	248	260
	12"	Pc	458	458	491
	15"	Pc	1348	1348	1415
	18"	Pc	1595	1595	1675
b	Blow Torch				
	1/2 pint	Pc	1392	1392	1461
	1 pint	Pc	1716	1716	1802
c	Building Trowel				
		Pc	77	77	81
d	Chain Pipe wrench				



	50mm	Pc	1595	1595	1675
	75mm	Pc	1898	1898	1992
	100mm	Pc	2228	2228	2339
	150mm	Pc	3135	3135	3292
	200mm	Pc	5335	5335	5602
e	Chain Pulley in Ton				
	3 ton	Pc	17050	17050	17903
	5 ton	Pc	28160	28160	29568
f	Stone Chisel 1"x12"	Pc	358	358	375
g	Die teeth oil with cane (250 ml size)	Pc	275	275	289
h	Smooth steel file half round				
	8"	Pc	523	523	549
	10"	Pc	1001	1001	1051
i	Flat file 10"	Pc	523	523	549
	Hacksaw Blade				
	Single	Pc	4	4	5
	double	Pc	9	9	9
j	Hacksaw Frame 6mm	Pc	187	187	196
k	Handle die set				
	25 mm	Pc	3108	3108	3263
	50 mm	Pc	3520	3520	3696
	60 mm	Pc	9350	9350	9818
l	Heating Plate				
	80 mm	Pc	935	935	982
	100 mm	Pc	1073	1073	1126
	125 mm	Pc	1375	1375	1444
	150 mm	Pc	1639	1639	1721
	200 mm	Pc	2651	2651	2784
	250 mm	Pc	3212	3212	3373
	300 mm	Pc	3751	3751	3939
m	Iron Brush 12"	Pc	72	72	75
n	Iron Pan (medium)	Pc	253	253	266
o	Pick Axe 1.7 Kg.	Pc	418	418	439
p	Pipe Cutter				
	15-50 mm	Pc	1980	1980	2079
	65-80 mm	Pc	3080	3080	3234
	100 mm	Pc	4950	4950	5198
	125 mm	Pc	5500	5500	5775
	150 mm	Pc	9790	9790	10280
q	Pipe Jack Machine (Heavy)	Pc	31350	31350	32918
r	Pipe Vice				
	2"	Pc	2420	2420	2541
	3"	Pc	3520	3520	3696
	4"	Pc	5308	5308	5573
	5"	Pc	9845	9845	10337
s	Pipe Wrench				
	10"	Pc	308	308	323
	12"	Pc	572	572	601
	14"	Pc	682	682	716
	18"	Pc	1084	1084	1138
	24"	Pc	1496	1496	1571
	36"	Pc	5280	5280	5544
	48"	Pc	9350	9350	9818
t	Plumb Bob Line	Pc	88	88	92
u	Ratchet Die Set				
	1/2"-1"	Pc	4180	4180	4389
	1 1/4"-2"	Pc	7810	7810	8201
	2 1/2"-3"	Pc	17050	17050	17903
v	Round File 10"	Pc	358	358	375
w	Screw Driver 12"	Pc	198	198	208
x	Shovel 1.5 Kg	Pc	358	358	375
y	Slide wrench				
	10"	Pc	352	352	370
	12"	Pc	473	473	497
	15"	Pc	1381	1381	1450
z	Spade	Pc	429	429	450
A	Spare Die Tooth				
	15 mm	Pc	572	572	601



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

	20 mm	Pc	572	572	601	
	25 mm	Pc	572	572	601	
	32 mm	Pc	908	908	953	
	40 mm	Pc	1551	1551	1629	
	50 mm	Pc	1568	1568	1646	
	65 mm	Pc	1815	1815	1906	
	80 mm	Pc	2035	2035	2137	
	B Teflon Cover					
	5'x5'	Pc	303	303	318	
	7'x7'	Pc	413	413	433	
	C Teflon Cloth	m	3328	3328	3494	
	D Teflon Tape 30 mm roll	Roll	17	17	17	
	E Thermochrome Crayon					
	Indian	Pc	743	743	780	
	Germany	Pc	1485	1485	1559	
	F Tool Box (14"x8"x22")	Pc	2041	2041	2143	
36	Aerobic treatment for waste water (slated/ equivalent) As per ASTM-D-2583 (- Should be FRP based Septic tank along with fixed film aeration tank, Should operate in zero load as well. Exterior/Interior surface shall be reasonably smooth No fibers loosely attached minimum Internal Vacuum test As per UL-1316/CS1 Each tank to withstand internal partial vacuum without rupture as under Vacuum as per equation in Std. UL-1316 Clause 18 Deformation test As per Product Specifications ≤ 37.1 mm Interior surface shall be resin rich with no exposed fibers & should be free of Discoloration, Cracks etc.,)					
	800 lts for 4 persons	nos	63750	63750	63750	
	1200 lts for 6 people	nos	79050	79050	79050	
	1600 lts for 10 persons	nos	95200	95200	95200	
37	Irrigation Works excluding pipes including installation (Rainbird or equivalent)					
1	Supply flexible, kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.6GPH XF series pressure rating 0.55 to 4.1 bar wall thickness 1.2mm	Rm	150	150	150	
2	Supply of Xert bug emitter pressure compensating with self piercing barbs, flow rates 1.69LPH to 7.67LPH UV resistant colour coded with working pressure 1.0 to 3.5 bar	Nos	30	30	30	
3	SPRINKLERS & ACCESSORIES					
	Unispray	No.	660	660	660	
	Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees) nozzle capable of covering 1.2-5.5 Bars with a STRIP NOZZLE discharge rate of 0.075psi. The Spray Head body, stem, nozzle, ratchet and screen shall be constructed of heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 158ST	No.	1200	1200	1200	
	Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees) nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33psi. The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	No.	1200	1200	1200	
	gear rotors 5004	No.				



Handwritten signatures and initials at the bottom of the page, including a large signature in the center and several smaller ones to the right.

	Providing of 1/2" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm, a working pressure of 5.5 kg/cm ² at 43°C and a surge pressure of 16.6 kg/cm ² . The fittings shall be made of UV resistant thermo plastic.SA Series	No.	390	390	390	
	Providing of 3/4" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm, a working pressure of 5.5 kg/cm ² at 43°C and a surge pressure of 16.6 kg/cm ² . The fittings shall be made of UV resistant thermo plastic.SA	No.	480	480	480	
	Providing and fixing of HDPE service saddle of varying size		850	850	850	
4	VALVES & ACCESSORIES					
	Providing and fixing PVC Ball Valve, security pivot to maintain lever in open, double water tight joint, direct injection stem non mechanical, with a base which permits maximum penetration into the valve of size 53mm.	No.	1800	1800	1800	
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced. The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	No.	2100	2100	2100	
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	No.	7500	7500	7500	
	6" Round box	No.	1250	1250	1250	
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	No.	13500	13500	13500	
	Key threads into top of GCV to provide water access 330K	No.	9750	9750	9750	



[Handwritten signatures and notes in Nepali script, including dates like 20/08/2073 and 20/08/2073]