




नुवाकोट जिल्लाको ज्याला तथा निर्माण सामग्रीहरूको दररेट

आ.व.२०८३।८४



जिल्ला प्रशासन कार्यालय

विदुर, नुवाकोट

असार, २०८३

विषय सूची

क्र.सं.	विषय	पृष्ठ संख्या
1	श्रमिकको ज्याला दर	1
2	ढुवानी दर	2
3	वायो-ईन्जिनियरिङ्ग एवं अन्य मालसामान	2
4	मेसिन, औजार तथा उपकरणको भाडादर सम्बन्धि	5
5	Civil Works Related Items	6
6	Electrical Works Related Items	50
7	Sanitary Works Related Items	78

आज मिति २०८३ असार ३० गतेका दिन आ.व. ०८३।८४ को लागि निर्माण सामाग्री तथा ज्यालाको दररेट निर्धारण गर्न सार्वजनिक खरिद नियमावली २०६४ को नियम १४८ को उप नियम १ बमोजिम नुवाकोट जिल्लाको लागि निर्माण सामाग्री, ढुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला दररेट निर्धारण समितिको बैठक प्रमुख जिल्ला अधिकारी श्री शम्भु प्रसाद रेग्मीज्यूको अध्यक्षतामा देहायका समितिका सदस्यहरु र अन्य पदाधिकारीहरुको उपस्थितिमा बैठक बसी निम्नानुसारको दररेट कायम गर्ने निर्णय गरियो ।

उपस्थिति

अध्यक्ष: श्रीमान प्रमुख जिल्ला अधिकारी श्री शम्भु प्रसाद रेग्मी

जिल्ला प्रशासन कार्यालय, विदुर, नुवाकोट ।

सदस्य: श्री सन्तोषी देवकोटा

सदस्य, जिल्ला समन्वय समितिको कार्यालय, नुवाकोट

सदस्य: जिल्ला समन्वय अधिकारी श्री विष्णु प्रसाद पौडेल

जिल्ला समन्वय समितिको कार्यालय, विदुर, नुवाकोट ।

सदस्य: श्री परशुराम नेपाल

प्रमुख, कोष तथा लेखा नियन्त्रक कार्यालय, विदुर, नुवाकोट ।

सदस्य: श्री सुशील फुयाल

प्रतिनिधि, निर्माण व्यवसायी संघ, विदुर, नुवाकोट ।

सदस्य: श्री राजेन्द्र श्रेष्ठ

प्रतिनिधि, नुवाकोट उद्योग बाणिज्य संघ, विदुर, नुवाकोट ।

सदस्य सचिव: श्री सुजन थापा

कार्यालय प्रमुख, पूर्वाधार विकास कार्यालय, विदुर, नुवाकोट ।

आमन्त्रित

१ सहायक प्रमुख जिल्ला अधिकारी श्री कृष्णप्रसाद हुमागाई

जिल्ला प्रशासन कार्यालय, नुवाकोट ।

२ प्रहरी उपरीक्षक श्री विपिन शर्मा

जिल्ला प्रहरी कार्यालय, नुवाकोट ।

३ प्रहरी ~~नियन्त्रक~~ विपिन शर्मा

सशस्त्र प्रहरी बल नुवाकोट ।

४ सि डि ई श्री वसन्त शर्मा

सडक डिभिजन, नुवाकोट

५ श्री

सिंचाई विकास डिभिजन, नुवाकोट ।

६ श्री सन्त कुमार नेपाल

डिभिजन वन कार्यालय, नुवाकोट ।

७ श्री दिलीप कुमार

खानेपानी तथा सरसफाई डिभिजन कार्यालय, नुवाकोट

८ श्री शुक्ति नन्द ढकाल

शहरी विकास तथा भवन डिभिजन कार्यालय, नुवाकोट

- ९ श्री प्रवेष्टा आचार्य विक्रम आचार्य कृषि ज्ञान केन्द्र, नुवाकोट ।
- १० श्री भेरेरिनरी अस्पताल तथा पशु सेवा विज्ञ केन्द्र, नुवाकोट ।
- ११ श्री नुवाकोट वितरण केन्द्र, ने.वि.प्रा.
- १२ श्री विवेक अधिकारी विशुली अस्पताल, नुवाकोट ।
- १३ श्री ड. अजय कारी जिल्ला जनस्वास्थ्य कार्यालय
- १४ श्री प्रेमरा पोखरेल भू तथा जलाधार संरक्षण कार्यालय, नुवाकोट
- १५ श्री यान्त्रिक कार्यालय, नुवाकोट
- १६ श्री कृषि सामग्री कम्पनी लिमिटेड, नुवाकोट
- १७ श्री शुभिल प्रसाद कुमाल (निर्माण व्यवसायी) हुन्छ नुवाकोट ।
- १८ श्री बिल्लाल पौडेल (निर्माण व्यवसायी) हुन्छ नुवाकोट ।
- १९ श्री प्रविण राणकोटा (विद्युत ताल्यालिङ्गको कार्यालय)
- २० श्री सुबोध राय ओल्फ, गहरी विकास तथा भवन कार्यालय, नुवाकोट ।
- २१ श्री गणेश दत्त जोशी, खाद्य प्रविधि तथा गुणनिर्माण विभाग, नुवाकोट ।
- २२ श्री श्रीलक्ष्मण धिमरे, पुद्गोला नगर नागरिक कार्यालय
- २३ श्री विनोद भोसले गहरी ओल्फ इन्डस्ट्रिय कार्यालय - नुवाकोट ।
- २४ श्री निधी राज लिमिटेड। गहरी विकास तथा भवन कार्यालय, नुवाकोट ।
- २५ श्री रामेष्टा बल्लभ (रेमर) शिवपुरी नगरपालिका बाणेश्वर विभाग ।
- २६ श्री कमल धिमरे, वन अधिकृत, डिभिजन वन कार्यालय नुवाकोट ।
- २७ श्री शम्भु शर्मा, संरक्षण अधिकृत, शिवपुरी नगरपालिका बाणेश्वर विभाग ।
- २८ श्री रुकमणी अधिकारी, प्रमुख, बागवानी विकास केन्द्र, नुवाकोट ।
- २९ श्री केवल चौधरी, इन्जिनियर पूर्वांचल विकास कार्यालय, नुवाकोट ।
- ३० श्री रविन खत्री, इन्जिनियर, पूर्वांचल विकास कार्यालय, नुवाकोट ।
- ३१ श्री कृष्ण प्रसाद खाला अधिकृत दैलेली पूर्वांचल विकास कार्यालय, नुवाकोट ।
- ३२ श्री श्रीम प्रकाश यादव, सब-इन्जिनियर, पूर्वांचल विकास कार्यालय, नुवाकोट ।

- ३३ श्री पप्पु कुमार् साह (पूर्ववा विकास कार्यकर्ता) पु
- ३४ श्री उ.अं. नि. लमल प्रसाद महरा पु
- ३५ श्री प्र.अ. सावित्री मण्डारी जिला पु२॥ पु३॥ पु४॥ पु
- ३६ श्री रजिन्द किरण सिंह ठुगरी, प्रमुख, जिला समन्वय समिति, नुवाकोट पु
३७. रमेश गंग पाण्डे, जिला प्रशासन कार्यालय नुवाकोट पु
३८. पुष्कर अधिकारी, " पु

एजेन्डाहरु :

१. दर रेट निर्धारण गर्ने

२. विविध

निर्णयहरु :

निर्णय नं. १

आ.व. ०८३/०८४ को लागि निर्माण सामाग्री तथा ज्यालाको दररेट निर्धारण गर्ने सार्वजनिक खरिद नियमावली, २०६४ को नियम १४८ को उपनियम १ बमोजिम नुवाकोट जिल्लाको लागि निर्माण सामाग्री, ढुवानी, मेशिन तथा उपकरणको भाडा र कामदारको ज्याला दररेट निर्धारण समितिले आ.व. २०८३/०८४ का लागि निर्णय नं. २ देखि ६ अनुसारको दररेट यस जिल्ला भर लागु हुने गरी अनुमोदन गर्ने निर्णय गरियो ।

निर्णय नं. २ : श्रमिकको ज्यालादर सम्बन्धी

श्रमिकहरुको ज्याला दर निर्धारण गर्ने सम्बन्धमा विभिन्न सरोकारवाला (श्रमिक संगठनहरु, निर्माण व्यवसायी संघ, उद्योग वाणिज्य संघ, विकास निर्माणका क्रियाकलाप गर्ने सरकारी कार्यालयहरु) पक्षहरु संगको परामर्श, नेपाल राष्ट्र बैकबाट प्रकाशित ज्यालादर सूचांक तथा उपभोक्ता मूल्य सूचांक, हालको बजार मुल्य र श्रमिकहरुको उपलब्धतालाई समेत आधार मान्दा श्रमिकको उमेर (१६ वर्ष पुगेको) र दैनिक काम गर्ने अवधि (८ घण्टा) लाई आधार मानी आ.व.०८३/०८४ का लागि नुवाकोट जिल्लाभर लागु हुनेगरी देहाय बमोजिम श्रमिकहरुको ज्यालादर निर्धारण गर्ने निर्णय गरियो ।

क्र.सं.	विवरण	ईकाई	आ.व. ०८३/०८४			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
१.	दक्ष कामदार (Skilled Labour)					
क.	प्लम्बर	प्रति दिन प्रति व्यक्ति	1440	1500	1590	
ख.	रक डिलर/हेभी ड्राईभर /बेल्डर/ प्लम्बर /विष्फोटक पदार्थ ढुवानी गर्ने ज्यामी/ डकमी/ नकमी/ सिकमी/ बडकमी/ चित्रकारी/ हेभी सिनियर अपरेटर/ कम्प्युटर अपरेटर	प्रति दिन प्रति व्यक्ति	1210	1260	1335	
ग.	निर्माण सुपरभाइजर	..	680	705		
घ.	निर्माण सुपरभाइजर प्राविधिक	..	940	980	1035	
ङ.	लाईट ड्राईभर	..	840	875	925	
च.	उच्च माध्यमिक तह उत्तिर्ण गरी निर्माण ल्याब टेक्निसियनको तालिम प्राप्त गरेको	..		1500	1590	
२	अर्द्धदक्ष कामदार (Semi Skill Labour)					
क.	अर्द्धदक्ष कामदार (Semi Skill Labour)	प्रति दिन प्रति व्यक्ति	920	955	1010	
३	अदक्ष कामदार (Unskill Labour)					
क.	ज्यामी/भरीया/ज्यामी नाईके/ जुनियर अपरेटर /उत्प्रेरक/ हेभी हेल्पर /सर्भे हेल्पर/अबाले /ईंष्टा बनाउने/क्याम्पर बर्कर/साधारण हेल्पर/ल्याब ज्याय /नर्सरी नाईके	प्रति दिन प्रति व्यक्ति	885	920	975	
ख.	मोसम रेकर्डर / हेरालु/माली/चौकीदार/पियन पाले/चेन मैन/टोप मैन/स्टाफ मैन/हलुका कामदार	प्रति दिन प्रति व्यक्ति	605	630	665	
घ.	लेन्थ वर्करहरु (सडकमा काम गर्ने)	प्रति दिन प्रति व्यक्ति	580	605	640	
ङ.	प्याच वर्कर (Patch Worker)		690	720	760	
च.	लेन्थ वर्कर सुपरभाइजर		765	795	840	
छ.	मेहत्तर/स्वपिर (भाडु लगाउने)		650	675	715	

क्र.नं.	विवरण	ईकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	

माथि उल्लेख नभएका अन्य सर्वे पद/श्रेणीका ज्यालादारी कर्मचारी/कामदारहरूको हकमा संबन्धित पद/श्रेणीको लागि नेपाल नोट:१ सरकारको वा सम्बन्धित संस्थानको प्रचलित तलब मानलाई ३० ले भाग गर्दा हुन आउने रकमलाई दैनिक ज्यालादर मान्नुपर्ने छ ।

नोट:२ विद्युत कार्यको हकमा नेपाल विद्युत प्राधिकरणको तहगत शुरु तलब स्केल अनुसार हुनेछ ।

निर्णय नं. ३ ढुवानी दर सम्बन्धि :

यस जिल्लामा स्थानीय स्तरमा उपलब्ध हुने ढुवानीको विभिन्न स्रोत साधनलाई आधार मानी आ.व.२०८३/०८४ का लागि निम्न अनुसार ढुवानीको दर निर्धारण गर्ने निर्णय गरियो ।

ढुवानी ज्याला

क्र.नं.	विवरण	ईकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
१.	जिल्ला भित्र भरिया द्वारा सामान ढुवानी					
क.	सजिलो सामानहरू (सिमेन्ट, गिट्टी, ईट्टा, माटो, बालुवा) आदी	प्रति कि.मी. /स्कीन्टल	105	109.00	115.00	
ख.	असजिलो सामानहरू (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई.तथा कालो पाईपहरू, आईरन एङ्गल, ग्लास, सटरहरू, ट्रस, ऐना, बाथरूमका फुटने सामानहरू	प्रति कि.मी. /स्कीन्टल	120	125.00	130.00	
२.	ट्रक वा ट्रयाक्टरबाट ढुवानी (लोड अनलोड बाहेक)					
क.	पक्की सडक सामान ढुवानी	प्रति कि.मी. / स्कीन्टल	4.60	4.75	4.75	
ख.	कच्ची सडक सामान ढुवानी	प्रति कि.मी. / स्कीन्टल	9.30	9.60	9.60	
ग.	असजिलो सामान (HDPE pipe)	प्रति कि.मी. / स्कीन्टल	10.15	10.45	10.45	
३.	विद्युत ढुवानी (ट्रान्सफरमर तथा टुट फुट हुने सामान सहित)					
क.	कच्ची सडक	प्रति कि.मी. / प्रति टिप	116	119.50	119.50	
ख.	पक्की सडक	प्रति कि.मी. / प्रति टिप	95	97.85	97.85	
ग.	बोकानी	प्रति कि.मी. / स्कीन्टल	350	360.50	360.50	
४.	लोड अनलोड					
क.	सजिलो सामानहरू (सिमेन्ट, गिट्टी, ईट्टा, माटो, बालुवा) आदी	प्रति केजी.	0.50	0.50	0.50	
ख.	असजिलो सामानहरू (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई.तथा कालो पाईपहरू, आईरन एङ्गल, ग्लास, सटरहरू, ट्रस, ऐना, बाथरूमका फुटने सामानहरू	प्रति केजी.	0.80	0.83	0.83	
ग.	फलाम तथा काठको पोल ज्यामीद्वारा	प्रति केजी.	2.50	2.60	2.60	

निर्णय नं. ४ : सरकारी कार्यालयमा आवश्यक हुने वायो-इन्जिनियरिङ एवं अन्य मालसामान सम्बन्धि आ.व.०८३/०८४ को लागि तपसिल अनुसारको दररेट कायम गर्ने निर्णय गरियो ।

क्र.नं.	सामग्री र प्रजातिहरूको नाम	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	भु-संरक्षण सम्बन्धी कार्य					
1.0	Vegetation/Shrubs Cuttings/Slip/Plants/etc.					

क्र.नं.	विवरण	ईकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	अग्निसो राइजोम (तिनवटाको १ सेट)	set	25	25	25	
	अलैची गानो	"	11	11	11	
	अलैची बिरुवा	"	11	11	11	
	हाईउड कटिङ्स (बैस) पेन्सिल साइज	"	7	7	7	
	नेपियर कटिङ्स	"	4	4	4	
	NB ₂₁ धाँव	Slip	3	3	3	
	निगालो राइजोम	set	60	60	60	
	बासको बेर्ना (कटीग राइजोम)	"	500	500	500	
	बासको बिरुवा पोलिथिनमा उमारेको	गोटा	60	60	60	
	बाथियो ताइबानी दुबो	"	4	4	4	
	सिजनल फूल ८ इन्च पोली	गोटा	30	30	30	
	गुलाफ फूल ८ इन्च पोली	"	160	160	160	
	हेज ८ इन्च पोली	"	35	35	35	
	कार्पेट दुबो	व.फी.	35	35	35	
	कार्पेट दुबो को लागी छान्ने कार्यको ज्याला	"	25	25	25	
	नरीबल डोरी	के.जी.	130	130	130	
	माइलन डोरी	"	300	300	300	
	असुरो	प्रति बिरुवा			8	
	Hardwood cutting pencil size बैस	प्रति कटिङ			8	
	खिरौ	प्रति कटिङ			10	
	सिमली	प्रति कटिङ			10	
	भुजेत्रो	प्रतिकेजि			1680	
	फलेदो	प्रति बिरुवा			20	
	भेटिभर ग्रास	प्रति सेट्स			15	
	केतुकी	प्रति बिरुवा			15	
	१५ देखि ३० से मि लामो कपिसिङ हुने प्रजाती (विभिन्न)	प्रतिगोटा			20	
	जुटनेट	वर्ग मिटर			530	
	माटो भर्ने खालि बोरा	प्रति गोटा			85	
	सुतलिको डोरी	प्रति के जि			165	
	बाथियोको डोरी	प्रति रनिङ मिटर			2	
	कटिङ बाँस २ बर्षे	प्रतिगोटा			250	
	डालेघाँसको बिरुवा	गोटा			12	
	मलेटो बिरुवा	गोटा			4	
	लौठ सल्ला (नेपाली) बिडबाट	गोटा	120		120	
	लौठ सल्ला (नेपाली) कटिङ	गोटा	60		60	
	लौठ सल्ला (अमेरिकन)	गोटा	140		140	
	बोधिचित्तको बिरुवा	गोटा	650		650	
	रुद्राक्षको बिरुवा	गोटा	500		500	
	लप्सीको बिरुवा (ग्राफिटिङ)	गोटा	440		440	
	चिराईतोको बिरुवा	गोटा	10		10	
	तेजपातको बिरुवा	गोटा	30		30	
	टिमुरको बिरुवा (३ फिट पोलीव्यागको)	गोटा	70		70	
	कपूर (४ फिट)	गोटा	770		770	
	कल्की बोटल ब्रस (४ फिट)	गोटा	660		660	
	ज्याकारण्डा गोल्डमोहोर (४ फिट)	गोटा	660		660	
	असार (४ फिट)	गोटा	660		660	

५-१२/११/२०८३

१०/१२/२०८३

११/१२/२०८३

१२/१२/२०८३

१३/१२/२०८३

१४/१२/२०८३

प्रमुख प्रशासक
प्रमुख प्रशासक

Page 4

सि.नं.	विवरण	ईकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
क्र.सं.	क्षेत्र	कटान,मुहान खर्च रु.	चट्टा निर्माण खर्च रु.	जम्मा खर्च रु.		कैफियत
क.	सम्पूर्ण	5000	1500	6500		
९	गाडी मार्फत दाउरा ढुवानी (प्रती चट्टा) (चालू आ.व.२०८३/०८४ को लागि)					
क्र.सं.	दुरी (कि.मी.)	दर रु.	लोड खर्च रु.	अनलोड खर्च रु.	जम्मा खर्च रु.	कैफियत
क.	०-५ सम्म	1725	2800	1300	5825	
ख.	५.१-१० सम्म	2080	2800	1300	6180	
ग.	१०.१-१५ सम्म	2330	2800	1300	6430	
घ.	१५.१-२० सम्म	2595	2800	1300	6695	
ड.	२०.१ देखि माथि	2825	2800	1300	6925	
१०	ज्यामी मार्फत दाउरा ढुवानी (प्रती चट्टा) (20*5*5) (न्यू.फि.)					
क्र.सं.	दुरी (मीटर)					
क.	०-५० सम्म				700	
ख.	५०.१-१०० सम्म				1100	
ग.	१०० भन्दा बढी हरेक ५० मिटरको लागि				55	
2	विद्युत प्राधिकरणको MS Channel मा प्वाल खोप्ने (चालू आ.व.२०८३/८४ को लागि)					
क्र.सं.	विवरण		आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
क.	१२ मि.मि.सम्मको	प्रती प्वाल	50	50	50	
ख.	१२ मि.मि. भन्दा माथिको	प्रती प्वाल	60	60	60	

निर्णय नं. ५, मेसिन, औजार तथा उपकरणको भाडादर सम्बन्धि : मेसिन प्रयोग गरी सडक निर्माण गर्दा वा अन्य कार्य गर्नुपर्दा तपसिल अनुसारको दररेट कायम गर्ने र डोजर, एक्साभेटर, रोलर, ग्रेडर आदिको दररेट सडक विभागबाट कायम गरिएको प्रतिघण्टाको भाडादर अनुसार हुने निर्णय गरियो। (Website of Heavy Equipment Division - www.dor.gov.np)

५८३

ज.सि.सं.

५८

५८

५८

५८

५८

५८

५८

श.प्र.स.सं.
प्रमुख जिल्ला अधिकारी



निर्णय नं. ६

आर्थिक वर्ष ०८३/०८४ मा नुवाकोट जिल्ला भित्र गरिने सार्वजनिक निर्माण कार्यको लागि आवश्यक पर्ने विभिन्न किसिमका निर्माण सामग्रीहरू (सिमेन्ट कार्य / स्थापित कार्य र इलेक्ट्रिक कार्य) को दररेट निम्न अनुसार कायम गर्ने निर्णय गरियो । बजारबाट खरिद गरिने निर्माण सामग्रीको लागि नजिकको बजार क्षेत्रलाई र natural sand/aggregate/stone/sub base /base लगायतका सामग्रीका लागि नजिकको खानी र स्रोतलाई आधार मानि दर कायम गरिएको छ ।

CIVIL WORKS						
क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
1	विभिन्न किसिमको ईँटा					
	क) मेशिनबाट उत्पादित ईँटा (स्पेशल)	हजार	23260.0	23260.0		
	ख) मेशिनबाट उत्पादित ईँटा (१-नं.)	हजार	17440.0	17440.0	17440.0	
	ग) स्थानीय चिम्नी भट्टाको ईँटा (१-नं.)	"	14050.0	14050.0	14050.0	
	ग) स्थानीय चिम्नी भट्टाको ईँटा (२-नं.)	"	12110.0	12110.0	12110.0	
	घ) तराई को १ नं. ईँटा	"	18410.0	18410.0	18410.0	
	ङ) स्थानीय ठाडो भट्टाको ईँटा	"	7750.0	7750.0	7750.0	
	(ड) सिमेन्ट को ईँटा					
	BK108N	"	15450	15450	15450.0	
	BK118As	"	16274	16274	16274.0	
	च) Concrete block					
	size (40*15*20) cm	गोटा	37	37	37	
	size (40*10*20) cm	गोटा	32	32	32	
	size (39*14*19) cm(Ocm or equivalent)	गोटा	50	50	50	
	Cellular light weight concrete(CLC) block					
	Size 24*8*4"	गोटा	162	162	162	
	Size 24*8*6"	"	236	236	236	
2	क्ले टायलहरू					
2.1	छानामा छाउने					
	क) मेशिनबाट उत्पादित टायल	गोटा	18	18	18	
	ख) चिम्नी भट्टाको टायल	"	16	16	16	
	ग) मेशिनबाट उत्पादित धुरी	"	32	32	32	
	घ) चिम्नी भट्टाको धुरी	"	26	26	26	
2.2	भुईँमा/ कौसीमा छाप्ने टायल:					
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	10	10	10	
	ख) चिम्नी भट्टाको क्ले टायल	"	9	9	9	
3	ढुंगाको काम (Stone work)					
3.1	Rubble Stone					
	क) फोरुवा ढुंगा (खानीको)	घ.मि.	1700	1700	1560	
	(ख) ठुलो साइजको खोलाको ढुंगा (River Stone)	घ.मि.	1500	1500	1560	
3.2	छाप्ने ढुङ्गा (Flag stone)					
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि	90	90	90	
	ख) १ 1/2" सम्म बाक्लो " "	"	110	110	110	
	ग) २" सम्म बाक्लो ढुङ्गा " "	व.फि	125	125	125	
	घ) २ 1/2" सम्म बाक्लो ढुङ्गा " "	"	135	135	135	
	ङ) २ 1/2" - ३" सम्म बाक्लो ढुङ्गा " "	"	165	165	165	



 शासक प्रसाद रेग्मी

 प्रमुख जिल्ला अधिकारी

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
4	विभिन्न प्रकारको बालुवा					
	क) खानीकोबालुवा (Quarry sand)	घ.मि.	2000	2000	1950	
	ख) खोला/नदीको बालुवा (River sand)	"	2000	2000	1950	
	ग) भवनको भुईँ कोठामा पुर्न, सोमिङको Void filling गर्न प्रयोग गरिने बालुवा	"	950	950	950	
5	कसरबाट उत्पादित विभिन्न साइजको रोडा	घ.मि.	2000	2000	2000	
6	फुटानेको ढुङ्गाको गिट्टी					
	क) सबै साइजको गिट्टी	घ.मि.	2000	2000	2000	
7	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री					
	क) विभिन्न साइजको खोलाको राभेल	घ.मी.	1450	1450	1450	
	ख) स्थानीय खानी राभेल	घ.मी.	1250	1250	1250	
	ग) ढुङ्गाको धुलो (Stone dust)	घ.मी.	830	830	910	
8	विभिन्न साइजका खोलाको Screening गरेको River pebbles(gravel)					
	क) ४०-८० मि.मि. साइज	घ.मी.	1630	1630	1630	
	ख) ५-४० मि.मि. साइज	घ.मी.	1615	1615	1615	
9	फिल्टर सामग्री					
	४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन	घ.फि.	70	70	70	
10	सडक कालो पत्रे गर्ने कामको सामग्रीहरू					
	i) ८०/१०० ग्रेडको बिटुमीन	के.जी	105.0	105.0		
	ii) CRMB-DIGO 55 Bitumen	"	100.0	100.0		
	iii) Bitumen VG-10 (New M.S.drum Packed)	"	105.0	105.0		
	iv) Bitumen VG-30 (New M.S.drum Packed)	"	108.0	108.0		
	v) Packed bitumen emulsion को काम					
	छिटो जम्ने (RS 60%)	"	96	96		
	छिटो जम्ने (RS 65%)	"	102	102		
	छिटो जम्ने (RS 70%)	"	108	108		
	मध्यम जम्ने (MS 60%)	"	97	97		
	मध्यम जम्ने (MS 65%)	"	101	101		
	दीलो जम्ने (SS60%)	"	98	98		
	Slurry Seal with 60% bitumen	"	102	102		
	Cut Back (MC 30)	"	152	152		
	Cut Back (MC 70)	"	142	142		
	Cut Back (MC 800)	"	139	139		
	vi) सडक कालोपत्रे गर्दा बिटुमीन नउपकीनको लागी प्रयोग गर्ने सामान Anti stripping agent	"	415	415		
	vii) कालोपत्रे सडक Pot hole टाल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	"	33	33	33	
	viii) कालोपत्रे सडकमा रेखाङ्कन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री					
	a) B.S. Grade	के.जि	187	187	187	
	b) Most Grade	"	207	207	207	
	c) Glass beads	"	169	169	169	

नेपाल बिटुमिन ब्यारेल
लगावत अन्य
सप्लायर्सको दररेट,
धिमैकी जिल्लाको
दररेटको आधारमा लिने

श.प्रसाद रेग्मी
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				वैक्यत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
11	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरू					
11.1	नेपालबाट उत्पादित विभिन्न ब्रान्डका ओ.पि.सी. सिमेन्ट NS #49 (OPC 43 Grade प्रतिबोरा ५० के.जी.)	ब्याग	600.0	680.0	680.0	
	नेपालबाट उत्पादित विभिन्न ब्रान्डका ओ.पि.सी. सिमेन्ट NS #49 (OPC 53 Grade प्रतिबोरा ५० के.जी.)	ब्याग			700.0	
11.2	भारतबाट उत्पादित विभिन्न ब्रान्डका ओ.पि.सी. सिमेन्ट (प्रतिबोरा ५० के.जी.)	"				
11.3	हेटौडा सिमेन्ट (५० के.जी. ओ.पि.सी.)	"				
11.3	उदयपुर सिमेन्ट (५० के.जी. ओ.पि.सी.)	"				
11.3	नेपालबाट उत्पादित विभिन्न ब्रान्डका पि.पि.सी. सिमेन्ट (प्रतिबोरा ५० के.जी.)	"	500.0	580.0	580.0	
11.4	सेतो सिमेन्ट (40kg/bag)	"	1230	1230	1230	
11.5	लोड अनलोड चार्ज	"	13	13	13	
12	Ready made Premix Concrete (Supplying laying all complete work)					
12.1	Panchakanya , MAW or equivalent					
	M 15	घ. मि	13800	13800	13800	
	M 20	"	14400	14400	14400	
	M 25	"	15000	15000	15000	
	M 30	"	16000	16000	16000	
13	फलामको ढण्डीहरू :					
	(क) विभिन्न साइजका TMT Bar					
	a) 8 mm dia	के.जी	96	96	96	
	b) 10,12,16,20, 25mm dia	"	93	93	93	
	c) 28,32 mm dia	"	94	94	94	
	(ख) विभिन्न साइजका TOR Steel					
	a) 8mm dia TOR steel	"	95	95	95	
	b) 10-25mm TOR steel	"	92	92	92	
	c) 28-32mm TOR steel	"	95	95	95	
	(ग) विभिन्न साइजका TOR Steel					
	a) 4.75, 7 mm dia	"	101	101	101	
	(घ) Binding Wire (ढण्डी बाँध्नेतार)	"	120	120	120	
14	विभिन्न किसिमका काठहरू					
14.1	काठ					
	(क) ३' देखि ८' सम्मको सालकाठ	घ. मि				
	(ख) ८' देखि १२' सम्मको सालकाठ नेपाली	क्यू.फि.	6260	6260	6260	
	(ग) १२ फिट देखि माथिको साल काठ नेपाली	क्यू.फि.	6550	6550	6550	
	(घ) साज काठ	क्यू.फि.	2500	2500	2500	
	(ङ) जामुन काठ	क्यू.फि.	2135	2135	2135	
	(च) सल्लाको काठ	क्यू.फि.	1130	1130	1130	
	(छ) सिसौ काठ	क्यू.फि.	2300	2300	2300	
	(ज) जंगली सिसौ काठ	क्यू.फि.	5270	5270	5270	
	(झ) स्थानीय कुकाठ (फर्मा प्रयोजनको लागि Mixed wood)	क्यू.फि.	950	950	950	
	(ञ) काठ दाउरा	के.जी	12	12	12	
14.2	कूटिएको काठको काम तयारी					

शान्ति प्रसाद रेग्मी
प्रमुख सिल्ला अधिकारी

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	i) भन्याङ्गको रेलिङ तथा बार्दली आदिमा कुँदिएको स्वामीय सीसो काठको हुक्का (2'-6"x3"x3")	गोटा	821	821	821	
	ii) भन्याङ्गको रेलिङ तथा बार्दली आदिमा कुँदिएको जंगली स्पेशल सीसो काठको हुक्का (2'-6"x3"x3")	"	895	895	895	
	iii) भन्याङ्गको रेलिङ तथा बार्दली आदिमा कुँदिएको सीसो काठको हेण्ड रेल (3"x4")	र.फि.	746	746	746	
	iv) भन्याङ्गको रेलिङको घुम्ने ठाउँमा कुँदिएको सीसो काठको गोसो हेण्ड रेल (3"x4")	गोटा	3282	3282	3282	
	v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	"	10443	10443	10443	
	vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	"	11935	11935	11935	
	vii) विभिन्न बुझा तथा देवी देवताको मुर्ति कुँदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको साटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	ब.फि.	2238	2238	2238	
	viii) घोडाको आकृति गरि कुँदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम।	गोटा	5221	5221	5221	
	ix) सामान्य प्रकारको कुँदिएको सालको काठको आँधी भ्याल तयारी	ब.फि.	746	746	746	
	x) मध्यम प्रकारको कुँदिएको सालको काठको आँधी भ्याल तयारी	"	1044	1044	1044	
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँधी भ्याल तयारी लक सहित	"	2238	2238	2238	
	xii) विशेष प्रकारको कुँदिएको सालको काठको आँधी भ्याल तयारी लक नभएको	"	1417	1417	1417	
	xiii) ३"x १.५" साइजको सालको काठको कुँदिएको पनी तयारी गर्ने काम	र.फि.	522	522	522	
	xiv) कुँदिएको विभिन्न बुझा राखी बनाएको साल काठको ४"x ५"को कार्नेस बिम आदि तयारी गर्ने कार्य	"	895	895	895	
	xv) ४"x ५"को साल काठको नाग बुझा कुँद तयारी गरी जहान गर्ने कार्य	"	746	746	746	
15	Wooden Parquet Flooring					
	i) Shisam wood 150mm*30mm*8mm	ब.फि.	188	195	195	
	ii) Wall panelling (with wood frame) sisam wood. (75mm*16mm)	"	625	625	625	
16	विभिन्न मोटाईको प्लाइवुडहरू					
16.1	Commercial					
	(क) ३ मी.मी	ब.फि.	20	20	20	
	३.५ मी.मी.	"	23	23	23	
	(ख) ४ मी.मी	"	24	24	24	
	(ग) ६ मी.मी	"	39	39	39	
	(घ) ८ मी.मी	"	43	43	43	
	(ङ) १२ मी.मी	"	65	65	65	
	(च) १९ मी.मी B/B	"	95	95	95	

वि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				वैक्यत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	छ) १८ मी.मी PLY	"	98	98	98	
16.2	P/F. Water Proof					
	क) ४ मी.मी	व.फि	40	40	40	
	ख) ६ मी.मी	व.फि	55	55	55	
	ग) ८ मी.मी	"	60	60	60	
	घ) ९ मी.मी	"	66	66	66	
	(ड) १२ मी.मी	"	76	79	87	
	च) १९ मी.मी PLY		125	130	130	
	छ) १९ मी.मी B/B	"	105	109	109	
16.3	Natural Teak Plywood					
	One side lamination					
	(क) ३ मी.मी	व.फि	58	58	58	
	(ख) ४ मी.मी (Group Match of in 5 pcs)	"	76	76	76	
	४ मी.मी (Regular)	"	66	66	66	
	४ मी.मी (Crown)	"	44	44	44	
	४ मी.मी (Beri)	"	50	50	50	
	४ मी.मी (Whitest line)	"	40	40	40	
	४ मी.मी (Beach)	"	47	47	47	
	४ मी.मी (Recon 18 No.)	"	37	37	37	
	(ग) ६ मी.मी	"				
16.4	DECORATIVE (THICKER)					
	6 OST	व.फि				
	6 BST	"				
	9 OST	"				
	9 BST	"				
	12 OST	"				
	12 BST	"				
	19 B/B OST	"				
	19 B/B BST	"				
	18 OST	"				
	18 BST	व.फि				
17	Ready made Door					
17.1	38 mm th. Redimade solid core door shutter					
	Plain	व.फि	233	233	233	
	One side teak	"	262	262	262	
	Both side teak	"	294	294	294	
	One side teak waterProof	"	286	286	286	
	Both side teak waterProof	"	317	317	317	
17.2	30 to 32 mm th. Redimade solid core door shutter					
	Plain	व.फि	190	190	190	
	One side teak	"	213	213	213	
	Both side teak	"	239	239	239	
	One side teak waterProof	"	233	233	233	
	Both side teak waterProof	"	258	258	258	

न्यायिक न्यायाधीश
न्यायालय
प्रशासनिक
न्यायाधीश

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side.

वि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
17.3	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)					
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	183	183	183	
	Readymade door shutter Recon, Special (1 side teak)	"	248	248	248	
	Readymade door shutter Recon, ordinary (1 side teak)	"	209	217	217	
	Readymade door shutter Recon, Special (1 side teak)	"	281	292	292	
17.4	Wooden Listy					
	1/2" wide	र.फि.	14	14	14	
	3/4" wide	"	18	18	18	
	1.5" wide	"	29	29	29	
	Decorative	"	40	40	40	
17.5	Infill Material Thai Gypsum, Shera or equivalent					
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	431	431	431	
	Frame U - Studs(0.55mm*0.75mm*3m)	"	431	431	431	
	Board 9 mm	"	2524	2524	2524	
	Roofing Board 6mm (1.5mX.6m)	"	695	695	695	
	Fiber mess tape (for 90mm/roll)	"	340	340	340	
	PU sasuage rod	"	2039	2039	2039	
18	Prelaminated Particle Board					
18.1	Plain Particle Board (Exteriors Grade)					
	(क) ९ मी.मी	व.फि.	37	37	37	
	(ख) १२ मी. मी.	"	41	41	41	
	(ग) १८ मी.मी.	"	53	53	53	
	(घ) २५ मी.मी	"	71	71	71	
18.2	One side lamination Melaminated faced (Exteriors Grade)					
	(क) ९ मी.मी	व.फि.	74	74	74	
	(ख) १२ मी. मी.	"	83	83	83	
	(ग) १८ मी.मी.	"	98	98	98	
	(घ) २५ मी.मी	"	127	127	127	
18.3	Both side lamination Melaminated faced (Exteriors Grade)					
	(क) ९ मी.मी	व.फि.	83	83	83	
	(ख) १२ मी. मी.	"	95	95	95	
	(ग) १८ मी.मी.	"	110	110	110	
	(घ) २५ मी.मी	"	139	139	139	
18.4	Plain Particle Board (Interiors Grade)					
	(क) ९ मी.मी	व.फि.	27	27	27	
	(ख) १२ मी. मी.	"	31	31	31	
	(ग) १८ मी.मी.	"	46	46	46	
	(घ) २५ मी.मी	"	59	59	59	

मुद्रा
नगरपालिका
प्रशासनिक कार्यालय
नुवाकोट

८-३३ श्री. शिवाजी २५/२/८३

शम्भु नन्द रेग्मी
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
18.5	One side lamination Melaminated faced (Interiors Grade)					
	(क) ३ मी .मी	व.फि	40	40	40	
	(ख) ६ मी .मी	"	57	57	57	
	(ग) ९ मी .मी	"	65	65	65	
	(घ) १२ मी .मी	"	74	74	74	
	(ङ) १८ मी .मी	"	86	86	86	
	(च) २५ मी .मी	"	107	107	107	
18.6	Both side lamination Melaminated faced (Interiors Grade)					
	(क) ३ मी .मी	व.फि	46	46	46	
	(ख) ६ मी .मी	"	62	62	62	
	(ग) ९ मी .मी	"	74	74	74	
18.7	One side lamination Melaminated faced (Interiors Grade)MDF					
	(क) ३ मी .मी	व.फि	46	46	46	
	(ख) ४ मी .मी	"	53	53	53	
	(ग) ६ मी .मी	"	65	65	65	
	(घ) ९ मी .मी	"	85	85	85	
	(ङ.) १२ मी .मी	"	95	95	95	
	(च) १८ मी .मी	"	122	122	122	
	(छ) २५ मी .मी	"	169	169	169	
18.8	Both side lamination Melaminated faced (Interiors Grade)MDF Century & equivalent					
	(क) ३ मी .मी	व.फि	53	53	53	
	(ख) ४ मी .मी	"	59	59	59	
	(ग) ६ मी .मी	"	73	73	73	
	(घ) ९ मी .मी	"	91	91	91	
	(ङ.) १२ मी .मी	"	101	101	101	
	(च) १८ मी .मी	"	128	128	128	
	(छ) २५ मी .मी	"	173	173	173	
18.9	Alstone Hybrid Board (WPC Board) Century & equivalent					
	(क) ६ मी .मी (१२२० X २४४०)	व.फि	168	168	168	
	(ख) १२ मी .मी	"	269	269	269	
	(ग) १८ मी .मी	"	407	407	407	
19	Other HardBoard/ Sunmica & Formaica)					
19.1	(क) सनमाईका (4' X 8')	पाता	486	486	486	
	(ख) फोरमाईका	व.फि	75	75	75	
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	"	44	44	44	
19.2	Alstone Hybrid Board					
	(क) ६ मी .मी size (1220*2440) mm	व.फि	162	162	162	
	(ख) १२ मी .मी size (1221*2440) mm	"	307	307	307	
	(ग) १८ मी .मी size (1222*2440) mm	"	427	427	427	

नेपाल सरकार
जिल्ला प्रशासन कार्यालय
नुवाकोट

शम्भु प्रसाद रेग्मी
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
20	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate					
	i) Iron Square Pipe	के.जी	97	97	97	
	ii) विभिन्न साइजको MS Angle	"	104	104	104	
	iii) विभिन्न साइजको Black Pipe	"	97	97	97	
	iv) विभिन्न साइजको Channel	"	106	106	106	
	v) विभिन्न साइजको I-Beam	"	108	108	108	
	vi) विभिन्न साइजको MS plate	"	103	103	103	
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	104	104	104	
	viii) विभिन्न मोटाइको Black sheet	"	98	98	98	
21	G.I. Wire					
	i) 8 gauge					
	a) medium class	"	116	116	116	
	b) heavy duty	"	121	121	121	
	c) Comercial wire	"	107	107	107	
	ii) 10 gauge					
	a) medium class	"	116	116	116	
	b) heavy duty	"	121	121	121	
	c) Comercial wire	"	107	107	107	
	iii) 12 gauge					
	a) medium class	"	116	116	116	
	b) heavy duty	"	121	121	121	
	c) Comercial wire	"	107	107	107	
22	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गेबियन बाकस तयारी					
	क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferi Box Gabion)	M2	270	270	270	
	Note:					
	MBG = Maccaferi Box Gabion					
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia./Selvedge wire dia./Lacing wire dia./Type of coating					
	ZN = Heavy galvanized					
	PVC = PVC coated					
23	Barbed Wire (कडितार)					
	12 guage commercial,Medium duty	के.जी	100	100	100	
	U-hook for barbed wire fencing	गोटा	1	1	1	
	Fabrication of chain link mesh of size					
	1"x1" 12 guage	वर्ग मी.	711	711	711	
	1.5"x1.5" 12 guage	"	665	665	665	
	2"x2" 10 guage	"	527	527	527	
	3"x3" 10 guage	"	431	431	431	
	4"x4" 10 guage	"	344	344	344	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
24	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)					
	(क) सेतो सादा जस्तापाता (G P Sheet)					
	0.2 mm (30 guage light)	बण्डल	4590	4590	4590	
	0.22 mm (30 guage Medium)	"	5025	5025	5025	
	0.24 mm (30 guage Heavy)	"	5355	5355	5355	
	0.26 mm (28 guage light)	"	5625	5625	5625	
	0.28 mm (28 guage Medium)	"	6010	6010	6010	
	0.31 mm (28 guage Heavy)	"	6580	6580	6580	
	0.35 mm (26 guage light)	"	7290	7290	7290	
	0.38 mm (26 guage Medium)	"	7645	7645	7645	
	0.41 mm (26 guage Heavy)	"	8385	8385	8385	
	0.45 mm (24 guage light)	"	9100	9100	9100	
	0.50 mm (24 guage Medium)	"	9995	9995	9995	
	0.52 mm (24 guage Heavy)	"	10350	10350	10350	
	0.75 mm	"	14855	14855	14855	
	(ख) रंगिन जस्तापाता					
	0.2 mm (30 guage light)	बण्डल	6010	6010	6010	
	0.22 mm (30 guage Medium)	"	6420	6420	6420	
	0.24 mm (30 guage Heavy)	"	6775	6775	6775	
	0.26 mm (28 guage light)	"	7145	7145	7145	
	0.28 mm (28 guage Medium)	"	7565	7565	7565	
	0.31 mm (28 guage Heavy)	"	8135	8135	8135	
	0.35 mm (26 guage light)	"	8990	9260	9260	
	0.38 mm (26 guage Medium)	"	9440	9440	9440	
	0.41 mm (26 guage Heavy)	"	10215	10521	10521	
	0.45 mm (24 guage light)	"	10925	11253	11253	
	0.50 mm (24 guage Medium)	"	11905	11905	11905	
	0.52 mm (24 guage Heavy)	"	12315	12315	12315	
	0.75 mm	"	17295	17295	17295	
	(ग) ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)					
	0.2 mm (30 guage light)	बण्डल	4590	4590	4590	
	0.22 mm (30 guage Medium)	"	4970	4970	4970	
	0.24 mm (30 guage Heavy)	"	5310	5310	5310	
	0.26 mm (28 guage light)	"	5580	5580	5580	
	0.28 mm (28 guage Medium)	"	5955	5955	5955	
	0.31 mm (28 guage Heavy)	"	6510	6510	6510	
	0.35 mm (26 guage light)	"	7235	7235	7235	
	0.38 mm (26 guage Medium)	"	7590	7590	7590	
	0.41 mm (26 guage Heavy)	"	8300	8300	8300	
	0.45 mm (24 guage light)	"	9035	9035	9035	
	0.50 mm (24 guage Medium)	"	9940	9940	9940	
	0.52 mm (24 guage Heavy)	"	10290	10290	10290	
	0.75 mm	"	14855	14855	14855	

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	घ) जस्ता पाता को धुरी (Ridge Cover) Specified thickness are thickness of base metal.					
	0.20 mm	वर्गफुट	1560	1560	1560	
	0.22 mm	"	1695	1695	1695	
	0.24 mm	"	1815	1815	1815	
	0.26 mm	"	1900	1900	1900	
	0.28 mm	"	2030	2030	2030	
	0.31 mm	"	2210	2210	2210	
	0.35 mm	"	2445	2445	2445	
	0.38 mm	"	2565	2565	2565	
	0.41 mm	"	2810	2810	2810	
	ङ) ४ फिट * ८ फिट को जि.वाई. प्लेन सिट					
	1.1 mm	पिस	3170	3170	3170	
	0.90 mm	"	2620	2620	2620	
	0.80 mm	"	2375	2375	2375	
	0.75 mm	"	2230	2230	2230	
	0.70 mm	"	2080	2080	2080	
	0.62 mm	"	1865	1865	1865	
	0.55 mm	"	1670	1670	1670	
	0.50 mm	"	1520	1520	1520	
	0.48 mm	"	1465	1465	1465	
	0.45 mm	"	1385	1385	1385	
	0.40 mm	"	1245	1245	1245	
	0.37 mm	"	1160	1160	1160	
	0.35 mm	"	1105	1105	1105	
	0.30 mm	"	970	970	970	
	0.28 mm	"	920	920	920	
	च) ४ फिट * ८ फिट को रिविन प्लेन सिट					
	0.90 mm	पिस	2890	2890	2890	
	0.80 mm	"	2615	2615	2615	
	0.75 mm	"	2495	2495	2495	
	0.70 mm	"	2375	2375	2375	
	0.62 mm	"	2130	2130	2130	
	0.55 mm	"	1925	1925	1925	
	0.50 mm	"	1770	1770	1770	
	0.48 mm	"	1680	1680	1680	
	0.45 mm	"	1630	1630	1630	
	0.40 mm	"	1485	1485	1485	
	0.37 mm	"	1375	1375	1375	
	0.35 mm	"	1320	1360	1360	
	0.30 mm	"	1170	1205	1205	
	0.28 mm	"	1120	1154	1154	
	GI EXPANDED METAL MESH					

सि.न.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			वैक्यत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.	134	134	134	
	1.20 mm मोटाई र 4' चौडाई भएको जाली	"	187	187	187	
	1.00 mm मोटाई र 3' चौडाई भएको जाली	"	114	114	114	
	1.00 mm मोटाई र 4' चौडाई भएको जाली	"	156	156	156	
	0.90 mm मोटाई र 3' चौडाई भएको जाली	"	104	104	104	
	0.90 mm मोटाई र 4' चौडाई भएको जाली	"	165	165	165	
25	UPVC Roofing Sheet Sunrise or Equivalent brand (3mm thick)					
25.1	UPVC Roofing Sheet with PMMA coating & Mesh (Regular)	व.मि.	1440	1495	1495	
25.2	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)	"	1496	1555	1555	
25.3	Ridge cover Regular Profile 1.10 R.m.	र.मि.	1288	1310	1310	
25.4	Ridge cover Tile Profile 0.78 R.m.	"	1288	1310	1310	
25.5	UPVC Clip	गोटा	26	26	26	
25.6	self tapping screw 3"	"	26	26	26	
25.7	self tapping screw 2.5"	"	10	10	10	
25.8	self tapping screw 2"	"	10	10	10	
25.9	self tapping screw 1.5"	"	8	8	8	
26	एलुमिनियम प्लेन सिट					
	(क) २६ गेज	व.फि.	29	29	29	
	(ख) ३० गेज	"	27	27	27	
27	विभिन्न प्रकारको जालीहरू (Netting)					
	(क) मसिनो खालको Mosquito proof जाली	व.मी	121	121	121	
	(ख) वालुवा चाल्ने जाली	"	126	126	126	
	(ग) कुखुरे जाली (Chicken wire mesh)	"	78	78	78	
	(घ) बास क्रसिङ्ग जाली	"	199	199	199	
	ड. स्टील जाली (crossing)	"	160	160	160	
	च मसिनो खालको steel Mosquito proof जाली	"	275	275	275	
28	फलामबाट निर्मित सामानहरू					
a	M.S. Grill बनाई जडान गर्ने काम	के.जी	147	147	147	
b	कोन्याप्पीबल गेट बनाई जडान गर्ने	व.फि.	525	525	525	
c	१६-१८ गेजको फलामे रोलिङ सटर बनाई जडान गर्ने	व.फि.	367	367	367	
d	फलामे रोलिङ सटर १६-१८ गेज जडान सहित स्ट्रिप सटर प्याल भएको	"	462	462	462	
e	फलामे रोलिङ सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	"	525	525	525	
f	१६ गेज पाताबाट कम्पाउण्ड बालको गेट बनाई जडान गर्ने (१० X १० X ५ mm) को फ्रेम समेत)	"	683	683	683	
२९	३"-४" व्यासको Iron Black Pipeमा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भन्ज्याङ्ग (Spiral Staircase) तयार गरी जडान समेत (भन्ज्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	3205	3205	3205	

२१-१२३ ११/११/२०८३

२५ २५/११/२०८३

२५ २५/११/२०८३

शम्भु पन्नाद रेग्मी
मुख्य जिल्ला अधिकारी

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			वै.व. ०८२/८३	वै.व. ०८३/८४	वै.व. ०८४/८५
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४			
h	फलामे सामग्रीको फ्रेमिङ तथा जडान कार्य	के.जी.	47	47	47			
i	All type of general MS structural works	व.फी.	179	179	179			
j	Truss & roofing works Plain sheet 26 gauge	"	210	210	210			
k	Truss & roofing works colour sheet 26 gauge	"	247	247	247			
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	200	200	200			
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गोटा	2038	2038	2038			
n	Steel Structural (Light gauge) frame work for building (as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rebet,screw erection fitting and essembly charges) all complete work Panchakanya or equivalent company	व.फि.	809	809	809			
29	Glass सीसा							
29.1	Plain सादा (सेतो)							
	(क) ३ मी.मी.	व.फि.	52	52	52			
	(ख) ३.५ मी.मी.	व.फि.	58	60	60			
	(ग) ४ मी.मी.	व.फि.	66	68	68			
	(घ) ५ मी.मी. "	"	89	92	92			
	(ङ) ६ मी.मी. "	"	103	107	107			
	(च) ८ मी.मी. "	"	173	180	180			
29.2	Printed Glass (बुट्टेदार सिसा)							
	(क) ३ मी.मी.	"	47	47	47			
	(ख) ४ मी.मी. " "	"	55	55	55			
29.3	Poly Fibre Glass							
	(क) ६ मी.मी.	"	150	150	150			
29.4	Black Color Glass							
	(क) ३ मी.मी.	व.फि.	89	92	92			
	(ख) ४ मी.मी.	"	96	99	99			
	(ग) ५ मी.मी.	"	109	113	113			
	(घ) ६ मी.मी.	"	150	156	156			
	(ङ) ८ मी.मी.	"	219	219	219			
	(च) १० मी.मी.	"	314	314	314			
	(छ) १२ मी.मी.	"	355	355	355			
29.5	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने							
	(क) ५ मि.मि बाक्लो	व.फि.	107	107	107			
29.6	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture							
	(क) ४ मी.मी. बाक्लो	व.मि.	5753	5753	5753			

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
29.7	विभिन्न रंगको Reflector Glass (शिशा)					
	५ मी.मी मोटो	व.फि.	171	171	171	
	Note: ४ फिट * ८ फिट भन्दा बढी साइजको शिशा भएमा ५०% बचत रकम लाग्ने छ।					
30	Corrugated/Plain Fiber Glass Sheet					
	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	112	112	112	
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	125	125	125	
	(ख) १.२ मी.मी. मोटो प्लेन	"	125	125	125	
	१.२ मी.मी. मोटो कोरोगेटेड	"	143	143	143	
	(ग) २ मी.मी. मोटो प्लेन	"	212	212	212	
	२ मी.मी. मोटो कोरोगेटेड	"	250	250	250	
	(घ) ३ मी. मी. मोटो प्लेन	"	287	287	287	
	३ मी. मी. मोटो कोरोगेटेड	"	375	375	375	
	(ङ) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm)	Rm	69	69	69	
	(च) Fiber Glass छानाको लागि Ribet nut	no.	7	7	7	
31	भ्याल डोकामा लाग्ने Fixture हरू					
	Iron बाट बनेका					
	Hinge (कच्चा)					
	(क) ३" साइज	गोटा	16	16	16	
	(ख) ४" साइज	"	30	30	30	
	(ग) ५" साइज	"	45	45	45	
	(घ) ६" साइज	"	58	58	58	
	Locking Set (L-drop)					
	300 mm	गोटा	266	266	266	
	225 mm	"	233	233	233	
	150 mm	"	200	200	200	
	Aluminum बाट बनेका					
	Towerbolt (बेस्कीनी)					
	(क) ३" लामो	गोटा	21	21	21	
	(ख) ४" लामो	"	42	42	42	
	(ग) ६" लामो	"	69	69	69	
	(घ) ८" लामो	"	83	83	83	
	(ङ) १०" लामो	"	97	97	97	
	(च) १२" लामो	"	110	110	110	
	Handle (हतकल)					
	Ordinary	गोटा	34	34	34	
	Special	"	49	49	49	
	Brass बाट बनेका					
	Hinge (कच्चा)					
	2" x 1/2"	गोटा	65	65	65	
	2 1/2 x 3/4"	"	73	73	73	
	3" x 3/4"	"	90	90	90	
	2" x 3/4"	"	73	73	73	
	2 1/2" x 3/4"	"	82	82	82	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				वैशिष्ट्य
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	3"x3/4"	"	90	90	90	
	3"x1"	"	194	194	194	
	4"x1"	"	291	291	291	
	5"x1"	"	388	388	388	
	6"x1"	"	468	468	468	
	Towerbolt (खेल्कीनी)					
	(क) ३" लामो	गोटा	146	146	146	
	(ख) ४" लामो	"	194	194	194	
	(ग) ६" लामो	"	291	291	291	
	(घ) ८" लामो	"	388	388	388	
	(ङ) १०" लामो	"	483	483	483	
	(च) १२" लामो	"	580	580	580	
	Handle (हलकल)					
	6" Brass handle	गोटा	154	154	154	
	8" Brass handle	"	468	468	468	
	10" Brass handle	"	967	967	967	
	Brass 5"	"	146	146	146	
	Brass 6"	"	226	226	226	
	Locking Set (L-drop)					
	(क) ८" लामो	गोटा	1014	1014	1014	
	(ख) १०" लामो	"	1673	1673	1673	
	(ग) १२" लामो	"	1858	1858	1858	
	Special Fittings					
	एल ड्रप :-					
	८" लामो	गोटा	1137	1137	1137	
	१०" लामो	"	1284	1284	1284	
	१२" लामो	"	1338	1338	1338	
	ह्याण्डल :-					
	८" लामो	"	1338	1338	1338	
	टावर बोल्ट :-					
	६" लामो	"	241	241	241	
	८" लामो	"	321	321	321	
	१०" लामो	"	402	402	402	
	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)					
	एल ड्रप :-					
	८" लामो	गोटा	955	955	955	
	१०" लामो	"	1210	1210	1210	
	१२" लामो	"	1338	1338	1338	
	ह्याण्डल :-					
	६" लामो	"	268	268	268	
	८" लामो	"	402	402	402	
	Mortice Lock					
	Ordinary	गोटा	669	669	669	
	Chinese	"	446	446	446	
	Indian Godrej Company	"	2739	2739	2739	

वि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कीफायत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	Brass		1210	1210	1210	
	Door Spring (Door Closer)					
	Ordinary	गोटा	191	191	191	
	hydraulic	"	2007	2007	2007	
	Other Door/Windows fixtures					
	Window I-hook	गोटा	19	19	19	
	Gate Hook					
	4" Gate hook	गोटा	33	33	33	
	5" Gate hook	"	37	37	37	
	6" Gate hook	"	44	44	44	
	Brass Gate hook		78	78	78	
	Door stopper					
	Diamond	गोटा				
	Butterfly	"	159	159	159	
	Bell catch 2" size	"	210	210	210	
	C.P. handle	"	455	455	455	
	Power coated handle	"	435	435	435	
	Brass coated handle	"	936	936	936	
	Door stopper, single brass stopper	सेट	107	107	107	
	Door stopper double brass stopper	"	191	191	191	
32	बिचिघ सामग्रीहरू					
	Hold fast different sizes (7 nos./Kg.)	के.जी.	125	125	125	
	Nails (different sizes)	के.जी.	112	112	112	
	सालका काठको खाधान्न राख्ने पुराना तख्ता(पुनः प्रयोग हुने)	घ.फि.	721	721	721	
	कवाडी फलामे सामानहरू(बन्चरो,घन,छिना आदि फलामे सामान)	के.जी.	26	26	26	
	प्रयोग गर्न नसकिने पुराना मेसीन(टाइपराइटर, डीलीड मेसीन, डीलीड बिट)	के.जी.	21	21	21	
	Nut and Bolts	गोटा	29	29	29	
	Nut and Bolts (different sizes)	के.जी.	165	165	165	
	Sandpaper (खान्सी)	गोटा	6	6	6	
	विभिन्न साईजको जे-हुक, यु-हुक	के.जी.	137	137	137	
	२" साइज रुफिङ नेल्स	गोटा	7	7	7	
	३" साइज रुफिङ नेल्स	"	10	10	10	
	Screw Brass					
	20mm	गोटा	2	2	2	
	25mm	"	3	3	3	
	35mm	"	4	4	4	
	50mm	"	12	12	12	
	75mm	"	15	15	15	
	Screw Steel					
	20mm	"	1	1	1	
	25mm	"	2	2	2	
	35mm	"	2	2	2	
	50mm	"	7	7	7	

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			वैकल्पिक
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	75mm	"	8	8	8	
	बिटुमीन बासर	गोटा	3	3	3	
	Roofing bitumen (रफिङ अलकना)	के.जी.	93	93	93	
	५०० गेज प्लाष्टिक सिट	व.मी.	31	31	31	
	ISI Mark Trafelt (२०मी. × १मी.)	रोल	2472	2472	2472	
	Plasticfelt (२०मी. × १मी.)	"	2318	2318	2318	
	१८-२० फिट लामो बाँस	गोटा	204	204	204	
	मैन पालिस	के.जि.	206	206	206	
	अक्रालिक एसिड	"	118	118	118	
	जुट वा पोलिथिनको खाली बोरा	गोटा	18	18	18	
	माटो (ढुवानि बाहेक)	घ.मि.	268	268	268	
	सबग्रेडमा राख्ने माटो (In Capping layer Granular soil)	घ.मि.	464	464	464	
	भुस	के.जि.	5	5	5	
	गोबर	"	5	5	5	
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	93	93	93	
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	98	98	98	
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	9	9	9	
	Water (पानी टर्वाकरवाट ढुवानी)					
	३ कि.मी. सम्म को दुरीमा	लिट्र	0.26	0.26	0.26	
	३ कि.मी. देखि माथीको दुरीमा	लिट्र	0.31	0.31	0.31	
33	स्टेनलेस स्टील पाइप					
	३/४" व्यास भएको १६ गेज मोटाई	मी.	198	198	198	
	१" व्यास भएको १६ गेज मोटाई	"	248	248	248	
	१ १/४" व्यास भएको १६ गेज मोटाई	"	315	315	315	
	१ १/२" व्यास भएको १६ गेज मोटाई	"	353	353	353	
	२" व्यास भएको १६ गेज मोटाई	"	518	518	518	
	स्टील रेलिङ. steel Raling को बार लगाउने कार्य (२ इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe)	र.फी.	1191	1191	1191	
34	मार्बल चिप्स					
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि.प्रति बोरा)	बोरा	170	170	170	
	(ख) रंगीन मार्बल चिप्स (२५ के.जि. प्रति बोरा)	"	170	170	170	
	(ग) फेजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	181	181	181	
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	153	153	153	
35	मार्बल (Marble)					
35.1	राजस्थानी मार्बल					
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	161	161	161	
	१६ मी.मी बाक्लो राजस्थानी	"	167	167	167	
35.2	ग्रेनाइट					
	१२ मी.मी बाक्लो ग्रेनाइट	"	303	303	303	
	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	309	309	309	
	१९ मी.मी बाक्लो ग्रेनाइट	व.फि.	353	353	353	

१२/१२/२०८३

१० २५

१२/१२/२०८३

१२/१२/२०८३

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			वैशिष्ट्य
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
35.3	Kota Stone					
	1" thick	ब.फि.	145	145	145	
	3/4" thick	ब.फि.	133	133	133	
35.4	Sand stone (for rubbing Marble)	गोटा	73	73	73	
36	Porcelain Glazed/Terrazo Mosaic Tiles					
36.1	Porcelain Glazed Tiles					
	ग्लेज टायल्स (१२ " X ८ ") सम्मको ।	ब.फि.	-	-	-	
	ग्लेज टायल्स (१२ " X १२ ") माथिको ।	"	-	-	-	
	Cotto Tiles	"	126	126	126	
	Kajaria, Vermura, Somany, Orient Tile or equivalent	"	85	88	88	
	Ordinary floor and wall Tile	"	54	56	56	
	Border Tile (२ " X ८ ")	र.फि.	43	43	43	
	Border Tile (२ " X ८ ")	ब.फि.	178	178	178	
	Indian Ceramic Wall Tile (30*45cm)	"	180	70	70	
	Indian Ceramic Border Tile (30*45cm)	"	180	70	70	
	Indian Ceramic Floor Tile (30*30cm)	"	150	70	70	
	Flooring tile GVT Somany/Swastik/Victory / Espanoi or equivalent					
	24"X24" GVT	ब.फु.	165	165	165	
	24"X24" GRES Vitrified (Digital floor)	"	144	144	144	
	12"X12" GRES homogeous Vitrified parking tile	"	106	106	106	
	24"X24" Vitrified	"	111	111	111	
	Flooring tile Everest/Victory /Swastik /Espanoi or equivalent					
	16"X16 "	ब.फु.	98	98	98	
	12"X12"	"	88	88	88	
	12"X12" (White/Ivery)	"	77	77	77	
	2"X2"(Digital)	"	129	129	129	
	12"X24" (Wall)	"	134	134	134	
	12"X18" (Wall)	"	103	103	103	
36.2	LG Floors Tiles					
	L.G. Deluxe Tiles (300x300x2mm)	ब.फु.	-	-	-	
	L.G. Deco Tiles (450x450x3mm)	"	-	-	-	
	L.G. Deco Wood (100x920x3mm)	"	-	-	-	
	Fittings for Tiles	"	14	14	14	
	Fittings for Tiles on stairs	"	16	16	16	
	Dendrite for tiles	लि.	371	371	371	
36.3	ELITE / FORBO FLOORING COATING					
	ELITE MICRO FINISH FLOORING (INCLUDED ALL FINISH)	ब.फि.	361	361	361	
	ELITE HERMETIC HEAT FLOORING (INCLUDED ALL FINISH)	"	361	361	361	
	ELITE REFLECTOR FLOORING(INCLUDED ALL FINISH)	"	383	383	383	
	SARLON VINYL ACOUSTIC FLOORING	"	427	427	427	

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	SCRATCH FABRIC FALSE CEILING	"	232	232	232	
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	"	62	62	62	
	Forbo marmoleum flooring 2mm thick all fitting work	"	403	403	403	
37	Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.					
	a) POP Molding 1" to 1½"	र.मि	238	238	238	
	b) Up to 5" wide	र.मि	285	285	285	
	c) Up to 8" wide	र.मि	393	393	393	
	d) Above 8" wide	र.मि	161	161	161	
37.1	रंगरोगनका सामानहरू					
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	19	19	19	
	(ख) विभिन्न प्रकारको रंगिन चुन	"	36	36	36	
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	39	39	39	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	74	74	74	Equivalent Asian, Berger & other company.
	(ङ) सिमेन्ट प्राइमर सेतो	"	268	268	268	
	छ) उड प्राइमर (Wood Primer)	लिटर	376	376	376	
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिटर	525	525	525	
	च) नेपाल रेडको म्याट फिनिशिंग	लिटर	506	506	506	
	(ज) कोरुगेटेड रुफ Paint	"	476	476	476	
	(झ) तयारी बल्मुनियम पेन्ट	"	546	546	546	
	(ञ) तयारी वार्नेस	"	440	440	440	
	(ट) तयारी वार्नेर सेन्थेटिक	"	340	340	340	
	(ठ) भारतीय थिनर	"	231	231	231	
	ड) उड एण्ड ग्लास पुटिन	के.जी.	131	131	131	
	ड) मेटल पुटिन	"	155	155	155	
	ण) चुना पेन्ट गर्न राख्ने गम	"	203	203	203	
	त) नेपाली थिनर	लिटर	218	218	218	
	(द) तारपिन तेल	"	214	214	214	
	(ध) रेड अक्साइड पेन्ट (Red oxide Paint)	"	262	262	262	
	(न) उड प्रिजरभेटिव पेन्ट	"	228	228	228	
	(प) Black Japan Paint	"	286	286	286	
	(फ) राम तिलक	के.जि.	56	56	56	
	(ब) गेरु रंग	के.जि.	137	137	137	
	(भ) चप्रा पालिस	के.जि.	916	916	916	
	(म) तयारी बासेबल डिस्टेम्पर	लि.	223	223	223	Equivalent Asian, Berger & other company.
	य) तयारी प्लास्टिक्स इन्टर्नल पेन्ट (interior)	लि.	526	526	526	

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			वैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	य) तयारी वेदरकोट पेन्ट (exterior)	लि.	631	631	631	
	(र) Road Marking Paint	"	579	579	579	
	(ल) लिनेसिड आयल (linsed Oil)	"	196	196	196	
	(व) स्थानीय स्प्रिट	लि.	118	118	118	
	(स) मोबिकल/फेबिकल	के.जि.	262	262	262	
	(प) Tata Red Oxide Paint	"	262	262	262	
	(ह) गृहा चुन (ईण्डीयन)	"	22	22	22	
	(क) Wall putty equivalent Asian , Berger & other company.	के.जि.	69	69	69	
	(ब) Plaster of Parish (POP)	के.जि.	23	23	23	
	wood keeper (chapara type)	लि.	550	550	550	
	Redoxide zink cromate primer For Bridge	लि.	463	463	463	
	Silk Breathless easy	लि.	1216	1216	1216	
	Road divider (polythene)	गोटा	1622	1622	1622	
	Dust bin (polythene) 165 ltr	गोटा	3083	3083	3083	
	Wall putty Epoxy flooring					
	wall plast wall putty (40kg)	Bag	1306	1306	1306	
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component	व.मी.	2082	2082	2082	
	2mm Epoxy Antistatic Floor coating for OT(4 layer & 9 component	"	3688	3688	3688	
	Epoxy Paint for Operation theater	"	11509	11509	11509	
37.2	Decorative Painting Material Acro & equivalents					
A	Specialized paints(Dr. wallz)					
1	Acro Bio-guard (Anti bacterial Hospital Paint)	लिटर	1099	1099	1099	
2	Acro Elastocrab (Anti carbonisation paint)	"	762	762	762	
B	Texture paints					
1	Mediterrano	के.जि.	176	176	176	
2	Stucco Veneziano	"	1639	1639	1639	
3	Velvetino	"	4305	4305	4305	
4	Travertino	"	412	412	412	
5	Gtone plaster	"	121	121	121	
6	Colorato (Multi color)	"	921	921	921	
7	Pearl skin texture	"	149	149	149	
8	TS 52 Spray white	"	199	199	199	
9	Rustic	"	159	159	159	
10	Rockart	लिटर	159	159	159	
11	Manhattan	के.जि.	238	238	238	
12	Sabbia	"	238	238	238	
13	Sandy Stone	"	174	174	174	
14	Insulplast	"	237	237	237	
15	Poly Under White	"	264	264	264	
16	Antica(Top coat)	"	1267	1267	1267	
17	T.C 100(Top coat)	"	728	728	728	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मा.ब. ०८१/८२			कैफियत
			मा.ब. ०८१/८२	मा.ब. ०८२/८३	मा.ब. ०८३/८४	
18	Dekorica White	"	2631	2631	2631	
19	Poly Plaster	"	107	107	107	
20	Granite tone	"	165	165	165	
21	Graffiato	"	159	159	159	
22	Elligance stone	"	189	189	189	
23	Marmorino Base	क.मि	412	412	412	
24	Acro fine	मिटर	181	181	181	
25	Marmocastro base	क.मि	139	139	139	
26	Selva Granite	"	215	215	215	
27	Romart	"	239	239	239	
C	Weathercoat paints					
1	Guard	मिटर	503	503	503	
2	Guard -3x	"	588	588	588	
3	Shield	"	322	322	322	
4	Acrotex matt	"	510	510	510	
5	Ext wall Primer	"	238	238	238	
D	Emulsion Paints					
1	silk Emulsion paints	"	522	522	522	
2	Aqualin Int.Emulsion	"	280	280	280	
3	pearl Emulsion paints	"	772	772	772	
4	Int. wall Primer	"	172	172	172	
E	Acrylic Washable Distemper	"	142	142	142	
F	Acro gold Enamel	"	512	512	512	
G	Universal primer (wood primer)	"	313	313	313	
H	Red oxide metal primer	"	276	276	276	
I	Construction Chemical / waterproof coating system					
	crack sill	"	387	387	387	
	crack fill A+B	"	170	170	170	
J	Silicon Bases water repellent impregnation					
	Acropreg	"	466	466	466	
	Acropreg W	"	619	619	619	
	Wall putty	क.मि	39	39	39	
37.3	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works					
1	Acro Spanezia maestro finishes texture					
1.1	Mediterrano texture	ब.मि	128	128	128	
1.2	Travertino texture	"	195	195	195	
1.3	Velvetino texture	"	167	167	167	
1.4	Gtone plaster and Colorato texture(Multicolour texture)	"	133	133	133	
1.5	Stucco veneziano texture	"	140	140	140	
1.6	Pearl skin texture	"	120	120	120	
1.7	Marmorino texture	"	156	156	156	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कीफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
2	Acro texture					
2.1	Acro spray flat/Acro spray dews texture	ब.फि	75	75	75	
2.2	Featherglow/Royal touch/Superfine/Ceratex texture	"	74	74	74	
2.3	Rustic texture	"	99	99	99	
2.4	Rockart texture	"	93	93	93	
2.5	Graffiato texture	"	103	103	103	
2.6	Marmocastro texture	"	90	90	90	
2.7	Marmoplast texture	"	90	90	90	
2.8	Sabbia texture	"	112	112	112	
2.9	Manhattan texture	"	112	112	112	
2.10	Sandy stone texture	"	154	154	154	
2.11	Selva Granite texture	"	116	116	116	
2.12	Elligance stone texture	"	107	107	107	
2.13	Granite tone texture	"	98	98	98	
2.14	Romaart texture	"	124	124	124	
2.15	Insulplast texture	"	135	135	135	
3	Acro Bio-guard (Hospital Paint)	"	54	54	54	
4	Acro Elastocarb(anti carbonisation paint)	"	38	38	38	
1	<u>EXTERIOR SURFACE WEATHERCOAT PAINTS</u>					
	1.ACROGUARD 3X	ब.फि	23	23	23	
	2. ACROGUARD	"	21	21	21	
	3. ACROSHIELD	"	17	17	17	
	4. ACROTEX MATT	"	31	31	31	
2	<u>INTERIOR SURFACE EMULSION PAINTS</u>					
	1. ACROPEARL EMULSION PAINTS	ब.फि	24	24	24	
	2. ACROSILK EMULSION PAINTS	"	20	20	20	
	3. AQUALIN EMULSION PAINTS	"	16	16	16	
	4. AQUALIN ACRYLIC WASHABLE DISTEMPER	"	11	11	11	
	5. ACRO GOLD ENAMEL PAINTS	"	18	18	18	
	Expansion joint					
1	Horizontal Area fixing clips affixed aluminium joint covers VEDA FRANCE Series JDH 5.2.050 standard load.	RM	15450	15450	15450	
2	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers VEDA FRANCE CJV-180 Alu.	RM	12875	12875	12875	
3	Extruded Aluminium Joint Covers VEDA FRANCE CJE- PF flat.	RM	14935	14935	14935	
4	Folded Joint Covers VEDA France Series CJP a silver anodized coating.	RM	18025	18025	18025	
5	Vertical Joints Standard and Seismic Interior use VEDA FRANCE Series JDV 4.2	RM	25750	25750	25750	
6	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.4 flat.	RM	13390	13390	13390	
7	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.6 flat.	RM	19055	19055	19055	

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
8	Vertical Joints VEDA FRANCE Series JDV 4.10 / 4.12 flat	RM	28840	28840	28840	
9	Suspended Ceiling Joints VEDA FRANCE Series JDV 4.14	RM	12360	12360	12360	
10	Floor Joint VEDA FRANCE Series JDH 5.2 standard loads.	RM	21115	21115	21115	
11	Floor Joint VEDA FRANCE Series JDH 5.4 standard loads.	RM	33475	33475	33475	
12	Floor Joint VEDA FRANCE Series JDH 5.8 standard loads.	RM	36050	36050	36050	
13	Floor Joint VEDA FRANCE Series JDH 5.26 heavy loads.	RM	38625	38625	38625	
14	CAR Park Joint VEDA FRANCE Series JDH 5.30 standard loads(15 to 35mm)	RM	16480	16480	16480	
15	CAR Park Joint VEDA FRANCE Series JDH 5.32 standard loads (40 to 70mm)	RM	31930	31930	31930	
16	BED Affixed Control Joints VEDA FRANCE Series JF 1700	RM	19313	19313	19313	
17	BED Affixed Control Joints VEDA FRANCE Series JF LUXE 2700	RM	29355	29355	29355	
18	BED Affixed Control Joints VEDA FRANCE Series JF Deco.	RM	9270	9270	9270	
19	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/1	RM	1545	1545	1545	
20	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/2	RM	2060	2060	2060	
21	Adhesive Affixed Control Joints VEDA FRANCE Series JF 1600	RM	15450	15450	15450	
22	Stair Nosing VEDA France MDM VD 320/550/1010	RM	9785	9785	9785	
38	Wall Paper					
	Wall paper (10m.x 0.53m)	रोल	1236	1236	1236	
	Fittings for wall paper	ब.फि	7	7	7	
	White glue for wall paper	लि.	108	108	108	
39	Eradication of peepal & other plants					
	a) Stem up to 1" thickness	गोटा	-	-	-	
	b) Stem up to 1"-2" thickness	"	-	-	-	
	c) Stem up to 2"-3" thickness	"	-	-	-	
	d) Stem up to 3"-4" thickness	"	-	-	-	
40	Gypsum board					
40.1	Supplying and fixing of Thai gypsum board application work					
	i) फलस सिलिङ गर्ने	ब.फि	-	-	-	
	ii) Water resistant false ceiling	"	-	-	-	
	iii) Wall partition	"	119	119	119	
	iv) Wall paneling	"	79	79	79	
	v) Metalized polited laminated Board (MPL) board	"	76	76	76	
	12.5mm thick Gypsum Board False ceiling including all necessary material	"	70	70	70	
41	Calcium Silicate Board supplying & fitting all complete work					

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
41.1	Solid Infill wall (Shera, Everest or Thai Gypsum or equivalent					
	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	3793	3793	3793	
41.2	Solid Infill wall (Chinese or equivalent)					
	Solid infill wall 3"	व.मी.	1770	1770	1770	
41.3	Solid Infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+2 kg /cu mtr					
	Solid infill wall 50mm	व.मी.	3288	3288	3288	
42	Interlocking Cement Concrete Block(Not less than M20 RCC Block)					
	a) Curb stone (M 25)	र.मि.	1123	1123	1123	
	25 mm thick C.C. Tile (Grey color)					
	Burfi , Round , Bobby Checker	Sqft	42	42	42	
	25 mm thick C.C. Tile (Red color)					
	Burfi , Round , Bobby Checker	Sqft	44	44	44	
	50 mm thick CC Block (Grey color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	51	51	51	
	50 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	52	52	52	
	60 mm thick CC Block (Grey color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	53	53	53	
	60 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	55	55	55	
	70 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	61	61	61	
	60 mm thick CC Block (Ocm or equivalent)					
	Brick type (23*11*6cm)non colour	Nos	10	10	10	
	Hexagon (22*22 cm) non colour	"	23	23	23	
	Hexagon (22*22 cm) colour	"	25	25	25	
	Square paver (30*30*4.5cm)non colour	"	32	32	32	
	Square paver (30*30*4.5cm)colour	"	34	34	34	
	inter block(24*13*6cm)	"	14	14	14	
	Isave paver (20*16*6cm)	"	16	16	16	
	supply of concrete Block different items United concrete or other Equivailent					
	Hollow Block (16"*8"*6")	Nos	78	78	78	
	Hollow Block (16"*8"*4")	"	69	69	69	
	Corner Hollow Block (16"*8"*6")	"	89	89	89	

वि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	Lintel Block (16"×8"×6")	..	89	89	89	
	Pavers Block (fish or other shape) 60mm thick	..	20	20	20	
	concrete Brick (9"×4"×2.5")	..	13	13	13	
	Concrete Prefabricated Frames M40 Concrete standard (इयाल ढोकाका चौकोर, आर्क, पेन्टिलेसन)	प्रति रनिड फुट	199	199	199	
43	छानामा टाइलको वुहा काट्ने र पानी पट्टी कार्य					
	(१.४) भागको मिश्रणको सिमेन्ट मसला तयार गरि छट राखि १"बाक्लो प्लाष्टरमा स्फिड टाइलको वुहा काट्ने सामान सहित (तयारी)	व.मि.	-	-		
	१"×४" साइजका (१.४) भागको मिश्रणको मसला तयार गरि छट राखि बर्षादको पानी पट्टी बनाउने काम (तयारी)	र.मी	-	-		
44	Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting					
	i) Heritage granular	व.फि	100	100	100	
	ii) Heritage flakes	..	124	124	124	
	iii) Heritage granite finish	..	108	108	108	
	iv) Heritage Top coat (plastic lamination)	..	29	29	29	
45	UPVC Profile Door and Window/ Wall partition					
	Supplying and installation of UPVC Profile: Sliding window frame 50"80mm; sash 58"36mm, Sliding Door frame 52"88; sash 80"42, Casement window frame 60"60mm;sash 60"78mm, Casement Door frame 60"60; sash 60"104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.					
	UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरू					
	i) Single glazing					
1	UPVC Sliding window with net (frame 50"80 mm, sash 58"36 mm, white colour with 5mm glass)	Sqm	7215	7215	7215	
2	UPVC Sliding window without net (frame 60"60 mm, sash 66"42 mm, white colour with 5mm glass)	..	6664	6664	6664	
3	UPVC Top Hung window (frame 60"60 mm, sash 60"78 mm, white colour with 5mm glass)	..	7493	7493	7493	
4	UPVC Casement window (frame 60"60 mm, sash 60"78 mm, white colour with 5mm glass)	..	7493	7493	7493	
5	UPVC Single Door with half panel half glass (frame 60"60 mm, sash 60"104 mm, white colour with 5mm glass)	..	8214	8214	8214	
6	UPVC Single Door with full panel (frame 60"60 mm, sash 60"104 mm, white colour)	..	8328	8328	8328	



Handwritten signatures and initials.

Handwritten signature and date 16/25/22.

Handwritten signature.

Handwritten signature.

Handwritten signature.

Handwritten text: रामबहादुर रेग्मी, जिल्ला अधिकारी

वि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	8884	8884	8884	
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	"	8884	8884	8884	
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	"	8606	8606	8606	
10	UPVC Swing Door with half glass half UPVC panel (frame 60*60 mm)	"	9991	9991	9991	
11	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	Sqm	8626	8626	8626	
11	UPVC 60x64mm white colour casement window with 5mm glass pannele	"	9796	9796	9796	
12	UPVC 110x64mm x9mmthick board and 5mm tjick glass pannel white colour	"	10353	10353	10353	
12	UPVC 60x60mm x9mmthick white colour partition board with 5mm glass	"	10717	10717	10717	
13	UPVC 60x60mm white colour swing door with 5mm glass pannel	"	6727	6727	6727	
ii) Double glazing						
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	9435	9435	9435	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	"	8935	8935	8935	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	9718	9718	9718	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	9718	9718	9718	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	10439	10439	10439	
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	10547	10547	10547	
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	"	11103	11103	11103	
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	"	10825	10825	10825	
9	Supply & fixing of 80*50 mm white colour casement window	"	9611	9611	9611	
46	Prefab Panel for wall Partition solid wall panel (ESWP) or Equivallent					
46.1	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum, everst solid wall panel non asbestos including 1.1 mm thick GI chennel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete					



क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	a) 40 mm thick	"				
	b) 50 mm thick	"	232	232	232	
	c) 75 mm thick	Sq .m.	294	294	294	
46.2	False ceiling/ partition/ external cladding of everest or equivalent fibre designer board					
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	91	94	94	
	Supplying, making, fixing of 70mm thick exterior with full height of partition with everest fibre cement board	Sqft	271	281	281	
	Supplying, making, fixing of 66mm thick exterior with full height of partition with everest fibre cement board	Sqft	237	246	246	
	Supplying, making, fixing of 91mm thick exterior with full height of partition with everest fibre cement board	Sqft	302	314	314	
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	Sqft	266	276	276	
	Supplying, making, fixing of 50mm thick full height of partition with everest RAPICON wall panels	Sqft	211	219	219	
	Supplying, making, fixing of 75mm thick full height of partition with everest RAPICON wall panels	Sqft	279	290	290	
46.3	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft	-	-	-	
46.4	Cement board Aerocon C Board CK Birala , Everest or equivalent					
	6 mm thick	Sqft	33	33	33	
	8 mm thick	Sqft	41	41	41	
	10 mm thick	Sqft	52	52	52	
	12 mm thick	Sqft	62	62	62	
46.5	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 Gi wire					
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 Gi wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	381	381	381	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 Gi wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	412	412	412	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 Gi wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	509	509	509	

वि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			भा.व. ०८१/८२	भा.व. ०८२/८३	भा.व. ०८३/८४	
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or equivalent	Sqft	109	109	109	
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent					
	50 mm thick	Sqft	255	255	255	
	75 mm thick	Sqft	337	337	337	
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	274	274	274	
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	278	278	278	
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	243	243	243	
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	310	310	310	
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	Sqft	348	348	348	
47	Aluminium & Steel Door & Window					
47.1	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.					
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	530	530	530	
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	"	570	570	570	
	Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass.	"	560	560	560	
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	"	600	600	600	

नेपाल सरकार
मन्त्रालय
जिल्ला प्रशासन कार्यालय
वि.नं.नुवाकोट

Handwritten signatures and marks at the bottom of the page.

श्री. नारायण रेग्मी
जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	"	690	690	690	
	Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass.	"	430	430	430	
	Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass.	"	430	430	430	
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	"	530	530	530	
	Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass.	"	475	475	475	
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	650	650	650	
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	650	650	650	
	Siding windows 2 track in naturally anodized color section of (88×38×1.10)mm 5 mm glass.	"	380	380	380	
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	"	505	505	505	
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	"	505	505	505	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	"	505	505	505	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	480	480	480	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८४X४०X१.२० मी.मी.) शिशा ५ मी.मी.समेत सादा	"	525	525	525	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८४X४०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको ।	"	580	580	580	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८४X४०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा)	"	580	580	580	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८४X४०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको ।	"	525	525	525	
	102 series windows					
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	ब.फि	555	555	555	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	"	635	635	635	
	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	465	465	465	
	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	"	145	145	145	
	90 series windows					
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft per window)	"	520	520	520	
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft per window)	"	550	550	550	
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	440	440	440	
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2'X4'6")	"	145	145	145	
	78 series windows					
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'X4'6" or avg area 27 sqft per window)	"	460	460	460	
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft per window)	"	490	490	490	
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	410	410	410	
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2'X4'6")	"	135	135	135	
	Casement window and doors					
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	"	535	535	535	
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	585	585	585	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	745	745	745	
	Partition work					
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	350	350	350	
	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	370	370	370	
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	400	400	400	
	Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	500	500	500	
	Structure glazing					
	Providing and fixing aluminuim structure glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	"	560	560	560	
	Providing and fixing aluminuim structure glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	"	650	650	650	
	Providing and fixing aluminuim structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	790	790	790	
48	Aluminium composite panel					
48.1	Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing ALSTRONG, PRIME BOND,ALUTUF , INDO BOND or equivalent					
	3 mm , .20 mm black core	ब.कि	370	370	370	
	3 mm , .25 mm black core	"	380	380	380	
	3 mm , .30 mm black core	"	395	395	395	
	4 mm , .25 mm black core	"	405	405	405	
	4 mm , .30 mm black core	"	395	395	395	
	4 mm , .50 mm black core	"	420	420	420	
	4 mm , .25 mm Vergin core	"	430	430	430	
	4 mm , .30 mm vergin core	"	395	395	395	
	4 mm , .50 mm vergin core	"	430	430	430	
48.2	फाइबरका निर्माण सामग्रीहरूको विवरण					
1	WPC Single Toilet Hollow Door Board					
	(Size up to 14 sq. ft.) (32 mm)	प्रति स्क्वायर फिट	660	660	660	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				वैक्यत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	Embossing Without Film	प्रति स्क्वायर फिट	765	765	765	
	With Hot-stamping Film	प्रति स्क्वायर फिट	810	810	810	
2	WPC Single Room Hollow Door Board (Size from 15 sq. ft. to 18 sq. ft.) (32 mm)					
	Embossing Without Film	प्रति स्क्वायर फिट	660	660	660	
	With Hot-stamping Film	प्रति स्क्वायर फिट	765	765	765	
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट	810	810	810	
3	WPC Double Hollow Door Board (Small) (Size from 19 sq. ft. to 22 sq. ft.) (32 mm)					
	Embossing Without Film	प्रति स्क्वायर फिट	660	660	660	
	With Hot-stamping Film	प्रति स्क्वायर फिट	765	765	765	
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट	810	810	810	
4	WPC Double Hollow Door Board (Medium) (Size from 23 sq. ft. to 26 sq. ft.) (32 mm)					
	Embossing Without Film	प्रति स्क्वायर फिट	660	660	660	
	With Hot-stamping Film	प्रति स्क्वायर फिट	765	765	765	
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट	810	810	810	
5	WPC Double Hollow Door Board (Big) (Size from 27 sq. ft. to 32 sq. ft.) (32 mm)					
	Embossing Without Film	प्रति स्क्वायर फिट	660	660	660	
	With Hot-stamping Film	प्रति स्क्वायर फिट	765	765	765	
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट	810	810	810	
6	SMC Manhole Covers					
	Frame*Cover : 880mm*700mm-Round-Yellow and Grey (50 Ton Capacity)	प्रति गोटा	32691	32691	32691	
	Frame*Cover : 725mm*600mm-Round-Yellow and Grey (40 Ton Capacity)	प्रति गोटा	24159	24159	24159	
	Frame*Cover : 670mm*570mm-Round-Yellow and Grey (30 Ton Capacity)	प्रति गोटा	14382	14382	14382	
	Frame*Cover : 400mm*300mm-Square-Yellow and Grey (7.5 Ton Capacity)	प्रति गोटा	7426	7426	7426	
	Frame*Cover : 400mm*300mm-Square-Yellow and Grey (5 Ton Capacity)	प्रति गोटा	3590	3590	3590	
	Frame*Cover : 670mm*570mm-Square Jali-Yellow and Grey (5 Ton Capacity)	प्रति गोटा	12515	12515	12515	
	Frame*Cover : 570mm*475mm-Square-Yellow and Grey (5 Ton Capacity)	प्रति गोटा	8007	8007	8007	
	Frame*Cover : 670mm*625mm-Square-Yellow and Grey (Overlapping 50 Ton Capacity)	प्रति गोटा	20400	20400	20400	
	Frame*Cover : 570mm*525mm-Square-Yellow and Grey (Overlapping 15 Ton Capacity)	प्रति गोटा	12240	12240	12240	
	Frame*Cover : 725mm*600mm-Round-Yellow and Grey (10 Ton Capacity)	प्रति गोटा	18666	18666	18666	
	Frame*Cover : 570mm*475mm-Square-Yellow and Grey (2 Ton Capacity)	प्रति गोटा	6865	6865	6865	

क्र.न.	निर्माण सामग्रीहरूको विवरण	एकाई				वैक्यत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
7	Fiber Door-Single					
	Single (Model : Khapa, Galaxy, Namaste D and Four Square)	प्रति स्क्वायर फिट	1090	1090	1090	
	Single (Model: Kalash, New Flower and Peacock)	प्रति स्क्वायर फिट	1315	1315	1315	
	Double (Model : Glass Art)	प्रति स्क्वायर फिट	1635	1635	1635	
	Double (Model : Old Murti)	प्रति स्क्वायर फिट	1850	1850	1850	
	Double (Model : New Murti)	प्रति स्क्वायर फिट	2050	2050	2050	
8	Fiber Door Frame					
	Thickness : 100 and 110 mm	प्रति रनिङ्ग फिट	435	435	435	
9	Fiber Window or Ventilation Frame					
	Thickness : 110 mm	प्रति रनिङ्ग फिट	455	455	455	
10	Fiber Window Panel					
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	प्रतिगोटा	4740	4740	4740	
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	प्रतिगोटा	4530	4530	4530	
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	प्रतिगोटा	4980	4980	4980	
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	प्रतिगोटा	4740	4740	4740	
11	Fiber Window Net Panel					
	Non-Overlapping (Size: 4.5 sq.ft. to 7.5 sq.ft.)	प्रतिगोटा	4500	4500	4500	
12	Fiber Ventilation Panel					
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Blue, Black, Green	प्रतिगोटा	3540	3540	3540	
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Clear	प्रतिगोटा	3360	3360	3360	
13	Fiber Ventilation Net Panel					
	(Size: 3 Sq.ft. to 4.5 sq.ft.)	प्रतिगोटा	3360	3360	3360	
14	Fiber Plain Sheet					
	(Thickness : 1.2 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट	100	100	100	
	(Thickness : 1.5 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट	120	120	120	
	(Thickness : 1.8 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट	145	145	145	
	(Thickness : 2 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट	155	155	155	
	(Thickness : 2.5 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट	195	195	195	
	(Thickness : 3 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट	240	240	240	
15	Fiber Corrugated Sheet					
	Fiber S span Thickness 2mm, width 42"	प्रति रनिङ्ग फिट	640	640	640	
	Normal Corrugation (Thickness : 0.6 mm)-Clear	प्रति रनिङ्ग फिट	125	125	125	
	Normal Corrugation (Thickness : 0.8 mm)-Clear	प्रति रनिङ्ग फिट	170	170	170	
	Fiber Heritage Sheet Width 34" Thickness 2 mm	प्रति रनिङ्ग फिट	485	485	485	
16	Sandwich PUF Roofing Panel					
	30mm Thickness	प्रति वर्ग फिट	285	285	285	

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.स. ०८१/८२			कैफियत
			आ.स. ०८१/८२	आ.स. ०८२/८३	आ.स. ०८३/८४	
1.15	Resin ,Multi /polycarboxylate ether chloride free less alkali super plasticizer and micro silica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	650	650	650	
2	CONCRETE ADMIXTURES (Mineral)					
2.1	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	331	331	331	
2.2	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	98	98	98	
3	JOINT SEALANTS & SYSTEMS					
3.1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	Kg.	2396	2396	2396	
3.2	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	Kg.	2396	2396	2396	
3.3	One Component Low Viscosity Primer For Polysulfide Sealant	Kg.	3993	3993	3993	
3.4	Two Component Pour Grade Polyurethane Sealant for Joints	Kg.	2662	2662	2662	
3.5	Low Viscosity Primer For Polyurethane Sealant	Kg.	3993	3993	3993	
3.6	High Performance Hybrid Silyl Sealant (290 ml per set)	set	1597	1597	1597	
3.7	Butyl Tape for various Applications	RM	166	166	166	
3.8	Waterproofing Joint Tape [120 mm]	RM	666	666	666	
3.9	Waterproofing Joint Tape [200 mm]	RM	865	865	865	
3.10	NBR based Waterproofing Joint Tape [200 mm]	RM	5324	5324	5324	
3.11	Joint Tape Epoxy Adhesive	Kg.	3993	3993	3993	
3.12	Glass Fiber Joint Tape	RM.	300	300	300	
3.13	Waterproofing / Expansion Joint Tape [100 mm]	RM.	1997	1997	1997	
3.14	Waterproofing / Expansion Joint Tape [200 mm]	RM.	3594	3594	3594	
3.15	Construction Joint Tape [100 mm]	RM.	1065	1065	1065	
3.16	Construction Joint Tape [100 mm]	RM.	865	865	865	
3.17	Cross Linked Premoulded Compressive Joint Filler [25 mm]	Sq. M.	3261	3261	3261	
3.18	Cross Linked Premoulded Compressive Joint Filler [50 mm]	Sq. M.	6455	6455	6455	
3.19	Closed Cell Polymerbased Joint Filler [25 mm]	Sq. M.	1065	1065	1065	
3.2	Closed Cell Polymerbased Joint Filler [50 mm]	Sq. M.	1997	1997	1997	
4	INDUSTRIAL FLOORING SOLUTIONS					
4.1	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	Kg.	146	146	146	
4.2	Liquid Concrete Hardener & Dust Proofer	Kg.	499	499	499	

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कीफायत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
4.3	Anti Bacterial Floor & Wall Coating [Epoxy]	Kg.	2995	2995	2995	
4.4	Anti Bacterial Floor & Wall Coating [Polyurethane]	Kg.	3328	3328	3328	
4.5	Anti bacterial Floor & Wall Coating [Acrylic]	Kg.	2662	2662	2662	
4.6	Self Levelling Flooring System [Epoxy]	Kg.	1331	1331	1331	
4.7	Self Levelling Flooring System [Polyurethane]	Kg.	1997	1997	1997	
4.8	Self Levelling Cementitious Flooring System	Kg.	399	399	399	
5	ENGINEERING GROUTS					
5.1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	Kg.	146	146	146	
5.2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	Kg.	135	135	135	
5.3	Hard wearing cementitious tile grout	Kg.	213	213	213	
5.4	Hard wearing epoxy based tile grout	Kg.	1331	1331	1331	
5.5	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg.	666	666	666	
5.6	High Strength Precision Grade, Non Shrink Structural Epoxy AnchorgROUT	Kg.	3328	3328	3328	
5.7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 MI Cartridge]	MI	5990	5990	5990	
5.8	Low Viscosity Injection Epoxy Grout	Kg.	8652	8652	8652	
5.9	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inchec per gallon	Kg.	18634	18634	18634	
5.10	Low Viscosity Acrylate Gel Injection Grout	Kg.	11314	11314	11314	
5.11	Low Viscosity Soil Stabilization Injection Grout	Kg.	18634	18634	18634	
6	BONDING ADHESIVES (Polymer & Epoxy Resin)					
6.1	Acrylic Bonding Agent For Concrete & Mortar	Kg.	865	865	865	
6.2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	Kg.	1131	1131	1131	
6.3	High Performanance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	Kg.	1597	1597	1597	
6.4	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	Kg.	2396	2396	2396	
7	FIBERS (Steel & Polypropylene)					
7.1	FIBERMESH MF [Monofilament PP Fibers]	Kg.	1331	1331	1331	
7.2	FIBERMESH FB [Collated PP Fibers]	Kg.	1730	1730	1730	
7.3	FIBERMESH MACRO [Structural PP Fibers]	Kg.	2662	2662	2662	
7.4	Loose steel Fibers	Kg.	333	333	333	
7.5	Glued Steel Fibers	Kg.	466	466	466	
7.6	Crimped Steel Fibers	Kg.	245	245	245	
8	SURFACE TREATMENT					
8.1	Protective, Decorative Anti Carbonation Coating	Kg.	1597	1597	1597	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
8.2	Protective, Decorative Insulating Anti Carbonation Coating	Kg.	1797	1797	1797	
8.3	Concrete Penetrating Corrosion Inhibitor	Kg.	5990	5990	5990	
8.4	Protective Acrylic Sealer	Kg.	1997	1997	1997	
8.5	Protective Polyurethane Sealer	Kg.	2396	2396	2396	
8.6	Water Based Fire Retardant Coating	Kg.	1597	1597	1597	
8.7	High Performance Water Repellent Paint	Ltr.	11979	11979	11979	
8.8	Concentrated & Emulsified Chemical Mould Release Agent	Ltr.	666	666	666	
8.9	Ready to use Chemical Mould Release Agent	Ltr.	532	532	532	
8.10	Concrete Curing Aid	Kg.	532	532	532	
8.11	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m ²	kg	700	700	700	
	CONCRETE REPAIRS					
9	Rust Remover & Passivator	Ltr.	1331	1331	1331	
9.1	Corrosion Inhibitor	Kg.	1331	1331	1331	
9.2	Micro Concrete [M55] for Permanant Repairs	Kg.	186	186	186	
9.3	Single Component Polymer Modified Cementitious Repair Mortar	Kg.	190	190	190	
9.4	Two Component Polymer Modified Cementitious Repair Mortar	Kg.	333	333	333	
9.5	Cementitious, Waterproof Crack Repair Mortar	Kg.	266	266	266	
9.6	Acrylic Based Crack Filling Putty	Kg.	1597	1597	1597	
9.7	Resin ,Polycoboxylate Base For ultra High Strenth Concrete Repairing Dose : Admixture 10% By Wt of Cement	Kg	700	700	700	
10	PREPACKED MORTARS					
10.1	Tile, Mabrble, Granite etc. Adhesive	Kg.	100	100	100	
10.2	Marble & Granite etc. Adhesive	Kg.	466	466	466	
10.3	Coarse and water resistant Readymix plastring Mortar	Kg.	90	90	90	
10.4	High Performanance Polymer Based Wall Putty (Skim Coat)	Kg.	70	70	70	
10.5	High Performanance Polymer Based Insulting Wall Putty (Skim Coat)	Kg.	90	90	90	
11	WATERPROOFING SYSTEMS, Bal endura or equivalent					
	INTEGRAL					
11.1	Integral Waterproofing Additive for Concrete & Plaster	Kg.	300	300	300	
11.2	Silica Cement Admixture / Microsilica / Silica Fume	Kg.	315	315	315	
	LIQUID APPLIED					
11.3	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	Kg.	932	932	932	
11.4	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 2 coats	Kg.	666	666	666	

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				क्षेत्रफल
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
11.5	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m2	Kg.	998	998	998	
11.6	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr.	750	750	750	
11.7	Arcylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	Ltr.	700	700	700	
11.8	Crystalline Based Waterproofing Systems	Kg.	363	363	363	
11.9	Fast Setting Plugging Compound for stopping running water	Kg.	424	424	424	
11.10	Polyurethane based Waterproofing Coating System	Kg.	1815	1815	1815	
11.11	Polymer Modified Bitumen based Waterproofing Coating System	Kg.	1452	1452	1452	
11.12	Epoxy Resin based Waterproofing Coating System	Kg.	1815	1815	1815	
11.13	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	kg	600	600	600	
	PREFORMED					
11.14	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	2178	2178	2178	
11.15	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	Sq. M.	2420	2420	2420	
11.16	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	1210	1210	1210	
11.17	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	Sq. M.	1815	1815	1815	
11.18	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M.	1815	1815	1815	
11.19	1.2 mm High Polymer PVC Membranes	Sq. M.	2420	2420	2420	
11.2	PVC Adhesive	Kg.	3025	3025	3025	
11.21	1.2 mm EPDM Membranes	Sq. M.	2420	2420	2420	
11.22	EPDM Adhesive	Kg.	3025	3025	3025	
11.23	EPDM Primer	Kg.	3630	3630	3630	
11.24	2mm TPO Membranes	Sq. M.	4235	4235	4235	
11.25	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	968	968	968	
11.26	100% Synthetic Rubber Roof Coating	Kg.	5445	5445	5445	
12	SPECIALTY					
12.1	Antistripping Agent for Bitumen	Kg.	484	484	484	
12.2	Anti Termite [Imidacloprid 30.5%]	Kg.	9075	9075	9075	
12.3	Expanding Concrete Joint WATERSTOP	RM.	2420	2420	2420	
12.4	WB ADHESIVE Primer for Expanding Waterstop	2500	9075	9075	9075	
12.5	Swellable WATERSTOP	RM.	3025	3025	3025	
12.6	SEALGUARD PVC WATERSTOP - PVC Waterstops	RM.	3025	3025	3025	
12.7	Nodular Drain with Geotextile Roof Garden	Sq. M.	2420	2420	2420	
12.8	SEALGUARD GEOTEX [P] -Polyester Geotextile [Nonwoven 120gm/sqm]	Sq. M.	80	80	80	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			वैक्यत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
12.9	THERMOSEAL XPS - Extruded Polystyrene Boards [25 mm]	Sq. M.	1331	1331	1331	
12.10	THERMOSEAL XPS - Extruded Polystyrene Boards [40 mm]	Sq. M.	2420	2420	2420	
13	STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING					
13.1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	R. M.	9680	9680	9680	
13.2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	R. M.	12100	12100	12100	
13.3	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	Sq. M.	12100	12100	12100	
13.4	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	Sq. M.	18150	18150	18150	
13.5	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	Sq. M.	24200	24200	24200	
13.6	FRP [Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	Sq. M.	18150	18150	18150	
13.7	EPOXY PRIMER	Kg.	4235	4235	4235	
13.8	SATURANT	Kg.	3630	3630	3630	
13.9	LAMINATE ADHESIVE	Kg.	2420	2420	2420	
13.11	EPOXY TOPCOAT	Kg.	3630	3630	3630	
13.12	POLYURETHANE TOPCOAT	Kg.	4840	4840	4840	
13.13	Fiber anchor system 5to 10 mm	R. M.	2420	2420	2420	
13.14	Carbon Laminate [50 mm Wide 2 mm Thick]	R. M.	9680	9680	9680	
13.15	Carbon Laminate [75 mm Wide 2 mm Thick]	R. M.	12100	12100	12100	
14	Soil Stabiliser / Admixture					
14.1	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to0.4 % by wt of cement	kg	670	670	670	
15	Concrete curing compound					
15.10	Concrete Curing Aid	Kg.	453	453	453	
15.20	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	721	721	721	
50	परम्परागत निर्माण सामग्रीहरू :-					
	१) दधि अपा ठूलो ८"×२-३/८"×५"	गोटा	21	21	21	
	२) दधि अपा सानो ८३/८"×२-१/८"×४-१/४"	"	16	16	16	
	३) दधिअपा ठूलोको कुँ	"	25	25	25	
	४) दधिअपा सानोको कुँ अपा	"	21	21	21	
	५) माँ अपा ठूलो ८-७/८"×२-१/४"×५-३/४"	"	19	19	19	
	६) माँ अपा ठूलो 241x60x158 mm	"	24	24	24	
	७) मा अपा सानो ८-३/८"×२"×५"	"	15	15	15	
	८) धुरी चाङ्ग ठूलो ९-३/८"×५-१/२"×३/४"	"	24	24	24	
	९) धुरी 230x295x25 mm	"	-	-	-	
	१०) धुरी चाङ्ग सानो	"	18	18	18	
	११) फिगटी नयाँ ८-३/४"×४"	गोटा	11	11	11	
	१२) फिगटी पुरानो	गोटा	7	7	7	

म. सि. वि. कार्यालय
१२

५

२५/१२

२५/१२

२५/१२

प्रमुख जिल्ला अधिकारी
का. प्रमुख जिल्ला अधिकारी

वि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
१३)	ढुक्	गोटा	40	40	40	
१४)	Snake body brick traditional	गोटा	25	25	25	
१५)	Snake neck brick ,,	गोटा	74	74	74	
१६)	Snake head brick ,,	गोटा	145	145	145	
	क)साना	॥	113	113	113	
	ख)ठुलो	॥	227	227	227	
१७)	पेटीकोलागि ढुङ्गा					
	क) १८"×१०"×४"	॥	680	680	680	
१८)	नागोल ईटा	गोटा	19	19	19	
१९)	१"X १"X १८ इन्च कुना ढुङ्गा	१ मि.	2266	2266	2266	
२०)	फःलोह अपा ठुलो 375x225x100mm	गोटा	170	170	170	
२१)	फःलोह अपा सानो 254x229x102mm	॥	142	142	142	
२२)	तीनकुनै तेलिया ईटा (९"×९"×२-१/४"	॥	14	14	14	
२३)	तीनकुनै तेलिया ईटा (६"×६"×२-१/४"	॥	10	10	10	
२४)	चारकुनै तेलिया ईटा (८"×८"	॥	19	19	19	
२५)	तेलिया ईटा (६"×६"	॥	14	14	14	
२६)	बुट्टेदारी कर्निश इटा (काशीमोहरु)	॥	28	28	28	
२७)	बुट्टेदारी कर्निश इटा कुना	॥	42	42	42	
२८)	बुट्टेदारी कर्निश इटा ठूलो 222x273x76mm	॥	170	170	170	
२९)	भ्याल माथिको कर्निश इटा बुट्टेदारी	॥	34	34	34	
३०)	काठको कर्निश माथिको इटा ११×६×२.५"	॥	57	57	57	
३१)	कर्नर स्टोन : १०"×१०"×१४"	॥	1586	1586	1586	
३२)	क) बिचको न्याहाकल्ल १०"×७"×१४"	॥	1076	1076	1076	
३३)	नागोल ढुङ्गा १८"×१०"×४	॥	793	793	793	
३४)	भौ प्या	गोटा	227	227	227	
३५)	तामा पाता. (नेपाली)	केजी	1076	1076	1076	
	तामा पाता (Indian)	केजी	1246	1246	1246	
३६)	पित्तल पाता	केजी	850	850	850	
३७)	पारो	ग्राम	170	170	170	
३८)	सुर्कि इटा कटि धुलो बनाएको ।	टन	1360	1360	1360	
३९)	Wind bell हवा घण्टी ४"	गोटा	467	467	467	
४०)	नहकल्लो बीचको	१ गोटा	1700	1700	1700	
४१)	पेटीढुङ्गा ४"	१ मि.	2039	2039	2039	
४२)	पेटीढुङ्गा ५"	१ मि.	2493	2493	2493	
४५)	श्री गणेश	गोटा	1133	1133	1133	
४६)	कुमार	गोटा	1133	1133	1133	
४७)	बुद्धगो धारा	गोटा	1133	1133	1133	
४८)	लहाके सेट	गोटा	2266	2266	2266	
४९)	नागबेली बुटा	गोटा	25	25	25	
५०)	नागबेली बुटा कुना	गोटा	37	37	37	
५१)	स्वा बुटा	गोटा	35	35	35	
५२)	चीर बुटा	गोटा	25	25	25	

नेपाल सरकार
न्याय विभाग
जिल्ला कार्यालय
नुवाकोट

श्री. शिवाजी लाल
२

५ २५/५

श्री. शिवाजी लाल

श्री. शिवाजी लाल

श्री. शिवाजी लाल
जिल्ला अधिकारी

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	५३)कार्नेसफयो	गोटा	22	22	22	
	५४)कार्नेस गजुर पत्ती	गोटा	34	34	34	
	५५)ठुलो कलश	गोटा	170	170	170	
	५६)मसीनो सुर्कि	केजि	13	13	13	
	५७)खसो सुर्कि	केजि	8	8	8	
	५८)गङ्गा चुन	के.जि.	25	25	25	
59	सा अषा (साइज 200x50x130)	गोटा	15	15	15	
60	दधि अषा (साइज 200x55x100)	"	18	18	18	
61	त्वा अषा (साइज 110x55x180)	"	18	18	18	
62	गोल अषा (साइज 120x55x80)	"	18	18	18	
63	गणेश अषा (साइज 200x250x35)	"	340	340	340	
64	कुमार अषा (साइज 200x250x35)	"	340	340	340	
65	सारा अषा (साइज 200x250x55)	"	340	340	340	
66	पञ्च बुद्ध अषा (साइज 170x230x55)	"	340	340	340	
67	कलस अषा (साइज 100x140x40)	"	57	57	57	
68	नागोल अषा (साइज 140x52x120)	"	20	20	20	
69	कसिमो अषा (साइज 230x55x100)	"	29	29	29	
70	सकली अषा (साइज 140x55x115)	"	25	25	25	
71	पानबुट्टा अषा (साइज 140x55x115)	"	25	25	25	
72	सानो फ बुट्टा अषा (साइज 180x55x30)	"	29	29	29	
73	ठूलो फ बुट्टा अषा (साइज 230x55x110)	"	29	29	29	
74	नयाँ फ बुट्टा अषा (साइज 230x55x110)	"	29	29	29	
75	साना ग बुट्टा अषा (साइज 140x50x110)	"	25	25	25	
76	ठूलो ग बुट्टा अषा (साइज 230x55x90)	"	29	29	29	
77	पुम्हा बुट्टा अषा (साइज 180x55x70)	"	29	29	29	
78	तिनकुने स्वाँ अषा (साइज 200x550x30)	"	29	29	29	
79	तिनकुने पल्लि अषा (साइज 200x550x90)	"	29	29	29	
80	साना स्वाँ अषा (साइज 140x50x110)	"	25	25	25	
81	ठूलो स्वाँ अषा (साइज 230x55x90)	"	29	29	29	
82	नाग टाउको दायाँबायाँ (साइज 100x150x50)	"	142	142	142	
83	नाग घटी दायाँबायाँ (साइज 140x60x70)	"	74	74	74	
84	नाग जीउ (साइज 140x60x70)	"	25	25	25	
85	नाग कन्या/पुरुष (साइज 180x380x55)	"	567	567	567	
86	खाल नागोल (साइज 130x55x120)	"	20	20	20	
87	खाल फयो (साइज 130x55x135)	"	20	20	20	
88	सहरा बुट्टा (साइज 125x45x140)	"	25	25	25	
89	नयाँ पैनी (साइज 140x55x120)	"	25	25	25	
90	मिछापुकी (साइज 140x55x120)	"	34	34	34	
91	पल्लिपो दायाँ/बायाँ (साइज 130x55x120)	"	25	25	25	
92	नयाँ पल्लिपो (साइज 185x52x80)	"	29	29	29	
93	सिधा पल्लिपो (साइज 190x55x90)	"	29	29	29	
94	२" सिङ्ग (साइज 95x50x10)	"	34	34	34	
95	२"गकड (साइज 95x50x100)	"	34	34	34	
96	धमिल्ला (साइज 95x50x100)	"	34	34	34	
97	धीयन (साइज 70x700x80)	"	45	45	45	

सुदूर पश्चिम प्रदेश
न्यायिक प्रशासन विभाग
नुवाकोट जिल्ला अदालत

डा. शिवाजी लाम्छे
२
१६
२९
२९
२९
२९

श.स. प्रसाद रेग्मी
महोदय जिल्ला अधिवक्ता

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			वैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
98	लवा कचो (साइज 140x55x120)	"	20	20	20	
99	लारा बुझा पुरानो (साइज 180x55x80)	"	25	25	25	
100	लारा बुझा नयाँ (साइज 230x70x90)	"	29	29	29	
101	स्वाको लारा (साइज 220x55x90)	"	29	29	29	
102	सिक्की बुझा (साइज 220x55x80)	"	29	29	29	
103	न्याय बुझा सानो (साइज 140x65x130)	"	29	29	29	
104	न्याय बुझा ठूलो (साइज 140x100x130)	"	29	29	29	
105	न्योन नगोम (साइज 2000x55x90)	"	20	20	20	
106	छि बुझा (साइज 210x55x75)	"	29	29	29	
107	सानो/ठूलो (साइज)	"	29	29	29	
51	Security System					
	Steel Security Gate supply					
	Metal detector (black Scorpion Company)	गोटा	16995	16995	16995	
	Access Controller (Taiwanese)	गोटा	28840	28840	28840	
	Access Controller (Chainese)	गोटा	13905	13905	13905	
	Steel Security Door					
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	8683	8683	8683	
	Half leaf :- 50 mm, 70 mm, 100mm	Sqm	9930	9930	9930	
	Double leaf :- 50 mm, 70 mm, 100mm	Sqm	10419	10419	10419	
	Security System					
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रणालि)	गोटा	34333	34333	34333	
	ii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	20600	20600	20600	
	iii) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	12875	12875	12875	
	iv) Finger print access system with software	गोटा	36050	36050	36050	
	v) Security from Panic Alarm	गोटा	36050	36050	36050	
	vi) GPS (Global Positioning System) Device with software	गोटा	25749	25749	25749	
	vii) Automatic motor operator for water pump Survo , Manglam or Equivalent (पानी भरिएपछि स्वचालित रुपमा on/off हुने प्रणाली)					
	Up to 1/2 H.P.	गोटा	4326	4326	4326	
	1.0 H.P.	गोटा	5948	5948	5948	
	5 H.P.	गोटा	9734	9734	9734	
52	Bridge Materials					
	Elastomeric Bearing Pad					
	Free Type	NOS	20965	20965	20965	
	Fix end Dowel Type	"	49459	49459	49459	
	Expansion Joint Works					
	Single strip seal	Rm	9515	9515	9515	
	Slab seal(320*50)	"	19663	19663	19663	
	Thimbles					

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
विदुषी नुवाकोट

हासिल १५/१२/८३
३

१० २९/१२/८३

११/१२/८३

१२/१२/८३

१३/१२/८३


शान्तिनाथ रेग्मी
जिल्ला अधिकारी


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	iv) Φ 13 mm thimble	Pc	73	73	73	
	v) Φ 26 mm thimble	Pc	368	368	368	
	vi) Φ 32 mm thimble	Pc	630	630	630	
	vii) Φ 36 mm thimble	Pc	1261	1261	1261	
	viii) Φ 40 mm thimble	Pc	1576	1576	1576	
	ix) Φ 13 mm Bulldog grip	Pc	73	73	73	
	x) Φ 26 mm Bulldog grip	Pc	368	368	368	
	xi) Φ 32 mm Bulldog grip	Pc	552	552	552	
	xii) Φ 36 mm Bulldog grip	Pc	683	683	683	
	xiii) Φ 40 mm Bulldog grip	Pc	683	683	683	
	xiv) Steel wire Rope (Right hand ordinary lay, WSC wire strand core, Tensile strength of wire 1570 N/mm ² , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched					
	xv) Wire mesh netting	m ²	420	420	420	
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	6829	6829	6829	
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	263	263	263	
	xvii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	368	368	368	
	High tensile friction grip nut bolts	kg	342	342	342	
	Galvanization					
	Zinc Above 98.5% purity	kg	315	315	315	
	Premix of Zinc amonium chloride	kg	607	607	607	
	Hydraucloric acid	Lit	42	42	42	
53	Concrete Post (Size 4"X4")					
	Length 7'	गोटा	874	874	874	
	Length 5'	"	437	437	437	
	Length 3'	"	219	219	219	
54	Sheet piling work : Providing, preparing and installing of piling of ms pipe and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	Sq.m.	3022	3022	3022	
55	Readymade RCC Door & windows frame (4"X2.75" of 1:1:1 concrete mixdesign safety plate all complete work.	Rft	232	232	232	
	" Ventilation	"	232	232	232	
	" Arc frame semi circular	"	464	464	464	

सडक सुरक्षासँग सम्बन्धित सामग्रीहरू

सि.नं.	विवरण	ईकाई	आ.व. ०८१/०८२			कैफियत
			आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	
१	18 mm dia Hot dip galvanized wire rope	RM			५०५	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				वैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
२	140 mm dia, 4.5 mm thick and 1530mm height hot dip galvanized post (for middle)	Pcs			७१७५	
३	140mm dia Hot Dip galvanized Post Cap	Pcs			२४०	
४	192mm x 170mm x 3.2mm x 340mm hot dip galvanized upper braket	Pcs			२२३०	
५	192mm x 170mm x 3.2mm x 420mm hot dip galvanized lower braket	Pcs			२६६०	
६	M16 x 180 Bolt, Nut Washer	sets			११०	
७	M18 U Clip	Pcs			४४	
८	Dia 60mm x 3.5mm x 750mm and Dia 4.5mm x 730mm Hot dip galvanized interval retaining component and pins	Pcs			२२३५	
९	Dia 194mm x 5mm x 1689mm Hot dip galvanized 9 end post with base plate	Pcs			६८५३५	
१०	Dia 25mm x 1200mm Hot dip galvanized end anchor pcs	Pcs			३१९०	






शम्भु प्रसाद रेग्मी
 प्रमुख जिल्ला अधिकारी



ELECTRICAL WORK

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
1	Dyana White Plate series SWITCH SOCKET ANCHOR / CPL /NG/Flux OR ISI EQUIVALENT					
	One Gang one way switch	सेट	58	58	58	
	One Gang two way switch	सेट	69	69	69	
	One way bell switch	सेट	72	72	72	
	Two gang one way switch	"	96	96	96	
	Two gang one way switch with one bell push	"	105	105	105	
	Two gang Full two way switch	"	107	107	107	
	Three Gang one way switch	"	127	127	127	
	Four gang one way switch	"	161	161	161	
	Six gang one way switch (3x5)	"	253	253	253	
	Eight gang one way switch	"	304	304	304	
	Dimmer single 300 watt	"	309	309	309	
	Dimmer single 750 watt	"	459	459	459	
	5 Step humming free dimmer	"	407	407	407	
	16Amp 3 Pin Plug Top	"	121	121	121	
	1 switch with dimmer	"	368	368	368	
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	151	151	151	
	6/16 Amp , Power sockets with switch , indicator & safety shutter	"	169	169	169	
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	"	371	371	371	
	32A D.P. switch with fuse & indicator Surface Mounting	"	206	206	206	
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	611	611	611	
	Blanking plate single	"	40	40	40	
	Telephone socket single	"	118	118	118	
	Telephone socket Double	"	169	169	169	
	Angle / bottom holder	"	35	35	35	
	Ceiling Rose	"	35	35	35	
	Buzzer	"	97	97	97	
	Musical bell	"	222	222	222	
	T.V.antena single Socket	"	82	82	82	
	6A 2/3 Pin unshuttered multi switch socket	"	128	128	128	
	RJ 45 Computer Socket for modem	"	234	234	234	
	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	"	35	35	35	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	"	63	63	63	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	"	98	98	98	
	Switch / socket outlet, Plate series having round switch buttons & white sorrounding plate, suitable to fix on box size 3"x3" . ORANGE, or Equivalent					
	10A 1gang 1way Switch	Set	83	83	83	
	10A 2gang 1way Switch	Set	163	163	163	
	10A 3gang 1way Switch	"	216	216	216	

वि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
1.	10A 4gang 1way Switch	"	350	350	350	
	10A 5gang 1way Switch	"	371	371	371	
	10A 6gang 1way Switch	"	617	617	617	
	10A 1gang 2way Switch	"	144	144	144	
	10A 2gang 2way Switch	"	278	278	278	
	10A 3gang 2way Switch	"	407	407	407	
	10A 4gang 2way Switch	"	613	613	613	
	T V Socket outlet	"	299	299	299	
	Telephone Socket	"	268	268	268	
	13A Universal socket outlet	"	464	464	464	
	13A Socket	"	273	273	273	
	15A switched Socket outlet	"	443	443	443	
	5A Socket	"	340	340	340	
	RJ 45 8way Computer Socket	"	824	824	824	
	TV and Telephone Socket	"	592	592	592	
	7+2 PIN SOCKET OUTLET	"	927	927	927	
	3+2 PIN SOCKET OUTLET	"	577	577	577	
	X5 2+2 - 2 PIN SOCKET OUTLET	"	783	783	783	
	SCHUKO SOCKET WITH ONE SWITCH	"	505	505	505	
	Bell Press	"	237	237	237	
	Blank Plate	"	93	93	93	
	400W Light Dimmer W/ Switch	"	906	906	906	
	400W Fan Controller / Multi Step Dimmer	"	917	917	917	
	5 Step Fan Controller	"	896	896	896	
	2 Pin Socket W/ Switch	"	453	453	453	
	13A Twin Socket	"	680	680	680	
1	White Plate series modular type(polycarbonate) SWITCH SOCKET power pack, Bentex, Premier, Rathi, Ohms or EQUIVALENT					
	One Gang one way switch	सेट	100	100	100	
	One Gang two way switch	सेट	112	112	112	
	One way bell switch	सेट	112	112	112	
	Two gang one way switch	"	133	133	133	
	Two gang one way switch with one bell push	"	146	146	146	
	Two gang Full two way switch	"	158	158	158	
	Three Gang one way switch	"	167	167	167	
	Four gang one way switch	"	202	202	202	
	Six gang one way switch	"	307	307	307	
	Eight gang one way switch	"	374	374	374	
	Dimmer single 300 watt	"	486	486	486	
	1 switch with dimmer	"	499	499	499	
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	260	260	260	
	6/13 Amp , Power sockets with switch , indicator	"	263	263	263	
	20 A D.P. switch with fuse & indicator Surface Mounting	"	354	354	354	
	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	391	391	391	
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	474	474	474	
	Blanking plate single	"	62	62	62	
	Telephone socket single	"	152	152	152	



गोपिकर्ण लेखी

५२५/३

अ. व. ०८३/८४

अ. व. ०८३/८४

अ. व. ०८३/८४

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
	Telephone socket Double		249	249	249	
	T.V. antenna single Socket	"	142	142	142	
	RJ 45 Computer Socket for modem	"	206	206	206	
	CAT-6 Computer Socket for modem	"	321	321	321	
2	Modular Type Switch Socket set NORTH-WEST NORYSIS' ABB 'SCHNIEDER Legrand or ISI Equivalent					
	1P – 6A/10A 1 way switch	No.	139	139	139	
	1P – 16A/20A 1 way switch	"	223	223	223	
	1P – 25A 1 way switch	"	326	326	326	
	1P – 6A/10A 2 way switch	"	167	167	167	
	1P – 16A/20A 2 way switch	"	253	253	253	
	1P – 6A push button	"	184	184	184	
	1 gang blanking module	"	43	43	43	
	2 gang blanking module	"	86	86	86	
	FAN REGULATOR / DIMMER					
	Step type fan regulator	No.	638	638	638	
	60 – 500 W dimmer	"	797	797	797	
	1000 W dimmer	"	1524	1524	1524	
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS					
	6A – multi socket 5 pin	No.	240	240	240	
	6/16A twin socket 3 pin (flushed)	"	332	332	332	
	6/16A twin socket 3 pin (projected)	"	332	332	332	
	25A 3 pin socket	"	401	401	401	
	13A 3 pin socket	"	270	270	270	
	RJ 11 telephone jack	"	159	159	159	
	RJ 45 cat.6e computer socket	"	557	557	557	
	TV socket	"	161	161	161	
	250V/110V shaver socket	No.	4355	4355	4355	
	Indicator (DO NOT DISTUURB)	"	180	180	180	
	LED yellow night lamp	"	560	560	560	
	LED Blue night lamp	"	560	560	560	
	FRONT PLATE (COMPATIBLE TO MARKET BOXES)					
	(White)					
	1 module front plate	No.	72	72	72	
	2 module front plate	"	77	77	77	
	3 module front plate	"	84	84	84	
	4 module front plate	"	89	89	89	
	6 module front plate	"	162	162	162	
	8 module front plate(4+4)	"	217	217	217	
	8 module front plate (Horizontal)	"	174	174	174	
	12 module front plate	"	260	260	260	
	18 module front plate	"	350	350	350	
	Modular Type Switch Socket KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or ISI Equivalent					
	Seperate Module for Modular Switch & Socket					
	1P – 6A/10A 1 way switch	No.	87	87	87	
	1P – 16A/20A 1 way switch	"	144	144	144	
	1P – 6A/10A 2 way switch	"	134	134	134	
	1P – 16A/20A 2 way switch	"	175	175	175	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	1P – 6A push button	"	134	134	134	
	1 gang blanking module	"	41	41	41	
	2 gang blanking module	"	78	78	78	
	FAN REGULATOR / DIMMER					
	Step type fan regulator	No.	700	700	700	
	60 – 500 W dimmer	"	597	597	597	
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS					
	6A – multi socket 5 pin	No.	185	185	185	
	6/16A twin socket 3 pin (flushed)	"	288	288	288	
	6/16A twin socket 3 pin (projected)	"	288	288	288	
	13A 3 pin socket	"	185	185	185	
	RJ 11 telephone jack	"	144	144	144	
	RJ 45 cat.6e computer socket	"	237	237	237	
	TV socket	"	144	144	144	
	1 module front plate	No.	113	113	113	
	2 module front plate	"	113	113	113	
	3 module front plate	"	148	148	148	
	4 module front plate	"	165	165	165	
	6 module front plate	"	227	227	227	
	8 module front plate(4+4)	"	305	305	305	
	8 module front plate (Horizontal)	"	313	313	313	
	12 module front plate	"	363	363	363	
	18 module front plate	"	453	453	453	
	Flush mounting galvanized Metal box for modular type switch & socket					
	1module metal box having L x B x Depth =(78x78x45)mm	सेट	52	52	52	
	2 module " " " =(78x78x45)mm	"	52	52	52	
	3 gang " " " =(78x100x45)mm	"	56	56	56	
	4 gang " " " =(78x140x50)mm	"	68	68	68	
	5 gang " " " =(78x205x50)mm	"	134	134	134	
	6 gang " " " =(78x205x50)mm	"	136	136	136	
	8 module metal box (4+4) =(78x230x60)mm	"	181	181	181	
	8 module metal box (Horizontal) =(135x120x60)mm	"	181	181	181	
	12 module metal box =(135x120x60)mm	"	231	231	231	
	TV socket metal box	"	52	52	52	
	Telephone socket metal box	"	52	52	52	
	METAL Junction BOX					
	4"x4"	मोटा	100	100	100	
	4"x6"	"	150	150	150	
	6"x8"	"	237	237	237	
	8"x10"	"	349	349	349	
	8"x12"	"	349	349	349	
	PVC Junction Box	"	34	34	34	
	4"x4"	मोटा				
	4"x6"	"	31	31	31	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.ब. ०८१/८२	आ.ब. ०८२/८३	आ.ब. ०८३/८४	कैफियत
4	6"×8"	"	46	46	46	
	8"×10"	"	67	67	67	
	8" x12"	"	129	129	129	
	Junction box cover	"	144	144	144	
5	PVC Listy Double Lock { 6'length =1 no.(गोटा)}					
	½ " breadth	गोटा	31	31	31	
	¾"	"	46	46	46	
	1"	"	67	67	67	
	1 1/2"	"	129	129	129	
	2"	"	144	144	144	
	PVC Conduit Pipe					
6	1) ½ " diameter	र.मी	31	31	31	
	2) ¾"	"	46	46	46	
	3) 1"	"	67	67	67	
7	Listy Pipe Accessories					
	½"-2" size Saddle	र.मी	8	8	8	
	Grips (Denmark)	गोटा	6	6	6	
	Steel screws	गोटा	2	2	2	
	PVC Tape	गोटा	15	15	15	
8	Distribution board (DB)					
	With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632,Powder coated 14SWG CRCA sheet steel housing complete.siemens;abb 'hager					
	4 way SPN DB Double Cover	सेट	1082	1082	1082	
	6 way SPN DB " "	"	1135	1135	1135	
	8 way SPN DB " "	"	1416	1416	1416	
	12 way SPN DB " "	"	1679	1679	1679	
	16 way SPN DB " "	"	1795	1795	1795	
	3-4 way TPN DB Double Cover	"	2668	2668	2668	
	6 way TPN " " " "	"	2998	2998	2998	
	8 way TPN " " " Vertical	"	5799	5799	5799	
	12 way TPN " " " Vertical	"	7727	7727	7727	
	50 Pair Telephone D.B.with crown tag	"	5446	5446	5446	
9	PVC Box for MCB					
	1-pole PVC box GPS	सेट	81	81	81	
	2- pole PVC " "	"	81	81	81	
	3 and 4-pole PVC " "	"	130	130	130	
10	Miniature Circuits Breaker (MCB) , LEGRAND/Siemens , Abb, schnieder or equivalent					
	6-32 amp MCB SP (single pole)	गोटा	206	206	206	
	6-32 amp MCB DP (Double pole)	"	1030	1030	1030	
	6-32 amp MCB TP (Triple pole)	"	1710	1710	1710	
	32 amp MCB TPN	"	2472	2472	2472	
	40-63 amp MCB DP	"	1648	1648	1648	
	40-63 amp MCB TP	"	2637	2637	2637	
	40-63 amp MCB TPN	"	3157	3157	3157	
10	Miniature Circuits Breaker (MCB)KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE, North-west equivalent					



हस्ताक्षर

५ २५/५

हस्ताक्षर

हस्ताक्षर

हस्ताक्षर

श्रीमान प्रमुख जिल्ला अधिकारी

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	0.5-5 amp MCB SP (single pole)	गोटा	258	258	258	
	6-32 amp MCB SP (single pole)	"	165	165	165	
	6-32 amp MCB DP (Double pole)	"	618	618	618	
	6-32 amp MCB TP (Triple pole)	"	1236	1236	1236	
	32 amp MCB TPN	"	1494	1494	1494	
	40-63 amp MCB DP	"	979	979	979	
	40-63 amp MCB TP	"	1391	1391	1391	
	40-63 amp MCB TPN	"	1854	1854	1854	
12	Residual Current Circuit Breaker (RCCB) abb, siemens, hager, legrend, north-west lawson or equivalent					
	25A to 40A ,(30mA,100,300mA) DP RCCB	गोटा	2751	2751	2751	
	63A 30mA DP RCCB	"	3278	3278	3278	
	63A 100mA DP RCCB	"	3014	3014	3014	
	63A 300mA DP RCCB	"	3064	3064	3064	
	25A to 40A ,(30mA,100,300mA) FP RCCB	"	3377	3377	3377	
	63A 30mA Four Pole RCCB	"	3706	3706	3706	
	63A 100mA Four Pole RCCB	"	3706	3706	3706	
	63A 300mA Four Pole RCCB	"	3706	3706	3706	
	Moulded Case Circuit Breaker abb, abb, siemens, hager, legrend, north-west lawson or equivalent					
	16AMP- 63AMP TP MCCB 16KA		5665	5665	5665	
	80AMP TP MCCB 16KA		5665	5665	5665	
	100AMP TP MCCB 16KA		6386	6386	6386	
	125AMP TP MCCB 16KA		8240	8240	8240	
	160AMP TP MCCB 16KA		9785	9785	9785	
	16AMP- 63AMP TP MCCB 25KA		6386	6386	6386	
	80AMP TP MCCB 25KA		7045	7045	7045	
	100AMP TP MCCB 25KA		7045	7045	7045	
	125AMP TP MCCB 25KA		11330	11330	11330	
	160AMP TP MCCB 25KA		13390	13390	13390	
	200AMP TP MCCB 25KA(Adjustable)		21115	21115	21115	
	200AMP TP MCCB 36KA(Adjustable)		23175	23175	23175	
	250AMP TP MCCB 36KA(Adjustable)		27295	27295	27295	
	400AMP TP MCCB 50KA(Adjustable)		35535	35535	35535	
	630AMP TP MCCB 50KA(Adjustable)		48410	48410	48410	
	800AMP TP MCCB 50KA(Adjustable)		63963	63963	63963	
14	Manual Changeover Panel Type					
	Make ABB,Siemens,Hager DELTON or Equivalent					
	63 Amp FP	"	11618	11618	11618	
	80 Amp FP	"	12854	12854	12854	
	100 Amp FP	"	18210	18210	18210	
	125 Amp FP	"	19199	19199	19199	
	160 Amp FP	"	25214	25214	25214	
	200 Amp FP	"	26038	26038	26038	

वि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
	250 Amp FP	"	27686	27686	27686	
	315 Amp FP	"	35020	35020	35020	
15	<u>Dome light Make Homedec, Decon, Fumagalli OR equivalent</u>					
	6" Milky type decorative dome light	सेट	180	180	180	
	6 " Brass base decorative dome light	"	736	736	736	
	8"Milky type decorative dome light	"	227	227	227	
	8 " Brass base decorative dome light	"	876	876	876	
	8" Silver cast Milky base Decorative Dome Light	"	1107	1107	1107	
	6) 8" Silver cast Black Base base Decorative Dome Light	"	567	567	567	
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	"	1213	1213	1213	
	<u>Wall bracket/spout light/mirror light bulk head</u> ordinary .Make Homedec,Decon,Fumagalli	"	232	232	232	
	Wall bracket/spot light/mirror light /bulk head medium decorative.	"	361	361	361	
	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	"	824	824	824	
	1 x 11/13 watt CFL <u>DOWN LIGHT</u> with reflector & diffuser (conceal light) Complete Set Wipro WCG22060	"	968	968	968	
	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set Wipro WCP23118	"	1514	1514	1514	
	Dining lamp.	"	1700	1700	1700	
	<u>Chandlers</u> 6-8 lamp Medium	"	15090	15090	15090	
	Chandlers 3-5 lamp Medium	"	10764	10764	10764	
	Mirror Light Euro Light Wipro WRF21111	"	464	464	464	
	Picture light Euro Light POO2	"	670	670	670	
	Wall spot Light E27 60W Euro or eqv.	"	361	361	361	
	Exit Light safety sign(8.24)W Make Samcon	सेट	824	824	824	
	<u>Post top Lanterns</u>					
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	"	2575	2575	2575	
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3090	3090	3090	
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3476	3476	3476	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
	8" Globe type Post top Lamp complete set	"	1416	1416	1416	
	10" Globe type Post top Lamp complete set	"	2704	2704	2704	
	Roadway light luminaires Wipro, Philips, Legero or Equivalent					
	1 x 36 W FTL <u>street light</u> fixture with acrylic diffuser complete set	"	2637	2637	2637	
	2 x 36 W FTL street light fixture with acrylic diffuser complete set	"	3868	3868	3868	
	300/500 watt halogen weather proof FLOOD LIGHT with glass cover Complete set	"	1545	1545	1545	
	1000 watt halogen weather proof flood light with glass cover Complete set	"	3090	3090	3090	
15.	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	9270	9270	9270	
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	11382	11382	11382	
	Single Piece deep drawn aluminum POT optics <u>road light luminaires</u> with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	5253	5253	5253	
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	2271	2271	2271	
	1X125W HPSV <u>street light</u> fixture with acrylic diffuser	"	5119	5119	5119	
	2X60/100W GLS <u>aviation light</u> fixture all complete set	"	5686	5686	5686	
	CEILING FANS & EXHAUST Fans, BAJAJ/KHAITAN/ORIENT/CROMPTON/POWERPACK C/G. Almonard or equivalent					
16	36" size ceiling Fan	गोटा	2163	2163	2163	
	42" size " "	"	2490	2490	2490	
	48" size " "	"	2318	2318	2318	
	56" size " "	"	2575	2575	2575	
	6" Exhaust Fan	"	1494	1494	1494	
	9" Exhaust Fan	"	1803	1803	1803	
	16" size wall fan	"	3120	3120	3120	
	12" size exhaust fan	"	2575	2575	2575	
	BELL INDICATOR					
17	4 way bell indicator with plate	सेट	1255	1255	1255	
	6 way " " " "	"	2049	2049	2049	
	8 way " " " "	"	2851	2851	2851	
	12 way " " " "	"	4395	4395	4395	
	Materials For Earthing & Lightening Protection (sp.gr. copper =8930kg/m³)					
	Copper plate	के.जी	917	917	917	
	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	1082	1082	1082	
	Copper Strip (20mm breadth x 3mm thick)	के.जी	1082	1082	1082	

क्र.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
18	Copper Strip (12 x 3)mm	के.जी	1082	1082	1082	
	Lightning rod copper conductor Air termination set	गोटा	2730	2730	2730	
	8 SWG bare copper wire	र. मी	144	144	144	
	29 mm Diameter GI Pipe of 1m length	र. मी	252	252	252	
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	618	618	618	
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	15	15	15	
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	196	196	196	
	Funnel with wire mesh	गोटा	361	361	361	
	Charcoal	ब्याग	309	309	309	
	Salt	के.जी	12	12	12	
19	STEEL TUBELAR POLE / WOODEN POLE					
	Steel Tubular Poles with welded plate on top and bottom (medium Gauge non Galvanized with folding System and accessories)					
	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	No	13625	13625	13625	
	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia 2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	No	14665	14665	14665	
	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom (medium Gauge non Galvanized with welded joints)	No	14106	14106	14106	
	7 mtr.length Wooden Pole	No	4996	4996	4996	
	9 mtr.length Wooden Pole	No	6798	6798	6798	
20	Modular ceiling Luminaries					
	Fluorescent Tube light (FTL) set including Tube,condenser,starter , lamp holder,channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block . PHILIPS,WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, ORIENT, PREMIER, OHMS, LEGERO or equivalent					
	1x20 watt FTL (Patti fittings)	सेट	510	510	510	
	1x40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	"	775	775	775	
	1x20 watt FTL (Mirrolta) WRF 20120	"	876	876	876	
	1x40 watt FTL with attractive & functional decorative battens WRF20140	"	1020	1020	1020	

प्रमुख लेखक

३

१० २५/१२/२०

१०

१०

प्रमुख प्रशासक रंगमी
प्रमुख निष्पत्ति अधिकारी

वि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
	1×40 watt FTL box fittings WIF 14140	..	1159	1159	1159	
	2×40 watt FTL box fittings WIF 14240	..	1751	1751	1751	
	1×40 watt FTL Industrial channel WIF 36140	..	1782	1782	1782	
	2×40 watt FTL Industrial channel WIF 36240	..	2287	2287	2287	
	1×40 watt FTL, opalite with opal Arcylic dissuser . WCF51140	..	1854	1854	1854	
	2×40 watt FTL, oplite with opal Arcylic dissuser WCF51240	..	3090	3090	3090	
	4×20 watt FTL, oplite WCF 93418	..	5410	5410	5410	
	4×20 watt FTL <u>mirror optic</u> , surface/recessed mounting WCF93418	..	5410	5410	5410	
	1×40 watt FTL mirror optic with electronic choke. Surface / recessed mounting WCF 82136	..	3554	3554	3554	
	2×40 watt FTL <u>mirror optic</u> , surface/recessed mounting with electronic choke WVP40236	..	4326	4326	4326	
	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luvver Complete set WVF20414	सेट	9383	9383	9383	
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling WVF 20314	सेट	8245	8245	8245	
20	Compact Fluorescent Lamp (CFL) based Luminaries set all complete . PHILIPS, WIPRO BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA ,LEGERO or ISI equivalent .					
	2 x 18 W CFL recessed/surface mounting <u>mirror Optic</u> Complete Set WCP32218	..	2678	2678	2678	
	1 x11 W CFL mirror Optic surface/recessed mounting complete set WVP 41111	सेट	1833	1833	1833	
	2 x11 W CFL mirror Optic Surface mounting complete set WVP41211	सेट	2266	2266	2266	
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with luvver Complete set WVP24236	सेट	6067	6067	6067	
	3x36 W CFL -4 pin low glare fixture with P 5 luvres & electronic ballast complete set WVP 24336	सेट	6824	6824	6824	
	Recess mounting Direct Indirect LED luninare LM15-321-XXX-60-XX		10815	10815	10815	
	Recess mounting Direct Indirect LED luninare LM11-291-XXX-57-XX		14060	14060	14060	
	Recess Surface mounted LED luminate CRCO10R038HP57		13339	13339	13339	
	Hight efficiency circular LED Down Lighter LD71		3245	3245	3245	
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01		14600	14600	14600	
	IP20 and IP 65 non intregal flexible LED Strip Light LS 06/26		1082	1082	1082	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
	Circular LED wall/Dome Light suitable for true ceiling LW01		3245	3245	3245	
	Square LED Wall/Dome light suitable for true ceiling LW02-101-XXX-60-XX		3245	3245	3245	
	Recess mounted indirect and direct luminaires WVP 64236		6129	6129	6129	
	2x36 Watt CFL Surface Mirror Optic WVP44236		6129	6129	6129	
	Down Light Fiam Make					
	FDL004 SMD7W-WWH Taiwan chip (120*90)		1298	1298	1298	
	FDL004 SMD7W-CW Taiwan chip		1298	1298	1298	
	FDL004 SMD9W-WWH Taiwan chip (145*90)		1857	1857	1857	
	FDL004 SMD9W-CW Taiwan chip		1857	1857	1857	
	FDL004 SMD15W-WWH Taiwan chip (175*90)		2828	2828	2828	
	FDL004 SMD15W-CW Taiwan chip		2828	2828	2828	
	FDL004 SMD30W-WWH Taiwan chip (200MM)		5091	5091	5091	
	FDL004 SMD30W-CW Taiwan chip		5091	5091	5091	
	FDL012 COB5W-WWH (90MM)		1301	1301	1301	
	FDL012 COB5W-CW		1301	1301	1301	
	FDL012 COB10W-WWH (120MM)		1979	1979	1979	
	FDL012 COB10W-CW		1979	1979	1979	
	FDL012 COB15W-WWH Taiwan chip (140MM)		5091	5091	5091	
	FDL012 COB15W-CW Taiwan chip		5091	5091	5091	
	FDL012 COB25W-WWH Taiwan chip (175MM)		6787	6787	6787	
	FDL012 COB25W-CW Taiwan chip		6787	6787	6787	
	FDL012 COB30W-WWH Taiwan chip (200MM)		8483	8483	8483	
	FDL012 COB30W-CW Taiwan chip		8483	8483	8483	
	FDL007 SMD12W-WWH Taiwan chip (130*110)		4184	4184	4184	
	FDL007 SMD12W-CW Taiwan chip		4184	4184	4184	
	FDL007 SMD18W-WWH Taiwan chip (165*145)		6108	6108	6108	
	FDL007 SMD18W-CW Taiwan chip		6108	6108	6108	
	FDL007 SMD24W-WWH Taiwan chip (195*175)		7635	7635	7635	
	FDL007 SMD24W-CW Taiwan chip		7635	7635	7635	
	FDL001 HP5W FBK-WWH Taiwan chip (95*110)		3167	3167	3167	
	FDL001 HP5W FBK-CW Taiwan chip		3167	3167	3167	
	FDL001 HP5W FWH-WWH Taiwan chip (80*120)		3167	3167	3167	
	FDL001 HP5W FWH-CW Taiwan chip		3167	3167	3167	
	FDL005 SMD7W-WWH Taiwan chip (123MM)		1301	1301	1301	
	FDL005 SMD7W-CW Taiwan chip		1301	1301	1301	
	FDL005 SMD12W-WWH Taiwan chip (165MM)		1696	1696	1696	
	FDL005 SMD12W-CW Taiwan chip		1696	1696	1696	
	FDL005 SMD20W-WWH Taiwan chip (200MM)		3111	3111	3111	

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	FDLO05 SMD20W-CW Taiwan chip		3111	3111	3111	
	FM3161 HP 18W-WWH Cree Led		6787	6787	6787	
	FM3161 HP 18W-CW Cree Led		6787	6787	6787	
	HD-5010-13-WWH Osram chip (86*75)		2094	2094	2094	
	HD-5010-13-CW Osram chip		2094	2094	2094	
	HD-5010-14-WWH Osram chip (115*105)		3167	3167	3167	
	HD-5010-14-CW Osram chip		3167	3167	3167	
	HD-5010-14-WWH Osram chip (140*125)		3959	3959	3959	
	HD-5010-14-CW Osram chip		3959	3959	3959	
	HD-5010-18-WWH Osram chip (215*200)		7860	7860	7860	
	HD-5010-18-CW Osram chip		7860	7860	7860	
	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W		2451	2451	2451	
	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W 3C1.000.000		2451	2451	2451	
	LUCIA WHITE OPAL		1803	1803	1803	
	LUCIA BLACK OPAL		1803	1803	1803	
	LUCIA-GD WHITE OPAL		1803	1803	1803	
	LUCIA-GD BLACK OPAL		1803	1803	1803	
	REMI/LUCIA WHITE OPAL		2163	2163	2163	
	REMI/LUCIA BLACK OPAL		2163	2163	2163	
	REMI/LUCIA-EL WHITE OPAL		2163	2163	2163	
	REMI/LUCIA-EL BLACK OPAL		2163	2163	2163	
	REMI/LUCIA-GD WHITE OPAL		2163	2163	2163	
	REMI/LUCIA-GD BLACK OPAL		2163	2163	2163	
	MADDI BULKHEAD WHITE OPAL		1803	1803	1803	
	MADDI BULKHEAD BLACK OPAL		1803	1803	1803	
	MADDI-VE BULKHEAD WHITE OPAL		2524	2524	2524	
	MADDI-VE BULKHEAD BLACK OPAL		1803	1803	1803	
	MADDI-HL BULKHEAD WHITE OPAL		1803	1803	1803	
	MADDI-HL BULKHEAD BLACK OPAL		1803	1803	1803	
	REMI/MADDI WHITE OPAL		2163	2163	2163	
	REMI/MADDI BLACK OPAL		2163	2163	2163	
	REMI/MADDI-VE WHITE OPAL		2163	2163	2163	
	REMI/MADDI-VE BLACK OPAL		2163	2163	2163	
	REMI/MADDI-HL WHITE OPAL		2163	2163	2163	
	REMI/MADDI-HL BLACK OPAL		2163	2163	2163	
	GABRI/MADDI 1L BLACK OPAL		7210	7210	7210	
	MINIGABRI/MADDI 1L BLACK OPAL		6489	6489	6489	
	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL		6489	6489	6489	
	GELMI WHITE OPAL E27		2884	2884	2884	
	GELMI BLACK OPAL E27		2884	2884	2884	
	GELMI-EL WHITE OPAL E27		2884	2884	2884	
	GELMI-EL BLACK OPAL E27		2884	2884	2884	
	DANZI WHITE OPAL E27		2884	2884	2884	
	DANZI BLACK OPAL E27		2884	2884	2884	
	STUCCHI WHITE OPAL E27		3245	3245	3245	
	STUCCHI BLACK OPAL E27		3245	3245	3245	
	CECCHI WHITE OPAL E27		3245	3245	3245	
	CECCHI BLACK OPAL E27		3245	3245	3245	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
	BISSO ANNA BLACK WITH OPAL DIFFUSER		3605	3605	3605	
	MIKROLOT ANNA BLACK W/OPAL DIFFUSER		3605	3605	3605	
	IESSE LANTERN BLACK W/OPAL DIFFUSER		3245	3245	3245	
	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W		7210	7210	7210	
	System Sensor Product (Honeywell)					
	Photo Electric Smoke Detector		1875	1875	1875	
	Rate of Rise Heat Detector		1875	1875	1875	
	Fixed temperature Detector		2287	2287	2287	
	Base		371	371	371	
	Conv. MCP, Red, with LED, 470 Ohm, with BB, India		1483	1483	1483	
	Wall mount Horn+Strobe		4120	4120	4120	
	Ceiling mount Horn+Strobe		4120	4120	4120	
	Exit Light Samcon make					
	MODEL SLM 18		12360	12360	12360	
	MODEL ELS 28		12360	12360	12360	
	MODEL ETL 210H-4LA		12360	12360	12360	
21	LUMINARIES Accessories (PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO, OHMS or ISI/CE Eqv.)					
	500 watt halogen rod	गोटा	232	232	232	
	1000 watt halogen rod	"	278	278	278	
	70Watt SON Lamp (Sodium Vapour)	"	834	834	834	
	150 watt sodium vapour bulb	"	1298	1298	1298	
	250 watt sodium vapour bulb	"	1700	1700	1700	
	20-40 watt FTL rod	"	80	80	80	
	20-40 watt FTL Copper chowk.	"	258	258	258	
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	412	412	412	
	Acryle cover for 4x20 FTL	"	989	989	989	
	FTL starter	"	19	19	19	
21	8 W to 11W, C.F.L Direct fit	"	232	232	232	
	13 to 22W, C.F.L Direct fit	"	299	299	299	
	15-100 watt bulb. (ISI)	गोटा	26	26	26	
	PL-S 9W/86 (CFL)	"	165	165	165	
	PL-S 11W/86 (CFL)	"	175	175	175	
	PL-L 36W/86 (CFL)	"	417	417	417	
	125W HPL-N (Mercury Vapour)	"	371	371	371	
	250W HPL-N	"	876	876	876	
	Solar LED bulb					
	12V/2W LED bulb	"	361	361	361	
	12V/3W LED bulb	"	412	412	412	
	12V/4W LED bulb	"	464	464	464	
	COPPER CONDUCTOR /WIRE /CABLE (PER COIL=90 RM) NS marked					
	1/18 size p.v.c. insulated copper wire/ cable	म्याथल	967	967	967	

नेपाल सरकार
वृद्ध मन्त्रालय
वित्त विभाग
वित्त मन्त्रालय

अ.सि.स. व.स.स.
B

११ २५५
२५५

अ.सि.स. व.स.स.
अ.सि.स. व.स.स.

राष्ट्रिय प्रमुख विज्ञान रेकर्ड
प्रमुख विज्ञान रेकर्ड

वि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
	3/22 " " "	"	1156	1156	1156	
	3/20 " " "	"	1839	1839	1839	
	7/22 " " "	"	2574	2574	2574	
22	7/20 " " "	"	4202	4202	4202	
	7/18 " " "	"	6619	6619	6619	
	7/16 " " "	"	13658	13658	13658	
	19/18 " " "	"	18386	18386	18386	
	19/16 " " "	"	36771	36771	36771	
	2/20 " " "	"	1397	1397	1397	
	2/22 " " "	"	946	946	946	
	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.					
	1.0 mm PVC insulated Copper wire	म्याथल	1051	1051	1051	
	1.5 mm PVC insulated Copper wire	"	1681	1681	1681	
	2.5 mm PVC insulated Copper wire	"	2469	2469	2469	
	4.0 mm PVC insulated Copper wire	"	3992	3992	3992	
	6.0 mm PVC insulated Copper wire	"	6304	6304	6304	
	10.0mm PVC insulated Copper wire	"	10506	10506	10506	
23	Concentric cable NS marked Eqv.					
	4mm size concentric cable	र.मी	24	24	24	
	6mm size " "	र.मी	27	27	27	
	10mm size concentric cable	र.मी	41	41	41	
	16mm size " "	र.मी	70	70	70	
	25mm size " "	र.मी	93	93	93	
	RG6 Coaxial cable	र.मी	24	24	24	
	RG59 Coaxial cable	र.मी	27	27	27	
	UTP cat -5 networking cable	र.मी	27	27	27	
24	Telephone Drop wire/pair cable NS marked Eqv.					
	² / ₂₀ Telephone drop wire	म्याथल	989	989	989	
	² / ₂₂ " "	म्याथल	670	670	670	
	2- pair cable wire (2×2×0.45) mmHeavy	र.मी	14	14	14	
	3- pair cable wire (3×2×0.45) mm Heavy	"	20	20	20	
	5- pair cable wire (5×2×0.45) mm Heavy	"	32	32	32	
	10- pair cable wire (10×2×0.45) mm Heavy	"	62	62	62	
	15- pair cable wire (15×2×0.45) mm Heavy	"	91	91	91	
	20- pair cable wire (20×2×0.45) mm Heavy	"	119	119	119	
	1mm drop wire	"	10	10	10	
	1-4 Line EPABX, with 1set programmable master telephone set of corresponding brand Panasonic, Creative, Matrix Or Eqv.	सेट	7648	7648	7648	
	2-6 Line EPABX "	"	18411	18411	18411	
	3-8 Line EPABX "	"	20538	20538	20538	
	4-12 Line EPABX "	"	36823	36823	36823	
	6-16 Line EPABX "	"	49569	49569	49569	
	8-24 Line EPABX "	"	84975	84975	84975	
	8-48 Line EPABX "	"	90923	90923	90923	

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
	8-72 Line EPABX "	"	97288	97288	97288	
25	Other Accessories					
	6" size Dome light glass	गोटा	65	65	65	
	8" size " " "	"	76	76	76	
	wall bracket glass	"	65	65	65	
	Fan regulator	"	271	271	271	
27	Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board .) (Rates of MCCB / MCB & measuring instrument are not included here .) Ankur metal or Equivalent					
	60/75/100 AMP, 9"×36"×48" size	सेट	21414	21414	21414	
	60/75/100 AMP "12×36"×48" size	"	25493	25493	25493	
	60/75/100 AMP 9"×48"×60" size	"	35690	35690	35690	
	60/75/100 AMP 12"×49"×60" size	"	42488	42488	42488	
	150/200 AMP 9"×38"×52" size	"	23793	23793	23793	
	150/200 AMP 12"×38"×52" size	"	23793	23793	23793	
	150/200 AMP 9"×42"×56" size	"	26496	26496	26496	
	150/200 AMP 12"×42"×56" size	"	28179	28179	28179	
	250/300AMP 12"×48"×60"size	"	34505	34505	34505	
	250/300AMP 12"×52"×62" size	"	38626	38626	38626	
	400 AMP 12"×52"×66" size	"	41118	41118	41118	
29	Panel Board measurement instrument					
	0-500 volt meter	पिस	1023	1023	1023	
	60/100 Amp meter .	"	979	979	979	
	Panel Indicator	"	237	237	237	
	2 Amp glass fuse with holder 12 mm size	"	134	134	134	
	AMP meter selector switch	"	649	649	649	
	volt meter selector switch	"	711	711	711	
	60/100 Amp C.T. coil per set 3 Pcs	"	1432	1432	1432	
	150-200AMP C.T coil. 3 PC / Set	गोटा	1782	1782	1782	
	250-300 AMP " " "	"	2421	2421	2421	
	400/500/600AMP " " "	"	3554	3554	3554	
	Kilo watt hour energy meter single phase	पिस	2271	2271	2271	
	Kilo watt hour energy meter 3 phase direct	"	10228	10228	10228	
30	Trailing Protected Industrial Plug IP44					
	16A 3P+E 400V Industrial plug	सेट	541	541	541	
	32 A 3p +N+E " Plug	सेट	803	803	803	
	32 A 3P+N+E water tight Plug IP67	सेट	1545	1545	1545	

वि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
31	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door	सेट	20600	20600	20600	
32	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	13905	13905	13905	
33	CABLE SHOE					
	16 sq.mm cable shoe	गोटा	64	64	64	
	25 sq.mm " "	"	83	83	83	
	35 sq.mm " "	"	64	64	64	
	50 sq.mm " "	"	75	75	75	
	70 sq.mm " "	"	92	92	92	
	95 sq.mm " "	"	143	143	143	
	150 sq.mm " "	"	215	215	215	
	195 sq.mm " "	"	305	305	305	
	250 sq.mm " "	"	485	485	485	
34	Copper Conductor Armoured Power Cables NS marked or eqv.					
	a) 2 Core					
	1.5 mm2	र.मी	103	103	103	
	2.5 mm2	"	139	139	139	
	4.0 mm2	"	191	191	191	
	6.0 mm2	"	247	247	247	
	10.0 mm2	"	371	371	371	
	16.0 mm2	"	494	494	494	
	25.0 mm2	"	721	721	721	
	35.0 mm2	"	958	958	958	
	50.0 mm2	"	1339	1339	1339	
	b) 3 Core					
	1.5 mm2	"	129	129	129	
	2.5 mm2	"	180	180	180	
	4.0 mm2	"	258	258	258	
	6.0 mm2	"	330	330	330	
	10.0 mm2	"	494	494	494	
	16.0 mm2	"	690	690	690	
	25.0 mm2	"	1051	1051	1051	
	35.0 mm2	"	1391	1391	1391	
34	50.0 mm2 Copper Conductor Armoured	"	1906	1906	1906	
	70.0 mm2	"	2678	2678	2678	
	95.0 mm2	"	3605	3605	3605	
	120.0 mm2	"	4532	4532	4532	
	150.0 mm2	"	5562	5562	5562	
	c) 3.5 Core					
	25.0 mm2	र.मी	1257	1257	1257	
	35.0 mm2	"	1597	1597	1597	
	50.0 mm2	"	2245	2245	2245	
	70.0 mm2	"	3090	3090	3090	

शम्भु प्रसाद रेग्मी
प्रमुख जिल्ला अधिकारी

वि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
	95.0 mm ²	"	4120	4120	4120	
	120.0 mm ²	"	5408	5408	5408	
	150.0 mm ²	"	6386	6386	6386	
	185.0 mm ²	"	7931	7931	7931	
	240.0 mm ²	"	10403	10403	10403	
	300.0 mm ²	"	13184	13184	13184	
	400.0 mm ²	"	17304	17304	17304	
	d) 4 Core					
	1.5 mm ²	र.मी	155	155	155	
	2.5 mm ²	"	221	221	221	
	4.0 mm ²	"	319	319	319	
	6.0 mm ²	"	412	412	412	
	10.0 mm ²	"	618	618	618	
	16.0 mm ²	"	901	901	901	
	25.0 mm ²	"	1339	1339	1339	
	35.0 mm ²	"	1803	1803	1803	
	50.0 mm ²	"	2575	2575	2575	
	70.0 mm ²	"	3502	3502	3502	
34	95.0 mm ² Copper Conductor Armoured	"	4738	4738	4738	
	120.0 mm ²	"	5974	5974	5974	
	150.0 mm ²	"	7416	7416	7416	
	185.0 mm ²	"	9064	9064	9064	
	240.0 mm ²	"	12360	12360	12360	
	300.0 mm ²	"	14832	14832	14832	
	400.0 mm ²	"	20085	20085	20085	
35	Copper Conductor Unarmoured Power Cables NS marked or Eqv.					
	a) 1-core					
	10 sq. mm.	र.मी	43	43	43	
	16 sq. mm.	"	65	65	65	
	25 sq. mm.	"	76	76	76	
	35 sq. mm.	"	91	91	91	
	50 sq. mm.	"	121	121	121	
	70 sq. mm.	"	158	158	158	
	95 sq. mm.	"	214	214	214	
	120 sq. mm.	"	260	260	260	
	150 sq. mm.	"	308	308	308	
	b) 2-core					
	1.5 sq.mm Copper Conductor Unarmoured	र.मी	72	72	72	
	2.5 sq.mm	"	103	103	103	
	4 sq.mm	"	144	144	144	
	6 sq.mm	"	196	196	196	
	10 sq.mm	"	309	309	309	
	16 sq.mm	"	427	427	427	
	25 sq.mm	"	659	659	659	
	35 sq.mm	"	896	896	896	
	50 sq.mm	"	1236	1236	1236	
	70 sq.mm	"	1236	1236	1236	
	95 sq.mm	"	2318	2318	2318	
	120 sq.mm	"	3039	3039	3039	
	150 sq.mm	"	3811	3811	3811	

वि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
	c) 3-core					
	1.5 sq.mm. 3- core copper conductor	र.मी	93	93	93	
	2.5 sq.mm	"	134	134	134	
	4 sq.mm	"	196	196	196	
	6 sq.mm	"	278	278	278	
	10 sq.mm	"	438	438	438	
	16 sq.mm	"	639	639	639	
	25 sq.mm	"	979	979	979	
	35 sq.mm	"	1318	1318	1318	
	50 sq.mm	"	1854	1854	1854	
	70 sq.mm	"	2575	2575	2575	
	95 sq.mm	"	3502	3502	3502	
	120 sq.mm	"	4429	4429	4429	
	150 sq.mm	र.मी	5459	5459	5459	
	d) 3.5 core					
	25 sq.mm	र.मी	1205	1205	1205	
	35 sq.mm Copper Conductor Unarmoured	"	1545	1545	1545	
	50 sq.mm	"	2163	2163	2163	
	70 sq.mm	"	3013	3013	3013	
	95 sq.mm	"	4069	4069	4069	
	120 sq.mm	"	5356	5356	5356	
	150 sq.mm	"	6335	6335	6335	
35	e) 4-core Copper Conductor Unarmoured					
	1.5 sq.mm	र.मी	113	113	113	
	2.5 sq.mm	"	170	170	170	
	4 sq.mm	"	252	252	252	
	6 sq.mm	"	350	350	350	
	10 sq.mm	"	556	556	556	
	16 sq.mm	"	845	845	845	
	25 sq.mm	"	1318	1318	1318	
	35 sq.mm	"	1772	1772	1772	
	50 sq.mm	"	2472	2472	2472	
	70 sq.mm	"	3451	3451	3451	
	95 sq.mm	"	4687	4687	4687	
	120 sq.mm	"	5923	5923	5923	
	150 sq.mm	"	7365	7365	7365	
	185 sq.mm	"	9064	9064	9064	
	240 Sq. mm	"	12257	12257	12257	
	300 Sq. mm	"	14832	14832	14832	
	400 Sq. mm	"	20085	20085	20085	
36	Aluminum conductor Armoured (Power) cable NS marked or eqv.					
	a) 2-core					
	1.5 sq.mm	र.मी	-	-	-	
	2.5 sq.mm	र.मी	93	93	93	
	4 sq.mm	"	118	118	118	
	6 sq.mm	"	134	134	134	
	10 sq.mm	"	160	160	160	
	16 sq.mm	"	180	180	180	
	25 sq.mm	"	216	216	216	
	35 sq.mm	"	247	247	247	
	50 sq.mm	"	319	319	319	
	70 sq.mm	"	397	397	397	

क्र.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
	95 sq.mm	"	505	505	505	
	b) 3-core					
	2.5 sq.mm. Aluminum conductor Armoured	र.मी	108	108	108	
	4 sq.mm	"	134	134	134	
	6 sq.mm	"	149	149	149	
	10 sq.mm	"	180	180	180	
	16 sq.mm	"	206	206	206	
	25 sq.mm Aluminum conductor Armoured	"	278	278	278	
	35 sq.mm	"	335	335	335	
	50 sq.mm	"	427	427	427	
	70 sq.mm	"	541	541	541	
	95 sq.mm	"	494	494	494	
	120 sq.mm	"	834	834	834	
	150 sq.mm	"	1004	1004	1004	
	185 sq.mm	"	1236	1236	1236	
	240 sq.mm	"	1514	1514	1514	
	300 sq.mm	"	1854	1854	1854	
	400 sq.mm	"	2318	2318	2318	
	c) 3.5 core					
	25 sq.mm.	र.मी	319	319	319	
	35 sq.mm	"	371	371	371	
	50 sq.mm	"	489	489	489	
	70 sq.mm	"	628	628	628	
	95 sq.mm	"	803	803	803	
	120 sq.mm Aluminum conductor Armoured	"	979	979	979	
	150 sq.mm	र.मी	1174	1174	1174	
	185 sq.mm	"	1421	1421	1421	
	240 sq.mm	"	1772	1772	1772	
	300 sq.mm	"	2215	2215	2215	
36	400 sq.mm	"	2781	2781	2781	
	d) 4-core					
	2.5 sq.mm	र.मी	124	124	124	
	4 sq.mm	"	155	155	155	
	6 sq.mm	"	180	180	180	
	10 sq.mm	"	196	196	196	
	16 sq.mm	"	252	252	252	
	25 sq.mm	"	340	340	340	
	35 sq.mm	"	402	402	402	
	50 sq.mm	"	548	548	548	
	70 sq.mm	"	700	700	700	
	95 sq.mm	"	901	901	901	
	120 sq.mm	"	1082	1082	1082	
	150 sq.mm	"	1370	1370	1370	
	185 sq.mm	"	1627	1627	1627	
	240sq.mm	"	2039	2039	2039	
	300 sq.mm Aluminum conductor Armoured	"	2524	2524	2524	
	400sq.mm	"	3193	3193	3193	
37	Aluminium conductor unarmoured (power) cable NS marked or eqv.					
	a) 1-core					

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
	16 sq.mm	र.मी	52	52	52	
	25 sq.mm	"	72	72	72	
	35 sq.mm	"	88	88	88	
	50 sq.mm	"	113	113	113	
	70 sq.mm	"	144	144	144	
	95 sq.mm	"	196	196	196	
	120 sq.mm	"	237	237	237	
	150 sq.mm	"	391	391	391	
	185 sq.mm	"	361	361	361	
	240 sq.mm	"	443	443	443	
	300 sq.mm	"	536	536	536	
	b) 2-core Aluminium conductor unarmoured					
	2.5 sq.mm	र.मी	52	52	52	
	4 sq.mm	"	62	62	62	
	6 sq.mm	र.मी	77	77	77	
	10 sq.mm	"	98	98	98	
	16 sq.mm	"	103	103	103	
	25 sq.mm	"	144	144	144	
	35 sq.mm	"	185	185	185	
	50 sq.mm	"	237	237	237	
	70 sq.mm	"	299	299	299	
	95 sq.mm 2 core	"	402	402	402	
	c) 3-core					
	2.5 sq.mm	र.मी	62	62	62	
	4 sq.mm	"	72	72	72	
	6 sq.mm	"	88	88	88	
	10 sq.mm	"	124	124	124	
	16 sq.mm	"	144	144	144	
	25 sq.mm	"	206	206	206	
	35 sq.mm	"	258	258	258	
	50 sq.mm	"	340	340	340	
	70 sq.mm	"	453	453	453	
	95 sq.mm	"	597	597	597	
37	120 sq.mm	"	742	742	742	
	150 sq.mm	"	886	886	886	
	185 sq.mm	"	1112	1112	1112	
	240 sq.mm	"	1380	1380	1380	
	300 sq.mm Aluminium conductor unarmoured	"	1751	1751	1751	
	d) 3.5-core					
	25 sq.mm	र.मी	258	258	258	
	35 sq.mm	"	309	309	309	
	50 sq.mm	"	412	412	412	
	70 sq.mm	"	567	567	567	
	95 sq.mm	"	742	742	742	
	120 sq.mm	"	927	927	927	
	150 sq.mm	"	1112	1112	1112	
	185 sq.mm	"	1391	1391	1391	
	240 sq.mm	"	1751	1751	1751	
	300 sq.mm	"	2163	2163	2163	
	e) 4-core core aluminium unarmoured					
	2.5 sq.mm	र.मी	72	72	72	

वि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
	4 sq.mm	"	82	82	82	
	6 sq.mm	"	98	98	98	
	10 sq.mm	"	134	134	134	
	16 sq.mm	र.मी	196	196	196	
	25 sq.mm	"	288	288	288	
	35 sq.mm	"	350	350	350	
	50 sq.mm	"	484	484	484	
	70 sq.mm 4	"	639	639	639	
	95 sq.mm	"	845	845	845	
	120 sq.mm	"	1030	1030	1030	
	150 sq.mm	"	1288	1288	1288	
	185 sq.mm	"	1597	1597	1597	
	240 sq.mm	"	2009	2009	2009	
	300 sq.mm	"	2472	2472	2472	
38	Security Gate System					
	Metal Detector (आराक स्कोरिबन कम्पनी)	गोटा	16995	16995	16995	
39	Air Conditioning system, Daikin, Mitsubishi heavy or Japanese eqv					
	0.75 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
	1.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
	Air Conditioning system, McQuay, Panasonic, Fujiaire, Malaysian or Eqv Company					
	0.75 TR capacity Wall Mounted split type AirConditioning system	सेट	-	-	-	
	1.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
	1.5 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
41	2.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
	Air Conditioning system, whirlpool or Eqv Company					
	0.75 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	1.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	1.5 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	2.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
42	General Lightig ANCHOR, C/G, Eqv.					
	1 x 40 W FTL Patti fitting	सेट	252	252	252	
	1 x 20 W FTL Patti fitting	सेट	232	232	232	
	1 x 40 W FTL Box Fitting	सेट	427	427	427	
	1 x 20 W FTL Box fitting	सेट	417	417	417	
	9/11W Mini mirror light with electronic Blast suitable for PL lamp	सेट	355	355	355	
	GEWISS /BEC PVC Conduit product of Italy					
	RK Range					

वि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
43	16 mm medium rigid conduit DX 25 316	Mtr.	88	88	88	
	20 mm medium rigid conduit DX 25 320	"	124	124	124	
	25 mm medium rigid conduit DX 25 325	"	175	175	175	
	32 mm medium rigid conduit DX 25 332	"	252	252	252	
	40 mm medium rigid conduit DX 25 340	"	345	345	345	
	50 mm medium rigid conduit DX 25 350	"	530	530	530	
	63 mm medium rigid conduit DX 25 363	"	999	999	999	
	16 mm heavy rigid conduit DX 25 716	"	165	165	165	
	20 mm heavy rigid conduit DX 25 720	"	216	216	216	
	25 mm heavy rigid conduit DX 25 725	"	288	288	288	
	32 mm heavy rigid conduit DX 25 732	"	433	433	433	
	40 mm heavy rigid conduit DX 25 740	"	587	587	587	
	50 mm heavy rigid conduit DX 25 750	"	793	793	793	
	63 mm heavy rigid conduit DX 25 763	"	1488	1488	1488	
	16 mm polymer cable gland GW 52 043 with fixing nut and screws	"	196	196	196	
	20 mm polymer cable gland GW 52 044 with fixing nut and screws	"	247	247	247	
	25 mm polymer cable gland GW 52 045 with fixing nut and screws	"	376	376	376	
	32 mm polymer cable gland GW 52 046 with fixing nut and screws	"	623	623	623	
	40 mm polymer cable gland GW 52 047 with fixing nut and screws	"	747	747	747	
	50 mm polymer cable gland GW 52 048 with fixing nut and screws	"	963	963	963	
	63 mm polymer cable gland GW 52 049 with fixing nut and screws	"	1200	1200	1200	
44	16 mm shockproof polymer saddle collar clip GW 50 605	"	31	31	31	
	20 mm shockproof polymer saddle collar clip GW 50 606	"	36	36	36	
	25 mm shockproof polymer saddle collar clip GW 50 607	"	41	41	41	
	32 mm shockproof polymer saddle collar clip GW 50 608	"	62	62	62	
	40 mm shockproof polymer saddle collar clip GW 50 630	"	98	98	98	
	50 mm shockproof polymer saddle collar clip GW 50 631	"	118	118	118	
	16 mm conduit coupler DX 40 016	"	36	36	36	
	20 mm conduit coupler DX 40 020	"	46	46	46	
	25 mm conduit coupler DX 40 025	"	57	57	57	
	32 mm conduit coupler DX 40 032	"	103	103	103	
	40 mm conduit coupler DX 40 040	"	139	139	139	
	50 mm conduit coupler DX 40 050	"	242	242	242	
	63 mm conduit coupler DX 40 063	"	458	458	458	
	16 mm tight bend DX 40 116	"	57	57	57	
	20 mm tight bend DX 40 120	"	82	82	82	
	25 mm tight bend DX 40 125	"	129	129	129	
	32 mm tight bend DX 40 132	"	237	237	237	
	40 mm tight bend DX 40 140	"	335	335	335	
	50 mm tight bend DX 40 150	"	603	603	603	
	63 mm tight bend DX 40 163	"	2359	2359	2359	
	4 way junction box DX 45 004	"	670	670	670	
	7 way junction box DX 45 007	"	803	803	803	
	10 way junction box DX 45 010	"	1020	1020	1020	
	Closing cap for junction box DX 47 000	"	118	118	118	
	16 mm inspectionable T bend DX 40216	"	118	118	118	

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.ब. ०८१/८२	आ.ब. ०८२/८३	आ.ब. ०८३/८४	कैफियत
	20 mm inspectionable T bend DX 40220	"	149	149	149	
	25 mm inspectionable T bend DX 40225	"	196	196	196	
	32 mm inspectionable T bend DX 40232	"	237	237	237	
	16 mm inspectionable bend DX 40 316	"	98	98	98	
	20 mm inspectionable bend DX 40 320	"	118	118	118	
	25 mm inspectionable bend DX 40 325	"	155	155	155	
	32 mm inspectionable bend DX 40 332	"	185	185	185	
45	GEWISS/BEC Cable Tray with Cover and Accessories BRN Range					
	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Ft.	819	819	819	
	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	973	973	973	
	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	1174	1174	1174	
	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	1318	1318	1318	
	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	1540	1540	1540	
	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	"	1710	1710	1710	
	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	"	2137	2137	2137	
	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	"	2513	2513	2513	
	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	"	3090	3090	3090	
	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	"	3281	3281	3281	
	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	"	984	984	984	
	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	"	1179	1179	1179	
	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	"	1298	1298	1298	
	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	"	1468	1468	1468	
	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	"	1663	1663	1663	
	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	"	1859	1859	1859	
	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	"	2276	2276	2276	
	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	"	2657	2657	2657	
46	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	"	3456	3456	3456	
	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	"	3749	3749	3749	
	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	"	4584	4584	4584	
	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	"	1313	1313	1313	
	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	"	2122	2122	2122	
	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	"	2781	2781	2781	
	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	"	3852	3852	3852	
	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	"	4836	4836	4836	
	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	"	5449	5449	5449	

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	"	1494	1494	1494	
	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	"	2271	2271	2271	
	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	"	2884	2884	2884	
	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	"	4151	4151	4151	
	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	"	5016	5016	5016	
47	Intrusion Detection System Make Honeywell or equivalent					
	Main Controller	सेट	38851	38851	38851	
	CONTROL, FIRE/BURG COMMERCIAL VISTA-128FBP					
	Smoke & Heat Detector	सेट	10545	10545	10545	
	Wireless Smoke and Head Detector					
	Door Contact	सेट	2678	2678	2678	
	Wireless Door Contact with transmitter					
	Motion Detector	सेट	4178	4178	4178	
	Wireless Passive Infrared, Pet Immune Motion Detector					
	Panic Switch	सेट	4921	4921	4921	
	Wireless Panic Transmitter					
	Key	सेट	4780	4780	4780	
	Wireless Key to Arm and Disarm the System					
	Window Contact	सेट	2812	2812	2812	
	Wired door Contact with transmitter slim					
	Earth Quake Detector(JDS Inc, USA)	पिथ	3601	3601	3601	
	Quake Alarm					
48	Automatic Motor Operator for water motor					
	Upto 1/2 HP single phase motor	सेट	4120	4120	4120	
	Upto 1 HP single phase motor	सेट	5665	5665	5665	
	Upto 5 HP three phase motor	सेट	9270	9270	9270	
49	CCTV System				0	
	Out door high speed Dome Integrated CAMERA Multi Protocal ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.					
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	56650	56650	56650	
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	58916	58916	58916	
	Indoor high speed Dome Integrated CAMERA					
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	54384	54384	54384	
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	56650	56650	56650	

क्र.सं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
50	VISTA Box camera with adopter, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	15450	15450	15450	
	7" Spherical Shilded with bracket included chip excluded Camera		8364	8364	8364	
	i) 8 Channel DVR MJPEG Compression Type 8 Channel Input 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	33990	33990	33990	
	ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	50985	50985	50985	
	17" LCD Monitor SAMSUNG or Korean Eqv.	सेट	10815	10815	10815	
51	Electrical Equipments					
	Earthing Materials (ISI or other International Standard)					
	6 mm thick 600mm× 600 mm G.I. Plate	No.	2829	2829	2829	
	Funnelling Mechanism with cover (mild steel)	set	618	618	618	
	3.2 mm thick 600mm× 600 mm Copper Plate	No.	9517	9517	9517	
	Copper wire (10 SWG)	Mtr.	155	155	155	
	Service wire (Al)					
	2.5 mm ²	Mtr.	18	18	18	
	4.0 mm ²	"	22	22	22	
	6.0 mm ²	"	28	28	28	
	Lightening Arrestor for 3 Phase .					
	0.5 KV	Set	1236	1236	1236	
	11 KV	Set	4326	4326	4326	
	Cross Arms V Channel.	No	3090	3090	3090	
	Stay set with accessories.					
	GI wire	No	1182	1182	1182	
	GI Plate	"	1185	1185	1185	
	Gay Insulator.	"	56	56	56	
	Elbow		103	103	103	
	Rod , Nut	No	445	445	445	
	Grip	"	49	49	49	
	Overhead Insulators (0.4KV)					
	Sackle Insulator	No	31	31	31	
	D-Iron	"	93	93	93	
	Nut Bolt (3" with 8 mm Ø)	"	15	15	15	
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	23	23	23	
	Overhead Insulators with fixing accessories (11KV)					
	Pin Insulator	No	185	185	185	
	Disc Insulator	"	989	989	989	
	Cross Arms V Channel.	"	2719	2719	2719	
	Sqarrel ACSR conductor 20mm ²	Rm.	17	17	17	
	weasel ACSR conductor 30 mm ²	"	25	25	25	
	Rabbit ACSR conductor 50 mm ²	"	41	41	41	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
	Dog ACSR conductor 100 mm ²	"	82	82	82	
	Supply of aluminium ABC cable					
	25mm square 4 core ABC cable	Rm.	175	175	175	
	50 mm square 4 core ABC cable	"	291	291	291	
	95 mm square 4 core ABC cable	"	570	570	570	
	Alternator 3 Phase Brush less with compounded Excitation. (KEL.)					
52	AMF with ATS palel for DG Ankur metal or Equivalent					
	5KVA AMF with ATS palel	set	22660	22660	22660	
	7.5KVA AMF with ATS palel	"	28840	28840	28840	
	10KVA AMF with ATS palel	"	36050	36050	36050	
	15KVA AMF with ATS palel	"	46350	46350	46350	
	20KVA AMF with ATS palel	"	66950	66950	66950	
	25KVA AMF with ATS palel	"	77250	77250	77250	
	30KVA AMF with ATS palel	"	92700	92700	92700	
53	Solar system\Backup Power					
	Pure sine wave inverter					
	675 VA inverter	set	11483	11483	11483	
	875 VA inverter	"	12601	12601	12601	
	1500 VA inverter	"	18987	18987	18987	
	3 KVA inverter	"	55947	55947	55947	
	Exide Battery					
	tubular inverter Battery					
	80 AH inverter Battery	set	9935	9935	9935	
	100 AH inverter Battery	"	11958	11958	11958	
	150 AH inverter Battery	"	16698	16698	16698	
	200 AH inverter Battery	"	20745	20745	20745	
	75 AH tubular inverter Battery	"	12731	12731	12731	
	100 AH tubular inverter Battery	"	16966	16966	16966	
	150 AH tubular inverter Battery	"	24967	24967	24967	
	200 AH tubular inverter Battery	"	31477	31477	31477	
	Solar Panel	watt	144	144	144	
54	Angel Eyes solar street light absorb energy					
	AST 1205 (12 W pv 05w led, 12.8v 5.2 Ah motion sensor)	set	29465	29465	29465	
	AST 1805 (18 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	39743	39743	39743	
	AST 2505 (25 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	45112	45112	45112	
	AST 3612 (36 W pv 012w led, 12.8v 13 Ah motion sensor)	"	62814	62814	62814	
	AE 2S18B8 (AE 2 off - grid power system, pv 18w 12.8v 7.8 Ah motion Sensor)	"	35746	35746	35746	
	AE 2S25B10 (AE 2 off - grid power system, pv 25w 12.8v 10.4 Ah motion Sensor)	"	44882	44882	44882	
	AE 2S36B13 (AE 2 off - grid power system, pv 36w 12.8v 13 Ah motion Sensor)	"	55961	55961	55961	
55	MCB/ISOLATOR ORIENT or equivalent					
	B CURVE MCB SP 6A-32A	pole	239	239	239	
	B CURVE MCB SP 40A	pole	281	281	281	

वि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	कैफियत
	B CURVE MCB SP 50A-63A	pole	281	281	281	
	C CURVE MCB SP 0.5-4A	pole	281	281	281	
	C CURVE MCB SP 6-32A	pole	239	239	239	
	C CURVE MCB SP 40A	pole	446	446	446	
	C CURVE MCB SP 50-63A	pole	446	446	446	
	C CURVE MCB SPN 0.5-4A	pole	479	479	479	
	C CURVE MCB SPN 6-32A	pole	513	513	513	
	C CURVE MCB SPN 40A	pole	561	561	561	
	C CURVE MCB SPN 50-63A	pole	561	561	561	
	C CURVE MCB DP 0.5-4A	pole	617	617	617	
	C CURVE MCB DP 6-32A	pole	564	564	564	
	C CURVE MCB DP 40A	pole	617	617	617	
	C CURVE MCB DP 50-63A	pole	617	617	617	
	C CURVE MCB TP 0.5-4A	pole	925	925	925	
	C CURVE MCB TP 6-32A	pole	847	847	847	
	C CURVE MCB TP 40A	pole	925	925	925	
	C CURVE MCB TP 50-63A	pole	925	925	925	
	C CURVE MCB TPN 0.5-4A	pole	1206	1206	1206	
	C CURVE MCB TPN 6-32A	pole	1103	1103	1103	
	C CURVE MCB TPN 40A	pole	1206	1206	1206	
	C CURVE MCB TPN 50-63A	pole	1206	1206	1206	
	C CURVE MCB FP 0.5-4A	pole	1290	1290	1290	
	C CURVE MCB FP 6-32A	pole	1180	1180	1180	
	C CURVE MCB FP 40A	pole	1290	1290	1290	
	C CURVE MCB FP 50-63A	pole	1290	1290	1290	
	ISOLATOR DP 40A	pole	551	551	551	
	ISOLATOR DP 63A	pole	551	551	551	
	ISOLATOR DP 80-100A	pole	576	576	576	
	ISOLATOR DP 125A	pole	611	611	611	
	ISOLATOR FP 40A	pole	902	902	902	
	ISOLATOR FP 63A	pole	902	902	902	
	ISOLATOR FP 80-100A	pole	998	998	998	
	ISOLATOR FP 125A	pole	998	998	998	
	RCCB DP 25A 30mA	pole	3547	3547	3547	
	RCCB DP 40A 30mA	pole	3547	3547	3547	
	RCCB DP 63A 30mA	pole	3547	3547	3547	
	RCCB DP 25A 100mA	pole	3345	3345	3345	
	RCCB DP 40A 100mA	pole	3345	3345	3345	
	RCCB DP 63A 100mA	pole	3345	3345	3345	
	RCCB DP 25A 300mA	pole	3345	3345	3345	
	RCCB DP 40A 300mA	pole	3345	3345	3345	
	RCCB DP 63A 300mA	pole	3345	3345	3345	
	RCCB FP 25A 30mA	pole	4155	4155	4155	
	RCCB FP 40A 30mA	pole	4155	4155	4155	
	RCCB FP 63A 30mA	pole	4155	4155	4155	
	RCCB FP 25A 100mA	pole	4004	4004	4004	
	RCCB FP 40A 100mA	pole	4004	4004	4004	
	RCCB FP 63A 100mA	pole	4004	4004	4004	
	RCCB FP 25A 300mA	pole	4004	4004	4004	
	RCCB FP 40A 300mA	pole	4004	4004	4004	
	RCCB FP 63A 300mA	pole	4004	4004	4004	
56	Solar component					
	Solar PV Module	Per watt	123	123	123	

वि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	Solar Tubular Battery (200Ah@c20,12v)	Nos	29767	29767	29767	
	Solar Tubular Battery (150 Ah@c20,12v)	Nos	22763	22763	22763	
	Solar Tubular Battery (100 Ah@c20,12v)	Nos	15759	15759	15759	
	Solar Gel Battery (100 Ah@c20,12v)	Nos	31868	31868	31868	
	Solar Gel Battery (75 Ah@c20,12v)	Nos	24339	24339	24339	
	Solar Gel Battery (40 Ah@c20,12v)	Nos	14008	14008	14008	
	Charge controller (60Ah/24V)	Nos	31518	31518	31518	
	Charge controller 45Ah/12-24-48 V	Nos	23201	23201	23201	
	Charge controller 10a/12-24 V	Nos	2627	2627	2627	
	Charge controller 20a/12-24 V	Nos	3940	3940	3940	
	Solar dusk to down controller 20A/12Vwith driver curcit	Nos	4378	4378	4378	
	Solar street light 20W/10W- 12V DC with autodimming system	Nos	14884	14884	14884	
	Solar street light 40W/20W- 12V DC with autodimming system	Nos	30643	30643	30643	
	Ms pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	Nos	16197	16197	16197	
	Ms pole 9 m high with rustproof enamel paint dimension 4" for buttom m 6" for top 3 m	Nos	20137	20137	20137	
	40 watt solar street light	Nos	14008	14008	14008	
	20 watt solar street light	Nos	8405	8405	8405	
	12 watt solar street light	Nos	5428	5428	5428	
	Pure sine wave inverter 250 VA /12 V	Nos	7004	7004	7004	
	Pure sine wave inverter 400 VA /12 V	Nos	13133	13133	13133	
	pure sine wave inverter 1400 VA	nos	22763	22763	22763	
	Ms light Arms	Set	2189	2189	2189	
	SPV mounting frame	set	5691	5691	5691	
	Battery box	Set	4378	4378	4378	
	Battery stand	Set	4378	4378	4378	

महिला संघ

१६ २५

२५

२५

शम्भु प्रसाद रेग्मी
प्रमुख निर्देश अधिकारी

SANITARY WORK

वि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०८१/८२			कीफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	Porcelain Clay Sanitaryware					
1	(Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरु)					
	White glazed porcelain pan					
	i) 530mm size white glazed without siphon	सेट	2770	2770	2770	
	ii) 500 mm size white glazed without siphon	"	3010	3010	3010	
	iii) 580 mm size orrisa Pan	"	3371	3371	3371	
	iii) 580 mm size white glazed Indian pan	"	1049	1049	1049	
	iv) Siphon 'p' or 's' type	"	590	590	590	
	v) Asian Pan 51x40 Rectangular	"	2524	2524	2524	
	Porcelain Clay Cistern					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	"	3559	3559	3559	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	667	667	667	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	3698	3698	3698	
	Commode					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1587	1587	1587	
	ii) White glazed porcelain clay EWC regular commode with 's' \ p trap	"	1825	1825	1825	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.)		18119	18119	18119	
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	28875	28875	28875	
	iv) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.)	"	20389	20389	20389	
	viii)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Bolan, Tita, Akwa or eqv.)	"	5252	5252	5252	
	ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"	8656	8656	8656	
	x) 600 to 900 mm Grab bar	"	6062	6062	6062	
	Bidet set					
	i) Porcelain clay white glaze Bidet.	सेट	3692	3692	3692	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	Urinal set					
	i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size (Hindware, Paryware, Somany, cera or eqv.)	सेट	4174	4174	4174	
	ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size .(Hindware, Paryware, Somany, cera or eqv.)		1880	1880	1880	
	iv) White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	1619	1619	1619	
	vi) Wall mounted Urinal with sensor complete set.(Duravit, Grohe, American standard and equivalent)	"	100291	100291	100291	
	Porcelain Clay Urinal Squatting Plate					
	i) white glaze squatting plate Small Size (45×35)cm	सेट	1212	1212	1212	
	ii) Porcelain clay white glaze squatting plate large size	"	1454	1454	1454	
	iii) Porcelain clay super color squatting plate large size.	"	2831	2831	2831	
	iv) Urinal Spreader	"	915	915	915	
	Wash basin					
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1095	1095	1095	
	iii) Porcelain clay white glaze wash basin (50×40) cm	"	1481	1481	1481	
	iv) Do but wash basin (45×32)cm	"	1065	1065	1065	
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1201	1201	1201	
	vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	"	8348	8348	8348	
	ix) white glazed porcelain clay 0-counter wash basin, complete. (Duravit, Grohe, American standard or equiv)	"	13776	13776	13776	
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	"	9785	9785	9785	
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.	"	6232	6232	6232	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	"	20549	20549	20549	
	Pedestal:					
	i) Porcelain clay white glaze pedestal	"	1378	1378	1378	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	iii) White glazed Porcelain clay half pedestal complete set.	"	1670	1670	1670	
	iv) First color glazed Porcelain clay half pedestal complete set.	"	1973	1973	1973	
	v) Two piece pedestal with Basin" complete set.(Duravit, Grohe, American standard or equivalent)	"	13313	13313	13313	
	Urinal Partition					
	White glaze porcelain clay (68×30)cm division plate	"	1741	1741	1741	
	Lab sink					
	i) Porcelain clay white glaze large size	"	2222	2222	2222	
	ii) Porcelain clay white glaze small size	"	1653	1653	1653	
	iii) Porcelain clay janitor sink 58×71×43.5 size	"	27553	27553	27553	
	Kitchen sink					
	i) Porcelain clay large	सेट	3763	3763	3763	
	ii) Porcelain clay small	"	3409	3409	3409	
	iii) drain board white 53×45	"	1304	1304	1304	
	iii) Soap dish	"	661	661	661	
	iv) White glaze foot rest	"	419	419	419	
	v) White glaze Toilet paper holder	"	1157	1157	1157	
2	PVC Cistern Set					
	i) single flush	सेट	1973	1973	1973	
	ii) Deluxe single flush	"	2204	2204	2204	
	iii) Dual flush 6/3 lit. cistern complete set.	"	2966	2966	2966	
	iv) concealed cistern with plate complete set.(Viega, Geberit, American standard or equivalent)	"	16862	16862	16862	
	v) 32 mm pvc bottle trap set.	पिस	476	476	476	
	vi) 1.5×45 cm pvc pipe connector set.	"	143	143	143	
	vi) Bakelite toilet seat cover set.	"	276	276	276	
3	Stainless Steel Accessories etc.					
	Stainless steel Deep sink 45×45×30 size	"	18185	18185	18185	
	Stainless steel Orissa pan LP 210 size	"	8486	8486	8486	
	Stainless steel wash basin model 251 12" round size with pedestal	"	13262	13262	13262	
	Stainless steel wash basin 500 mm model 277 with complete set	"	10276	10276	10276	
	Stainless steel commode S trap with self closing complete set	"	17554	17554	17554	
	Wall mixer (single lever) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	14634	14634	14634	

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	Bath tub (single lever)with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	18432	18432	18432	
	External Shower Wall mixer (single control) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	25764	25764	25764	
	Wall mixer (single control) bath faucet with hand shower(conceal system)(Grohe, Hansgrohe, American standard or equivalent)	"	15952	15952	15952	
	Wall mixer (single control) shower faucet (conceal system)(Jaquar, Somany, Essel or equivalent)	"	4182	4182	4182	
	conceal mixer faucet(Jaquar, Somany, Essel or equivalent)	"	6455	6455	6455	
	Stainless steel Angle valve(Grohe, Hansgrohe, American standard or equivalent)	"	827	827	827	
	Stainless steel two way Angle valve(Jaquar, Somany, Essel or equivalent)	"	1157	1157	1157	
	Stainless steel bowl 19"×16" diamond board 37" long	"	2673	2673	2673	
	Stainless steel bowl with diamond board 37" long	"	3660	3660	3660	
	Stainless steel bowl with ordinary board 37" long	"	2314	2314	2314	
	Stainless steel double bowl with double drain board 36" * 18 "size	"	13917	13917	13917	
	Stainless steel double bowl with single drain board ordinary	"	5786	5786	5786	
	Stainless steel p trap bottle trap for basin	"	2324	2324	2324	
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8408	8408	8408	
	Stainless steel Kitchen sink faucet(Jaquar, Somany, Essel or equivalent)	"	5565	5565	5565	
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8408	8408	8408	
	Stainless steel 1500mm flexible hose pipe(connection pipe)	"	1462	1462	1462	
	Stainless steel Hose ringer 1200 mm	"	1274	1274	1274	
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	"	1798	1798	1798	
	Stainless steel basin mixer(single control)(Grohe, hansgrohe, American standard or equivalent)	"	6943	6943	6943	
	Stainless steel single faucet for basin(Jaquar, Somany, Essel or equivalent)	"	4425	4425	4425	
	Stainless steel Sink 700*450*200	"	24246	24246	24246	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	Stainless steel Sink table top1200*600*300	"	33504	33504	33504	
	Steel Split clamp with washer all complete					
	75 mm dia	पिस	331	331	331	
	110 mm dia	"	441	441	441	
	160 mm dia	"	771	771	771	
	Stainless steel telephonic shower(Jaquare, Somany, Essel or equivalent)	मोट्टा	1240	1240	1240	
	Stainless steel shower with sliding bar(Jaquare, Somany, Essel or equivalent)	"	2976	2976	2976	
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	"	9785	9785	9785	
	Stainless steel bottle trap (Viega, Somany, Jaquar or equivalent)	"	647	647	647	
	Stainless steel towel bar 450 mm	"	1240	1240	1240	
	Stainless steel water tank fitting with all complete set (304 grade steel)					
	Capacity 500 ltr	set	12124	12124	12124	
	Capacity 1000 ltr	"	17699	17699	17699	
	Capacity 1500 ltr	"	27212	27212	27212	
	Capacity 2000 ltr	"	32743	32743	32743	
	Sinks Other Types:					
	Super lab sink					
	i) super lab sink large size	"	4313	4313	4313	
	ii) super lab sink small size	"	3401	3401	3401	
	Super kitchen sink					
	i) super kitchen sink large size	"	7465	7465	7465	
	ii) super kitchen sink small size	"	6756	6756	6756	
	Modern Sanitaryware:Grohe, 4 Hansgrohe, American Standard or eqv.					
	iv) Hand dryer Germany	"	19397	19397	19397	
	v) Hand Dryer Chinese	"	7164	7164	7164	
	vi) Indian Mark Brand Flush valve	"	5731	5731	5731	
	xii)Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	"	35267	35267	35267	
	xv) European pattern liquid soap container stainless steel	"	6062	6062	6062	
	xvii)Looking Mirror Modi guard 450x600mm (18"x 24")	"	1459	1459	1459	
	European Pattern C.P. Grab Bar for disable					
	a) 30cm long bend type	"	4786	4786	4786	
	b) 45 cm long bend type	"	5012	5012	5012	
	c) 60 cm long bend type	"	6418	6418	6418	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कीमती
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
5	C.P. Accessories(jaquar, somany, essel or equivalent)					
	1) Toilet paper holder	"	510	510	510	
	2) Soap dish	"	510	510	510	
	3) Towel rod ½"×18" size	"	510	510	510	
	4) Towel rod ¾" ×24" size	"	567	567	567	
	5) Glass shelf	"	680	680	680	
	6) C.P. bottle trap	"	1246	1246	1246	
	7) 32 mm×60cm long C.P flush pipe	"	510	510	510	
	8) 15 mm flush cock push type	"	1133	1133	1133	
	9) 15 mm dia. C.P. shower arm	"	976	976	976	
	10) 15 mm dia. C.P. spreader	"	940	940	940	
	11) 15 mm dia. C.P. wall mixture	"	5435	5435	5435	
	i) 3" dia. Shower rose , revolving type	"	906	906	906	
	ii) 4" dia. Shower rose , revolving type	"	1020	1020	1020	
	iii) Shower rose ordinary	"	567	567	567	
	iv) Shower rod 12" long	"	283	283	283	
	C.P. 15 mm dia. Angle Valve	"	1244	1244	1244	
	C.P. 15 mm dia Concealed Stop Cock	"	1807	1807	1807	
	C.P 15mm Bib Cock	"	1361	1361	1361	
	C.P. 15 mm dia swan neck Pillar Cock	"	1331	1331	1331	
	C.P. 15 mm dia Stop Cock	"	1331	1331	1331	
	C.P. 15 mm dia Sink Cock	"	1309	1309	1309	
	C.P. 15 mm dia Sink Mixture	"	4472	4472	4472	
	C.P. 32 mm dia Flush Valve	"	5404	5404	5404	
	C.P. 32 mm dia Waste Coupling for basin	"	424	424	424	
	C.P. 32 mm dia Waste Coupling for Urinal	"	689	689	689	
	C.P. Basin Mixture	सेट	4640	4640	4640	
	15 mm dia Bath Tub Spout with Wall Hinge	"	1731	1731	1731	
	C.P. Exclusive Shower Arm with Hinge	"	2014	2014	2014	
	15 mm bath tub spout with bottom attachment of telephonic shower	"	4169	4169	4169	
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	"	6849	6849	6849	
	C.P. flexible pipe	गेटा	181	181	181	
	C.P. Grating					
	i) 4" dia.	"	50	50	50	
	ii) 5" dia.	"	62	62	62	
	i) C.P. Toilet Paper Holder	"	929	929	929	
	ii) C.P. Soap Dish(Polyurethane)	"	1042	1042	1042	
	iii) C.P. Towel Rod 18"	"	1578	1578	1578	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	iv) C.P. Towel Rod 24"	"	1663	1663	1663	
	v) C.P. Glass Shelf 22"	"	2260	2260	2260	
	vi) C.P. Coat Hook Double	"	812	812	812	
	C.P. चाट निर्मित सामाग्रीहरू (jaquar, somany, essel or equivalent)	"				
	i) C.P. Toilet Paper Holder	"	969	969	969	
	ii) C.P. Soap Dish(Polyurethane)	"	843	843	843	
	iv) C.P. Towel Rod 24"	"	1643	1643	1643	
	v) C.P. Glass Shelf 22"	"	2232	2232	2232	
	vi) C.P. Coat Hook Double	"	758	758	758	
	ix) C.P. Angle Cock					
	15mm C.P. Angle Cock	"	927	927	927	
	15 mm C.P. Angle Cock Long Thread	"	986	986	986	
	x) C.P. Conceal Stop Cock	"				
	i) 15 mm Reduced body	"	1136	1136	1136	
	ii) 15 mm Extra Heavy Body	"	1390	1390	1390	
	xi) C.P. Bib Cock	"				
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	"	2612	2612	2612	
	ii) 15mm C.P. Bib Cock	"	952	952	952	
	iii) 15mm C.P. Bib Cock with nozzle	"	1054	1054	1054	
	xii) C.P. Pillar Cock	"				
	i) 15 mm C.P. Pillar Cock With Aerator	"	1263	1263	1263	
	ii) 15mm Auto Closing Pillar Cock With Aerator	"	2527	2527	2527	
	i) 15mm C.P. Sink Cock	"	1600	1600	1600	
	ii) C.P. Sink Mixer	"	3966	3966	3966	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	"	3456	3456	3456	
	xv) C.P. Bottle Trap 32mm	"	1852	1852	1852	
	32 mm C.P. Conceal Flush Valve Dual Flow	"	3874	3874	3874	
	xvii) C.P. Waste Coupling	"				
	32 mm C.P. Waste Coupling H/T	"	446	446	446	
	32 mm C.P. Waste Coupling F/T	"	446	446	446	
	xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock	"	2694	2694	2694	
	xix) 15 mm C.P. Wall Mixer					
	15 mm C.P. Wall Mixer With Lower Bend Pipe	"	4463	4463	4463	
	15 mm C.P. Wall Mixer With Upper Bend Pipe	"	4463	4463	4463	
	xx) C.P. Basin Mixer	"				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"	3706	3706	3706	

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"	3891	3891	3891	
	xxi) 15mm Bath Tub Spout with wall flange	"				
	15mm Bath Tub Spout with wall Flange	"	1263	1263	1263	
	15mm Bath Tub Spout with button attachment	"	2021	2021	2021	
	xxii) C.P. Casted Shower Arm with Flange	"				
	15 mm Casted Shower Arm Light	"	673	673	673	
	15 mm Casted Shower Arm Heavy	"	1094	1094	1094	
	xxiii) 15 mm Telephonic Hand Shower					
	With 1.50 m. PVC Tube	"	1791	1791	1791	
	With 1.5 Flexible Tube	"				
	xxiv) Auto closing urinal flush valve					
	15mm presmatic auto closing urinal flush valve	चोटा	3224	3224	3224	
	xxiv) Other accessories					
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	चोटा	4834	4834	4834	
	15 mm Braided Hose for E.W.C.	"	298	298	298	
	15 mm Health Faucet (Commode Spray)	"	1146	1146	1146	
	15 mm pillar cock with 200 mm extended lever handle	"	1515	1515	1515	
	15 mm Bib cock with 200 mm extended lever handle	"	1598	1598	1598	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	"	5956	5956	5956	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	"	5776	5776	5776	
	Sensor mixer for wash basin (Battery operated)	"	20481	20481	20481	
	Wall mounted Sensor mixer for operation theater (Battery operated)	"	20481	20481	20481	
	Sensor conceal type flushing valve for Western commode (battery operated)	"	16221	16221	16221	
	Sensor valve for Urinal	"	10651	10651	10651	
	Basin cock Sensor	"	14418	14418	14418	
	15mm U shaped sink cock	"	1712	1712	1712	
	Sink Mixture with U shape swinging spout	"	3358	3358	3358	
	15mm metallic Health Faucet (Commode Spray)	"	2171	2171	2171	
7	Electric & Solar Geyser					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	i) 10 lit. cap. electric water heater	गोटा	11241	11241	11241	
	ii) 25 lit cap. " " "	"	17331	17331	17331	
	iii) 35 lit cap " " "	"	21546	21546	21546	
	iv) 50 lit cap " " "	"				
	v) 15.0 Ltr water heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	12124	12124	12124	
8	C.I. Manhole Cover including frame.					
8.1	Square Frame (in outer dia)					
	Medium Duty					
	i) 10" × 10" (4 Kg.)	सेट	669	669	669	
	ii) 12" × 12" (5 Kg.)	"	836	836	836	
	iii) 14" × 14" (7 Kg.)	"	1171	1171	1171	
	v) 16" × 16" (10 Kg.)	"	1673	1673	1673	
	vi) 18" × 18" (14 Kg.)	"	2509	2509	2509	
	viii) 20" × 20" (16 Kg.)	"	2677	2677	2677	
	ix) 22" × 22" (20 Kg.)	"	3346	3346	3346	
	x) 24" × 24" (24 Kg.)	"	4294	4294	4294	
	xi) 27" × 27" (31 Kg.)	"	5186	5186	5186	
	Heavy Duty					
	iii) 14" × 14" (14 Kg.)	"	2342	2342	2342	
	ix) 22" × 22" (22 Kg.)	"	3681	3681	3681	
	xi) 27" × 27" (45 Kg.)	"	7528	7528	7528	
8.2	Rounded Manhole Cover (Outer dia.)					
	Medium class					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	9092	9092	9092	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"	12123	12123	12123	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"	15154	15154	15154	
	iv) 22" dia. Medium class. (125 Kg.)	"	19397	19397	19397	
	v) 22" dia. Heavy class. (208Kg.)	"	28974	28974	28974	
	vi) 24" dia. Medium class. (40 Kg.)	"	6207	6207	6207	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"	7759	7759	7759	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	"	11153	11153	11153	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	"	13578	13578	13578	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17942	17942	17942	
	xi) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17942	17942	17942	
8.3	C.I. Tank Cover Locking Types					
	Round					
	18" (8 Kg.)	सेट	1673	1673	1673	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कीफायत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	20" (12 Kg.)	"	2454	2454	2454	
	22" (14 Kg.)	"	2788	2788	2788	
	24" (16 Kg.)	"	3346	3346	3346	
	28" (24 Kg.)	"	5019	5019	5019	
	Square					
	18" x 18" (13 Kg.)	सेट	2788	2788	2788	
	24" x 24" (50 Kg.)	"	10038	10038	10038	
	Rectangular					
	18" x 24" (27 Kg.)	सेट	5577	5577	5577	
8.4	C.I. Gully Gratings & Jali					
	Round Jali Strip Medium Duty					
	4"	सेट	100	100	100	
	5"	"	134	134	134	
	6"	"	178	178	178	
	10"	"	613	613	613	
	Square Jali Strip Medium Duty					
	4" x 4"	सेट	89	89	89	
	5" x 5"	"	112	112	112	
	6" x 6"	"	134	134	134	
	9" x 9"	"	390	390	390	
	10" x 10"	"	502	502	502	
	12" x 12"	"	725	725	725	
	C.I. Gully Gratings					
	i) 15" x 18" Medium (18 Kg.)	सेट	3681	3681	3681	
	ii) 15" x 18" Heavy (25 Kg.)	सेट	5019	5019	5019	
	Grit Cover					
	फलामे एङ्गलको फ्रेममा फलामे पत्तिको जाली बनाई फोबिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	162	162	162	
	Aluminum Grating 4" dia.	गोटा	42	42	42	
9	G.I. Water Tank (17 Gauge)					
	i) 100 gls	गोटा	8317	8317	8317	
	ii) 200 gls	"	13066	13066	13066	
	iii) 300 gls	"	16434	16434	16434	
	iv) 400 gls	"	19730	19730	19730	
	v) 500 gls	"	23036	23036	23036	
	G.I. Water Tank (16 BWG TATA Sheet)					
	i) 100 gls	गोटा	8773	8773	8773	
	ii) 200 gls	"	13267	13267	13267	
	iii) 300 gls	"	17615	17615	17615	
	iv) 400 gls	"	21106	21106	21106	
	v) 500 gls	"	24597	24597	24597	
10	Roof Top PVC Water Tank					
	i) 200 lit – 5000 lit cap.	ली.	11	11	11	
	ii) 5000 lit – 10,000 lit cap	"	12	12	12	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			वैक्यत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	iii) Horizontal PVC water tank	"	12	12	12	
11	Water Pumps/Hand Pumps					
	Indian Mark-III, Deep Well Hand Pump					
	6 No. hand pump	सेट	1582	1582	1582	
	Water Pump :					
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	10885	10885	10885	
	ii) ½ H.P. Water Pump mono block type	"	6258	6258	6258	
	iii) 1.0 H.P. water pump Multistage	"	14258	14258	14258	
	iv) 1.0 H.P. water pump (mono block type)	"	9465	9465	9465	
	v) 2.0 H.P. water pump	"	22587	22587	22587	
	vi) 2.0 H.P. 3 phase water pump	"	23847	23847	23847	
	vii) 5.0 HP 3 phase water pump	"	28656	28656	28656	
	Jet Water Pump					
	i) 1.10 H.P.	सेट	21630	21630	21630	
	ii) Double Stage jet 1.10 H.P.		25956	25956	25956	
	ii) 1.5 H.P.	"	29201	29201	29201	
	Super Suction					
	i) ½ H.P.	सेट	8922	8922	8922	
	ii) 0.75 H.P.	"	8328	8328	8328	
	iii) 1.0 H.P.	"	14276	14276	14276	
	Water Pump (Grundfoss, pentair, Pedrello or equiv)					
	i) 1.0 H.P. Single pump set with Booster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	18202	18202	18202	
	ii) 2 H.P. single pump set "	"	29233	29233	29233	
	Fire pump					
	Submersible Pump (Italian)					
	i) 1.0 H.P.	"	26089	26089	26089	
	ii) 2.0 H.P.	"	48397	48397	48397	
	Electric Water Pump (Chinese)					
	i) ½ H.P.	"	1703	1703	1703	
	ii) ¾ H.P.	"	2219	2219	2219	
	iii) 1.0 H.P.	"	3270	3270	3270	
	Submersible Pump Sarvo/Bimal or equivalent					
	i) ½ H.P open well type	"	16655	16655	16655	
	ii) 1.1 H.P open well type	"	24388	24388	24388	
	iii) 1.5 H.P open well type	"	29741	29741	29741	
	Vertical Submersible Pump Sarvo/Bimal or equivalent					
	i) 1.1 H.P.	"	27254	27254	27254	
	iii) 1.5 H.P.	"	32932	32932	32932	
12	Fire fighting equipment and accessories (safeguard india or equiv)					

सि.न.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			वैकृत्य
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30m winding up to 170° U-shape hose reel carrier with drum set	सेट	-	-	-	
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel, minimax	"	-	-	-	
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pipe with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve = 8500	"	-	-	-	
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	"	-	-	-	
13	Fire extinguisher ABC stored Pressure आपतकालिन आगलागी हुँदा प्रयोग गरिने सामग्री (safeguard india or equivalent)		-	-	-	
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा	-	-	-	
	ii) 2 kg size ABC " " "	गोटा	-	-	-	
	iii) 3.0kg size ABC " " "	"	-	-	-	
	iii) 5.0kg size ABC " " "	"	-	-	-	
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	युनिट	-	-	-	
	v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill	"	-	-	-	
	vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill	"	-	-	-	
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	"	-	-	-	
	viii) 2.5 kg size ABC " " "	"	-	-	-	
	ix) Co ₂ Type fire extinguisher 6.80 lit	"	-	-	-	
	x) Foam type fire extinguisher 9 lit capacity	गोटा	-	-	-	
14	Insulation for hot water pipe 'Acroflex'					
	15mm Insulation 6 mm wall thickness	र.मी	-	-	-	
	20mm Insulation 6 mm wall thickness	"	-	-	-	
	25mm Insulation 6 mm wall thickness	"	-	-	-	
	32mm Insulation 6 mm wall thickness	"	-	-	-	
15	ACRYLIC GLASS SHELF					
	i) Acrylic glass shelf best quality	सेट	-	-	-	
	ii) Acrylic glass shelf ordinary	"	-	-	-	
	iii) Shower curtain	"	-	-	-	
16	Water Purification System		-	-	-	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	Euro Guard Water purification system (one litre per minute)	युनिट	-	-	-	
	Euro-guard water purification system (hi-flow 3 lit/min)	"	-	-	-	
	AQUA-ALO water purifier (1.0 lit/min)	"	-	-	-	
	AQUA-power water purifier	"	-	-	-	
	RO feed pump	सेट	-	-	-	
	Fire Sprinkler	"	-	-	-	
	Supply, installation, testing and commissioning of Aeration system (FRP Tray type)	"	-	-	-	
	Supply, installation, testing and commissioning of Dual Media Filter (DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" Ø)	"	-	-	-	
	Supply, installation, testing and commissioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	"	-	-	-	
	Filter Media for existing filtration system		-	-	-	
	Pebbles	के.जी.	-	-	-	
	Coarse silex	"	-	-	-	
	Gravel	"	-	-	-	
	Golden sand	"	-	-	-	
	Anthracite	"	-	-	-	
	MNo2	"	-	-	-	
	Activated Carbon	"	-	-	-	
	Motor starter switch	"	-	-	-	
	Pressure sensor switch for water tank (Italian)	"	-	-	-	
17	विभिन्न साइजको Bath tub .fiber (Duravit, grohe, American standard or equiv)		-	-	-	
	a) Bath tub – 3'6" Medium	सेट	-	-	-	
	Bath tub – 3'6" Heavy	"	-	-	-	
	b) Bath tub – 4'0" Medium	"	6705	6705	6705	
	Bath tub _4'0" Heavy	"	7787	7787	7787	
	c) Bath Tub – 4'6" Medium	"	8111	8111	8111	
	Bath tub – 4'6" Heavy	"	8137	8137	8137	
	d) Bath tub – 5'0" Medium	"	8868	8868	8868	
	Bath tub _5'0" Heavy	"	29355	29355	29355	
	e) Bath Tub – 5'6" Medium	"	7957	7957	7957	
	Bath tub – 5'6" Heavy	"	9373	9373	9373	
	f) Bath Tub – 6'0" Medium	"	12875	12875	12875	
	Bath tub – 6'0" Heavy	"	36823	36823	36823	
18	Shower Tray 3'0"×3'0"	गोटा	500	500	500	

श.सि.स. १२५

१६ २५/०८

१६ २५/०८

शान्ता शम्शेर रोम्मी
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			क्षेत्रियता
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	Pipes and fittings					
19	PPR Pipe (Poly propylene random co- polymer pipe Panchakanya , Nepatop or Eqv.)					
	1) PP-R Pipe (PN-10)					
	20mm outer, 1.9 mm thick, 0.107 kg/m	र.मि	63	63	63	
	25mm 2.3 mm thick 0.164kg/m	"	95	95	95	
	32mm 2.9 mm thick 0.26kg/m	"	152	152	152	
	40mm 3.7 mm thick 0.412kg/m	"	239	239	239	
	50mm 4.6 mm thick 0.638kg/m	"	372	372	372	
	63 mm 8.6 mm thick 0.638kg/m	"	588	588	588	
	75 mm	"	820	820	820	
	90 mm	"	1181	1181	1181	
	110 mm	"	1751	1751	1751	
	2) PP-R Pipe (PN-16)					
	20mm 2.80 mm thick 0.148kg/m	"	84	84	84	
	25mm 3.50 mm thick 0.26kg/m	"	131	131	131	
	32mm 3.7 mm thick 0.230kg/m	"	209	209	209	
	40mm 5.50 mm thick 0.575kg/m	"	335	335	335	
	50mm 6.90 mm thick 0.896kg/m	"	521	521	521	
	63 mm 4.6 mm thick 0.638kg/m	"	820	820	820	
	75 mm	"	1169	1169	1169	
	90 mm	"	1670	1670	1670	
	110 mm	"	2501	2501	2501	
	3) PP-R Pipe (PN-20)					
	20mm 3.4 mm thick 0.172 kg/m	"	100	100	100	
	25mm 4.20 mm thick 0.266kg/m	"	155	155	155	
	32mm 5.40 mm thick 0.434kg/m	"	252	252	252	
	40mm 6.70mm thick 0.671kg/m	"	390	390	390	
	50mm 8.30 mm thick 1.04kg/m	"	605	605	605	
	63mm 8.6mm thick 1.04kg/m	"	960	960	960	
	75 mm	"	1361	1361	1361	
	90 mm	"	1955	1955	1955	
	110 mm	"	2915	2915	2915	
	PP-R Pipe Accessories :					
	Elbow (90 °)					
	20mm	गोटा	13	13	13	
	25mm	"	27	27	27	
	32mm	गोटा	45	45	45	
	40mm	"	95	95	95	
	50mm	"	159	159	159	
	63 mm	"	280	280	280	
	75 mm	"	526	526	526	
	90 mm	"	888	888	888	
	110 mm	"	1653	1653	1653	

गो.सि.स. ८१२२

२५/५/८४

१५/५/८४

१५/५/८४

१५/५/८४

गो.सि.स. ८१२२

गो.सि.स. ८१२२

क्र.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई				क्षेत्रफल
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	Equal Tee					
	20mm	"	18	18	18	
	25mm	"	32	32	32	
	32mm	"	56	56	56	
	40mm	"	109	109	109	
	50mm	"	185	185	185	
	63mm	"	337	337	337	
	75 mm	"	584	584	584	
	90 mm	"	1069	1069	1069	
	110 mm	"	1858	1858	1858	
	Coupler					
	20mm	गोटा	11	11	11	
	25mm	"	13	13	13	
	32mm	"	27	27	27	
	40mm	"	52	52	52	
	50mm	"	86	86	86	
	63 mm	"	151	151	151	
	75 mm	"	292	292	292	
	90 mm	"	432	432	432	
	110 mm	"	788	788	788	
	45 Degree Elbow					
	20 mm	"	18	18	18	
	25 mm	"	30	30	30	
	32 mm	"	46	46	46	
	40 mm	"	86	86	86	
	50 mm	"	144	144	144	
	63 mm	"	238	238	238	
	75 mm	"	467	467	467	
	90 mm	"	788	788	788	
	110 mm	"	1378	1378	1378	
	Union (Plastic)					
	20mm	गोटा	70	70	70	
	25mm	"	119	119	119	
	32mm	"	192	192	192	
	40mm	"	290	290	290	
	50mm	"	456	456	456	
	63mm	"	544	544	544	
	Reducing Coupler					
	25mm*20mm	"	14	14	14	
	32mm*20mm	"	19	19	19	
	32mm*25mm	"	21	21	21	
	40mm*20mm	"	31	31	31	
	40mm*25mm	"	37	37	37	
	40mm*32mm	"	44	44	44	
	50mm*20mm	"	58	58	58	

प्रमाणित गर्दा
२

१६ २५/५/८३

१६/५/८३

१६/५/८३

१६/५/८३

शम्भु प्रसाद रेग्मी
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई				कीफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	50mm*25mm	"	64	64	64	
	50mm*32mm	"	69	69	69	
	50mm*40mm	"	76	76	76	
	63mm*32mm	"	117	117	117	
	63mm*40mm	"	122	122	122	
	63mm*50mm	"	131	131	131	
	75mm*40mm	"	195	195	195	
	75mm*50mm	"	239	239	239	
	75mm*63mm	"	241	241	241	
	90mm*50mm	"	483	483	483	
	90mm*63mm	"	521	521	521	
	90mm*75mm	"	614	614	614	
	110mm*75mm	"	818	818	818	
	110mm*90mm	"	949	949	949	
	Reducing Tee					
	25*20*25 mm	"	26	26	26	
	32*20*32 mm	"	42	42	42	
	32*25*32 mm	"	45	45	45	
	40*20*40 mm	"	66	66	66	
	40*25*40 mm	"	69	69	69	
	40*32*40 mm	"	76	76	76	
	50*20*50 mm	"	88	88	88	
	50*25*50 mm	"	93	93	93	
	50*32*50 mm	"	151	151	151	
	50*40*50 mm	"	161	161	161	
	63*32*63 mm	"	199	199	199	
	63*40*63 mm	"	193	193	193	
	63*50*63 mm	"	214	214	214	
	75*50*75 mm	"	439	439	439	
	75*63*75 mm	"	458	458	458	
	90*63*90 mm	"	926	926	926	
	90*75*90 mm	"	993	993	993	
	110*75*110 mm	"	1622	1622	1622	
	110*90*110 mm	"	1700	1700	1700	
	Reducing Elbow					
	25mm*20mm	"	22	22	22	
	32mm*20mm	"	32	32	32	
	32mm*25mm	"	41	41	41	
	High Footed Pipe Clip					
	20mm	गोटा	14	14	14	
	25mm	"	17	17	17	
	32mm	"	22	22	22	
	40mm	"	25	25	25	
	50mm	"	34	34	34	
	63 mm	"	39	39	39	

सि. नं. ३२
वि. नं. ३२
प्रमाणित
सि. नं. ३२

सि. नं. ३२

सि. नं. ३२

सि. नं. ३२

सि. नं. ३२

सि. नं. ३२

सि. नं. ३२

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	Low Footed Pipe Clip					
	20mm	"	7	7	7	
	25mm	"	8	8	8	
	32mm	"	14	14	14	
	40mm	"	19	19	19	
	50mm	"	30	30	30	
	63 mm	"	38	38	38	
	"Y" type Pipe Clip					
	20mm	"	25	25	25	
	25mm	"	25	25	25	
	32mm	"	34	34	34	
	40 mm	"	48	48	48	
	End Plug (short)					
	20mm	"	14	14	14	
	25mm	"	22	22	22	
	32mm	"	34	34	34	
	End Plug with Ring					
	20mm	"	25	25	25	
	End Plug (long)					
	20mm	"	10	10	10	
	End Cap					
	20mm	"	14	14	14	
	25mm	"	22	22	22	
	32mm	"	34	34	34	
	40mm	"	53	53	53	
	50mm	"	88	88	88	
	63 mm	"	164	164	164	
	75 mm	"	246	246	246	
	Cross Tee					
	20mm	"	25	25	25	
	25mm	"	36	36	36	
	32mm	"	64	64	64	
	Short Passover					
	20mm	"	70	70	70	
	25mm	"	99	99	99	
	32mm	"	143	143	143	
	Long Bypass					
	20mm	"	93	93	93	
	25mm	"	135	135	135	
	32mm	"	191	191	191	
	Male Tee					
	20mmx1/2"	"	145	145	145	
	25mmx1/2"	"	142	142	142	
	25mmx3/4"	"	176	176	176	
	32mmx1/2"	"	219	219	219	

नेपाल सरकार
नक्सालय
जिल्ला प्रमुख कार्यालय
नुवाकोट

११/११/८३
२

१६

२५/११/८३

२५/११/८३

२५/११/८३

सम्भु प्रसाद रेग्मी
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	32mmx3/4"	"	224	224	224	
	32mmx1"	"	401	401	401	
	Female Tee					
	20mmx1/2"	"	108	108	108	
	25mmx1/2"	"	122	122	122	
	25mmx3/4"	"	160	160	160	
	32mmx1/2"	"	181	181	181	
	32mmx3/4"	"	200	200	200	
	32mmx1"	"	323	323	323	
	Male elbow					
	20mmx1/2"	"	139	139	139	
	25mmx1/2"	"	143	143	143	
	25mmx3/4"	"	174	174	174	
	32mmx1/2"	"	188	188	188	
	32mmx3/4"	"	205	205	205	
	32mmx1"	"	396	396	396	
	Female elbow					
	20mmx1/2"	"	105	105	105	
	25mmx1/2"	"	148	148	148	
	25mmx3/4"	"	136	136	136	
	32mmx1/2"	"	200	200	200	
	32mmx3/4"	"	229	229	229	
	32mmx1"	"	281	281	281	
	Male Coupling					
	20mmx1/2"	"	136	136	136	
	20mmx3/4"	"	163	163	163	
	25mmx1/2"	"	130	130	130	
	25mmx3/4"	"	164	164	164	
	32mmx1/2"	"	182	182	182	
	32mmx3/4"	"	23	23	23	
	32mmx1"	"	385	385	385	
	40mmx1-1/4"	"	548	548	548	
	50mmx1-1/2"	"	828	828	828	
	63mmx2"	"	1201	1201	1201	
	75mmx2-1/2"	"	329	329	329	
	Female Coupling					
	20mmx1/2"	"	102	102	102	
	20mmx3/4"	"	125	125	125	
	25mmx1/2"	"	114	114	114	
	25mmx3/4"	"	128	128	128	
	32mmx1/2"	"	123	123	123	
	32mmx3/4"	"	131	131	131	
	32mmx1"	"	300	300	300	
	40mmx1-1/4"	"	482	482	482	
	50mmx1-1/2"	"	626	626	626	

२१/११/८३
२

२५/११/८३

२६/११/८३

२७/११/८३

शम्भु प्रसाद रेग्मी
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			क्षेत्रफल
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	63mmx2"		922	922	922	
	75mmx2-1/2"	"	1822	1822	1822	
	Male Union					
	20mmx1/2"	"	245	245	245	
	25mmx3/4"	"	352	352	352	
	32mmx1"	"	506	506	506	
	40mmx1 1/4"	"	977	977	977	
	50mmx1/2"	"	1342	1342	1342	
	63mmx2"	"	3117	3117	3117	
	Female Union					
	20mmx1/2"	"	238	238	238	
	25mmx3/4"	"	346	346	346	
	32mmx1"	"	487	487	487	
	40mmx1 1/4"	"	746	746	746	
	50mmx1/2"	"	1253	1253	1253	
	63mmx2"	"	2372	2372	2372	
	Stop Valve					
	a) 20 mm	"	288	288	288	
	b) 25 mm	"	381	381	381	
	c) 32 mm	"	462	462	462	
	d) 40mm	"	610	610	610	
	e) 50 mm	"	1013	1013	1013	
	f) 63 mm	"	1461	1461	1461	
	Male base elbow					
	20mm x 1/2"	"	139	139	139	
	25mm x 3/4"	"	180	180	180	
	Female base elbow					
	20mm x 1/2"	"	147	147	147	
	25mm x 1/2"	"	175	175	175	
	25mm x 3/4"	"	162	162	162	
	Metal Ball valve (double)					
	20mmx1/2"	"	657	657	657	
	25mmx3/4"	"	887	887	887	
	32mmx1"	"	1284	1284	1284	
	40mmx1-1/4"	"	3257	3257	3257	
	50mmx1-1/2"	"	4586	4586	4586	
	Metal Ball valve (Single)					
	20mmx1/2"	"	648	648	648	
	25mmx3/4"	"	872	872	872	
	32mmx1"	"	1274	1274	1274	
	Conceal Valve (Lux)					
	20mm	"	755	755	755	
	Conceal Valve (Nor)					
	20mm	"	719	719	719	
	Ball Valve (Plastic)					

१.११/११/८०

२० २५

१५

१५

१५

१५

शम्भु प्रसाद रेग्मी
अधिकाारी

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	20mm	"	112	112	112	
	25mm	"	151	151	151	
	32mm	"	244	244	244	
	40mm	"	478	478	478	
	50mm	"	614	614	614	
	63 mm	"	1091	1091	1091	
	Ball Valve (Brass)					
	20mm	"	311	311	311	
	25mm	"	441	441	441	
	32mm	"	738	738	738	
	40mm	"	1762	1762	1762	
21	CPVC Pipes & Fittings for hot and cold water distribution system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajay, marvel or eqv.					
	CPVC Pipe SDR 13.5 (22.5 Kg/cm2)					
	1/2" dia Rm		121	121	121	
	3/4" dia "		168	168	168	
	1" dia "		220	220	220	
	1-1/4" dia "		274	274	274	
	1-1/2" dia "		384	384	384	
	2" dia "		587	587	587	
	CPVC Pipe SDR 11 (28.1 Kg/cm2)					
	1/2" dia "		140	140	140	
	3/4" dia "		187	187	187	
	1" dia "		261	261	261	
	1-1/4" dia "		315	315	315	
	1-1/2" dia "		438	438	438	
	2" dia "		711	711	711	
	CPVC Pipe SDR 11.0 (Hiltake, Panchakanya, Mangalam flow life or eqv.)					
	1/2" dia Rm		132	132	132	
	3/4" dia "		177	177	177	
	1" dia "		246	246	246	
	1-1/4" dia "		303	303	303	
	1-1/2" dia "		422	422	422	
	2" dia "		713	713	713	
	CPVC Ball Valve (CTS Sockets)					
	1/2" "		384	384	384	
	3/4" "		510	510	510	
	1" "		617	617	617	
	1-1/4" "		1440	1440	1440	
	1-1/2" "		1725	1725	1725	
	2" "		2223	2223	2223	
	CPVC Reducer Brass Coupling	गोटा				

१. सिलेक्ट एन्टर

१० गुरु

११

१२

१३

शम्भु प्रसाद रेग्मी
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	3/4" X 1/2"	"	145	145	145	
	1" X 1/2"	"	190	190	190	
	CPVC Tee	गोटा				
	1/2"	"	38	38	38	
	3/4"	"	80	80	80	
	1"	"	123	123	123	
	1-1/4"	"	231	231	231	
	1-1/2"	"	336	336	336	
	2"	"	721	721	721	
	CPVC Reducer Tee	गोटा				
	1/2" x 1/2" x 3/4"	"	74	74	74	
	3/4" x 3/4" x 1/2"	"	113	113	113	
	3/4" x 1/2" x 3/4"	"	141	141	141	
	3/4" x 1/2" x 1/2"	"	161	161	161	
	1" x 1" x 3/4"	"	169	169	169	
	1-1/2" x 1-1/2" x 1"	"	263	263	263	
	2" x 2" x 1"	"	458	458	458	
	1-1/4" x 1-1/4" x 1/2"	"	149	149	149	
	1-1/4" x 1-1/4" x 1"	"	161	161	161	
	2" x 2" x 1/2"	"	450	450	450	
	1" x 1" x 1/2"	"	105	105	105	
	CPVC Brass FPT Tee	गोटा				
	1/2" x 1/2" x 1/2"	"	126	126	126	
	3/4" x 3/4" x 1/2"	"	131	131	131	
	1" x 1" x 1/2"	"	146	146	146	
	1-1/4" x 1-1/4" x 1-1/4"	"	526	526	526	
	1-1/4" x 1-1/4" x 1/2"	"	286	286	286	
	CPVC Elbow 90°	गोटा				
	1/2"	"	27	27	27	
	3/4"	"	55	55	55	
	1"	"	100	100	100	
	1-1/4"	"	188	188	188	
	1-1/2"	"	281	281	281	
	2"	"	601	601	601	
	CPVC Reducer Elbow 90°					
	3/4" X 1/2"		56	56	56	
	CPVC Brass FPT Elbow 90°	गोटा				
	1/2" x 1/2"	"	88	88	88	
	3/4" x 1/2"	"	102	102	102	
	3/4" x 3/4"	"	117	117	117	
	1" X 1/2"	"	225	225	225	
	1" X 1"	"	626	626	626	
	1-1/4" x 1-1/4"	"	813	813	813	
	CPVC Elbow 45°	गोटा				
	1/2"	"	31	31	31	

हाकिम सन्धी
Bh

16 25

16

16

16

16

सन्धी प्रसाद समी
पञ्चायत विद्या अधिकारी

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	3/4"	"	57	57	57	
	1"	"	81	81	81	
	1-1/4"	"	143	143	143	
	1-1/2"	"	207	207	207	
	2"	"	448	448	448	
	CPVC Male Adapter (CPVC Threads)	गोटा				
	1/2"	"	23	23	23	
	3/4"	"	41	41	41	
	1"	"	62	62	62	
	1-1/4"	"	111	111	111	
	1-1/2"	"	156	156	156	
	2"	"	305	305	305	
	CPVC Reducing Male Adapter (CPVC Threads)	गोटा				
	3/4" x 1/2"	"	43	43	43	
	CPVC Male Adapters (Brass Threads)					
	1/2"	"	216	216	216	
	3/4"	"	280	280	280	
	1"	"	443	443	443	
	1-1/4"	"	972	972	972	
	1-1/2"	"	1134	1134	1134	
	2"	"	2335	2335	2335	
	CPVC Reducing Male Adapter (Brass Threads)					
	3/4" x 1/2"	"	241	241	241	
	CPVC Female Adapter (CPVC Threads)					
	1/2"	"	32	32	32	
	3/4"	"	54	54	54	
	1"	"	80	80	80	
	CPVC Female Adapters Brass Threads	गोटा				
	1/2"	"	208	208	208	
	3/4"	"	282	282	282	
	1"	"	367	367	367	
	1-1/4"	"	963	963	963	
	1-1/2"	"	1071	1071	1071	
	2"	"	2093	2093	2093	
	CPVC Caps					
	1/2"	"	14	14	14	
	3/4"	"	26	26	26	
	1"	"	39	39	39	
	1-1/4"	"	76	76	76	
	1-1/2"	"	111	111	111	
	2"	"	237	237	237	
	CPVC Union					
	1/2"	"	284	284	284	
	3/4"	"	418	418	418	
	1"	"	495	495	495	

श्रीमान् (सन्धि)
 १६

२९

शम्भु प्रसाद रेग्मी
 प्रमुख जिल्ला अधिका

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई				कीफायत
			भा.ब. ०८१/८२	भा.ब. ०८२/८३	भा.ब. ०८३/८४	
	1-1/4"	"	905	905	905	
	1-1/2"	"	990	990	990	
	2"	"	1420	1420	1420	
	CPVC Cross Tee					
	1/2"	"	51	51	51	
	3/4"	"	111	111	111	
	CPVC Step Over Bend					
	1/2"	"	66	66	66	
	3/4"	"	109	109	109	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	"	694	694	694	
	3/4"	"	846	846	846	
	1"	"	967	967	967	
	1-1/4"	"	1973	1973	1973	
	1-1/2"	"	2510	2510	2510	
	2"	"	3229	3229	3229	
	CPVC Flow Guard Adhesive Solution					
	50ML	"	209	209	209	
	118ML	"	346	346	346	
	237ML	"	559	559	559	
	473ML	"	880	880	880	
	946ML	"	1545	1545	1545	
	Plastic Strap					
	1/2"	"	5	5	5	
	3/4"	"	6	6	6	
	1"	"	8	8	8	
	1-1/4"	"	12	12	12	
	1-1/2"	"	15	15	15	
	2"	"	19	19	19	
	Metal Strap					
	1/2"	"	14	14	14	
	3/4"	"	17	17	17	
	1"	"	22	22	22	
	1-1/4"	"	26	26	26	
	1-1/2"	"	28	28	28	
	2"	"	31	31	31	
	Tee Holder					
	1/2" X 1/2" X 1/2"	"	6	6	6	
	3/4" X 3/4" X 1/2"	"	8	8	8	
	Elbow Holder					
	1/2" X 1/2"	"	6	6	6	
	1/2" X 3/4"	"	7	7	7	
	Snap Fix Repair Coupling					
	1/2"	"	241	241	241	
	3/4"	"	261	261	261	



श्रीधर लामा

कृष्ण लामा

श्रीधर लामा

श्रीधर लामा

शम्भु प्रसाद रेग्मी
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कीफायत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	End plug threaded 1/2"	"	12	12	12	
21	MS SEAMLESS PIPES					
	-PIPES: ASTM-A-106 Gr.'B'/SA-106Gr.'B'/SA-53/API 5L Gr.'B'/IS:1235					
	MS PIPE SEAMLESS SIZE OD (MM)	"				
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	"	441	441	441	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	"	528	528	528	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	"	662	662	662	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	"	817	817	817	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	"	935	935	935	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	"	1201	1201	1201	
	73mm OD 3" SCH.40, 5.16 .mm thickness	"	1845	1845	1845	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	"	2415	2415	2415	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	"	3121	3121	3121	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	"	3438	3438	3438	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	"	4656	4656	4656	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	"	6044	6044	6044	
22	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)					
	Single Socket (R/R)	Mtr	410	410	410	
	Single Socket (R/R)	"	762	762	762	
	Single Socket (R/R)	"	821	821	821	
	Single Socket Self Fit	"	1058	1058	1058	
	Single Socket Self Fit	"	1294	1294	1294	
	Single Socket Self Fit	"	1778	1778	1778	
	Single Socket Self Fit	"	2093	2093	2093	
	Single Socket Self Fit	"	2795	2795	2795	
	Single Socket Self Fit	"	3331	3331	3331	
	Long Radius Bend - 45 Degree	Pc	1083	1083	1083	
	Long Radius Bend - 45 Degree	"	1977	1977	1977	
	Long Radius Bend - 45 Degree	"	3569	3569	3569	
	Long Radius Bend - 45 Degree	"	6921	6921	6921	
	Long Radius Bend - 60 Degree	"	1193	1193	1193	
	Long Radius Bend - 60 Degree	"	2186	2186	2186	
	Long Radius Bend - 60 Degree	"	4010	4010	4010	
	Long Radius Bend - 60 Degree	"	7593	7593	7593	
	Long Radius Bend - 90 Degree	"	585	585	585	
	Long Radius Bend - 90 Degree	"	1413	1413	1413	

8.11.15

25/3

4/11/20



राष्ट्र

द रग्मी

शम्भु प्रसाद रग्मी
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	Long Radius Bend - 90 Degree	"	2606	2606	2606	
	Long Radius Bend - 90 Degree	"	4874	4874	4874	
	Long Radius Bend - 90 Degree	"	8980	8980	8980	
	Fab. Coupler	"	168	168	168	
	Fab. Coupler	"	404	404	404	
	Fab. Coupler	"	869	869	869	
	Fab. Coupler	"	1700	1700	1700	
	Fab. Coupler	"	3127	3127	3127	
	End Cap	"	360	360	360	
	End Cap	"	592	592	592	
	End Cap	"	945	945	945	
	End Cap	"	1380	1380	1380	
	Equal Tee	"	10303	10303	10303	
	Equal Tee	"	5929	5929	5929	
	Equal Tee	"	3291	3291	3291	
	Gully Trap with grating	"	962	962	962	
	Rodding Point	"	570	570	570	
	Adjustable Bend 7 Degree to 37.5 Degree	"	608	608	608	
	Adjustable Bend 7 Degree to 87.5 Degree	"	834	834	834	
	Inspection Chamber Body	"	3000	3000	3000	
	Inspection Chamber Riser	"	1490	1490	1490	
	Inspection Chamber Lid with Cover	"	2829	2829	2829	
	Inspection Chamber Body	"	8284	8284	8284	
	Inspection Chamber Riser	"	2634	2634	2634	
	Inspection Chamber Lid with Cover	"	4395	4395	4395	
23	GEBERIT					
	Geberit Products					
	Concealed Cisterns 9cm	"	7431	7431	7431	
	Concealed Cisterns Kombo fix 8cm	"	9103	9103	9103	
	Dual Flush Actuator Plate Shiny Chrome	"	3646	3646	3646	
	Concealed Cisterns 12cm	"	9140	9140	9140	
	Dual Flush Actuator Plate Shiny Chrome	"	3646	3646	3646	
	Traps for Wash Basins	"	1004	1004	1004	
	Sensor for Urinal 9V DC	"	25764	25764	25764	
	Sensor for Urinal 230V AC	"	25764	25764	25764	
	control box for urinal sensor	"	7078	7078	7078	
	Sensor Faucet Cold / Mixed water 6V DC	"	32159	32159	32159	
	Sensor Faucet Cold / Mixed water 230V AC	"	32159	32159	32159	
24	PVC Lead Free White Pipes SCHEDULE 40					
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564					

गौरी लाल

०२५/०३

शम्भु प्रसाद रेग्मी
उप जिल्ला अधिकारी

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई				कीफायत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	PVC Lead Free White Pipes SCH 40 (..... Kg/cm²)	m.				
	1/2" dia. (42.19 Kg/cm ²)	"	120	120	120	
	3/4" dia. (33.75 Kg/cm ²)	"	154	154	154	
	1" dia. (31.64 Kg/cm ²)	"	237	237	237	
	1-1/4" dia. (26.01 Kg/cm ²)	"	293	293	293	
	1-1/2" dia. (23.20 Kg/cm ²)	"	359	359	359	
	2" dia. (19.69 Kg/cm ²)	"	509	509	509	
	2-1/2" dia. (21.09 Kg/cm ²)	"	712	712	712	
	3" dia. (18.28 Kg/cm ²)	"	899	899	899	
	4" dia. (15.47 Kg/cm ²)	"	1319	1319	1319	
	6" dia. (12.66 Kg/cm ²)	"	2747	2747	2747	
	PVC Tee - Soc	गोटा				
	1/2"	"	33	33	33	
	3/4"	"	46	46	46	
	1"	"	73	73	73	
	1-1/4"	"	114	114	114	
	1-1/2"	"	150	150	150	
	2"	"	232	232	232	
	2-1/2"	"	664	664	664	
	3"	"	872	872	872	
	4"	"	1578	1578	1578	
	6"	"	8753	8753	8753	
	PVC Reducer Tee - Soc	गोटा				
	3/4 x 1/2	"	66	66	66	
	1 x 1/2	"	102	102	102	
	1 x 3/4	"	102	102	102	
	1-1/2 X 1/2	"	346	346	346	
	1-1/2 X 3/4	"	346	346	346	
	1-1/2 X 1	"	346	346	346	
	1-1/2 X 1-1/4	"	346	346	346	
	2 X 1/2	"	426	426	426	
	2 X 3/4	"	426	426	426	
	2 X 1	"	426	426	426	
	2 X 1-1/4	"	426	426	426	
	2 X 1-1/2	"	426	426	426	
	2-1/2 X 1/2	"	1095	1095	1095	
	2-1/2 X 3/4	"	1095	1095	1095	
	2-1/2 X 1	"	1095	1095	1095	
	2-1/2 X 1-1/4	"	1095	1095	1095	
	2-1/2 X 1-1/2	"	1095	1095	1095	
	2-1/2 X 2	"	1095	1095	1095	
	3 X 1/2	"	1599	1599	1599	
	3 X 3/4	"	1599	1599	1599	
	3 X 1	"	1599	1599	1599	
	3 X 1-1/4	"	1599	1599	1599	

११/११/२०८३

११/११/२०८३

११/११/२०८३

११/११/२०८३

शम्भु प्रसाद रेग्मी
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०८१/८२			केफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	3 X 1-1/2	"	1599	1599	1599	
	3 X 2	"	1599	1599	1599	
	3 X 2-1/2	"	1599	1599	1599	
	6 X 1-1/4	"	8408	8408	8408	
	6 X 1-1/2	"	8408	8408	8408	
	6 X 2	"	8408	8408	8408	
	6 X 2-1/2	"	8408	8408	8408	
	6 X 3	"	8408	8408	8408	
	6 X 4	"	8408	8408	8408	
	PVC Brass Tee - Soc x Fipt SCH 80	गोटा				
	1/2"	"	169	169	169	
	3/4"	"	306	306	306	
	3/4" X 1/2"	"	249	249	249	
	1" X 1/2"	"	441	441	441	
	PVC 90° Elbow - Soc	गोटा				
	1/2"	"	27	27	27	
	3/4"	"	31	31	31	
	1"	"	56	56	56	
	1-1/4"	"	97	97	97	
	1-1/2"	"	114	114	114	
	2"	"	176	176	176	
	2-1/2"	"	521	521	521	
	3"	"	624	624	624	
	4"	"	1277	1277	1277	
	6"	"	5377	5377	5377	
	PVC Brass 90° Elbow Soc x Fipt SCH 80	गोटा				
	1/2"	"	181	181	181	
	3/4"	"	254	254	254	
	3/4" X 1/2"	"	263	263	263	
	PVC 45° Elbow - Soc	गोटा				
	1/2"	"	58	58	58	
	3/4"	"	90	90	90	
	1"	"	107	107	107	
	1-1/4"	"	150	150	150	
	1-1/2"	"	189	189	189	
	2"	"	246	246	246	
	2-1/2"	"	702	702	702	
	3"	"	1091	1091	1091	
	4"	"	1959	1959	1959	
	6"	"	5392	5392	5392	
	PVC Coupling - Soc	गोटा				
	1/2"	"	18	18	18	
	3/4"	"	27	27	27	
	1"	"	43	43	43	
	1-1/4"	"	59	59	59	

१.११/१२/८४

१० २५/१२/८४

११/१२/८४

१२/१२/८४

१३/१२/८४

राष्ट्रिय प्रशासकीय सेवा
सिन्धु अधिकार

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई				केफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	1-1/2"	"	79	79	79	
	2"	"	123	123	123	
	2-1/2"	"	259	259	259	
	3"	"	405	405	405	
	4"	"	634	634	634	
	6"	"	2541	2541	2541	
	PVC Reducer Coupling - Soc	गोटा				
	3/4 X 1/2	"	44	44	44	
	1 X 3/4	"	77	77	77	
	1-1/2 X 1-1/4	"	137	137	137	
	2 X 1-1/2	"	218	218	218	
	4 x 2	"	1462	1462	1462	
	4 X 3	"	1462	1462	1462	
	6 X 4	"	3040	3040	3040	
	PVC Reducer Bushing - (Flush Style)	गोटा				
	3/4 X 1/2	"	37	37	37	
	1 X 1/2	"	52	52	52	
	1 X 3/4	"	52	52	52	
	1-1/4 X 1/2	"	90	90	90	
	1-1/4 X 3/4	"	90	90	90	
	1-1/4 X 1	"	90	90	90	
	1-1/2 X 1/2	"	95	95	95	
	1-1/2 X 3/4	"	95	95	95	
	1-1/2 X 1	"	95	95	95	
	1-1/2 X 1-1/4	"	95	95	95	
	2 X 1/2	"	173	173	173	
	2 X 3/4	"	173	173	173	
	2 X 1	"	173	173	173	
	2 X 1-1/4	"	173	173	173	
	2 X 1-1/2	"	173	173	173	
	2-1/2 X 1-1/4	"	244	244	244	
	2-1/2 X 1-1/2	"	244	244	244	
	2-1/2 X 2	"	244	244	244	
	3 X 1-1/2	"	361	361	361	
	3 X 2	"	361	361	361	
	3 X 2-1/2	"	361	361	361	
	4 X 2	"	710	710	710	
	4 X 3	"	710	710	710	
	6 X 2	"	2384	2384	2384	
	6 X 3	"	2384	2384	2384	
	6 X 4	"	2384	2384	2384	
	PVC Cap - Soc	गोटा				
	1/2"	"	26	26	26	
	3/4"	"	31	31	31	
	1"	"	44	44	44	

०१/११/८४

०२/११/८४

०३/११/८४

शम्भु प्रसाद रेग्मी
प्रमुख जिल्ला अधिका

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	1-1/4"	"	63	63	63	
	1-1/2"	"	69	69	69	
	2"	"	83	83	83	
	2-1/2"	"	266	266	266	
	3"	"	292	292	292	
	4"	"	664	664	664	
	6"	"	2623	2623	2623	
	PVC Union - Soc With EPDM O-Ring Seal	गोटा				
	1/2"	"	266	266	266	
	3/4"	"	305	305	305	
	1"	"	313	313	313	
	1-1/4"	"	1008	1008	1008	
	1-1/2"	"	1051	1051	1051	
	2"	"	1418	1418	1418	
	2-1/2"	"	1984	1984	1984	
	3"	"	3169	3169	3169	
	4"	"	4387	4387	4387	
	PVC Male Adaptor - Soc x MBSP	गोटा				
	1/2"	"	48	48	48	
	3/4"	"	57	57	57	
	1"	"	75	75	75	
	1-1/4"	"	92	92	92	
	1-1/2"	"	127	127	127	
	2"	"	163	163	163	
	2-1/2"	"	573	573	573	
	3"	"	680	680	680	
	4"	"	1076	1076	1076	
	6"	"	2477	2477	2477	
	PVC Brass Male Adapter - Soc x Mipt SCH 80	गोटा				
	1/2"	"	275	275	275	
	3/4"	"	368	368	368	
	1"	"	553	553	553	
	PVC Female Adaptor - Soc x FBSP	गोटा				
	1/2"	"	62	62	62	
	3/4"	"	64	64	64	
	1"	"	67	67	67	
	1-1/4"	"	175	175	175	
	1-1/2"	"	257	257	257	
	2"	"	249	249	249	
	PVC Brass Female Adapter - Soc x Fipt SCH 80	गोटा				
	1/2"	"	231	231	231	
	3/4"	"	327	327	327	
	1"	"	419	419	419	
	PVC Ball Valve - Soc	गोटा				
	1/2"	"	925	925	925	

श्रीमान् लक्ष्मी
B

16
श्रीमान्
Page 106

शम्भु पौडेल
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मा.ब. ०८१/८२			कीफायत
			मा.ब. ०८१/८२	मा.ब. ०८२/८३	मा.ब. ०८३/८४	
	3/4"	"	1100	1100	1100	
	1"	"	1539	1539	1539	
	1-1/4"	"	2084	2084	2084	
	1-1/2"	"	3178	3178	3178	
	2"	"	4019	4019	4019	
	2-1/2"	"	6640	6640	6640	
	3"	"	10519	10519	10519	
	4"	"	17383	17383	17383	
	6"	"	37759	37759	37759	
	PVC Adhesive Solution (Med. Bonded 705)	गोटा				
	118ML	"	321	321	321	
	237ML	"	461	461	461	
	473ML	"	834	834	834	
	946ML	"	1373	1373	1373	
	PVC Adhesive Solution (Heavy Bonded 717)	गोटा				
	118ML	"	517	517	517	
	237ML	"	681	681	681	
	473ML	"	1194	1194	1194	
	946ML	"	2068	2068	2068	
25	Rainwater Collection System sintex or Prince Brand Roof)					
	140 mm Dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	167	167	167	
	JOINT BRACKET To connect two lengths of roof water	Pc.	269	269	269	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	369	369	369	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	454	454	454	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	454	454	454	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	100	100	100	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	320	320	320	

१, ११/११/८४

५

शम्भु प्रसाद शर्मा
जिल्ला अधिकारी

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	80	80	80	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	53	53	53	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	33	33	33	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	81	81	81	
	RUBBER GASKET To provide leak proof joints.	Pc.	31	31	31	
	75 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	66	66	66	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	40	40	40	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	132	132	132	
	180 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	317	317	317	
	JOINT BRACKET To connect two lengths of roof water	Pc.	376	376	376	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	543	543	543	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	622	622	622	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	622	622	622	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	147	147	147	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water,	Pc.	445	445	445	

ग.सि.ल. ला.स.स.
२

१६ २५

१६ २५

१६ २५

शम्भु रेग्मी
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	DWV Single Tee with Door	"	2116	2116	2116	
	DWV Single 'Y'	"	2223	2223	2223	
	DWV Single 'Y' with Door	"	779	779	779	
	DWV Bend 87.5 Degree	"	1037	1037	1037	
	DWV Bend 87.5 Degree with Door	"	907	907	907	
	DWV Bend 45 Degree	"				
	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	613	613	613	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	636	636	636	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	661	661	661	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	623	623	623	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	634	634	634	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1132	1132	1132	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1176	1176	1176	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1221	1221	1221	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1151	1151	1151	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1172	1172	1172	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1772	1772	1772	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1804	1804	1804	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1834	1834	1834	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	2941	2941	2941	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2992	2992	2992	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	3044	3044	3044	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	3894	3894	3894	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3962	3962	3962	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	4030	4030	4030	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	4812	4812	4812	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	4896	4896	4896	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4980	4980	4980	
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	612	612	612	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	628	628	628	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	643	643	643	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	624	624	624	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	635	635	635	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1131	1131	1131	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1164	1164	1164	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1196	1196	1196	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1152	1152	1152	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1172	1172	1172	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1772	1772	1772	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1804	1804	1804	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1835	1835	1835	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	2941	2941	2941	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2992	2992	2992	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	3043	3043	3043	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	3894	3894	3894	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3962	3962	3962	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	4030	4030	4030	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	4812	4812	4812	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4896	4896	4896	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4980	4980	4980	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	DWV Coupler SN-8 110mm	per pc	309	309	309	
	DWV Coupler SN-4 160 mm	"	743	743	743	
	DWV Coupler SN-4 200 mm	"	1520	1520	1520	
	DWV Coupler SN-4 250 mm	"	2832	2832	2832	
	DWV Coupler SN-2 315mm	"	4555	4555	4555	
	DWV Coupler SN-4 315 mm	"	4973	4973	4973	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1051	1051	1051	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2926	2926	2926	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5465	5465	5465	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	12251	12251	12251	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	29090	29090	29090	
26	Multilayer Composite Pipe (Sanghai, or eqv.)					
	Cold Water Pipe (White)					
	12-16 mm ½"	Rm	101	101	101	
	14-18 mm ½"	"	111	111	111	
	16-20 mm ½"	"	119	119	119	
	20-25 mm ¾"	"	180	180	180	
	26-32 mm 1"	"	281	281	281	

नेपाल सरकार
जल विभाग
काठमाडौं

०१/११/२०८३

६

६

६

प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	32-40 mm 1½"	"	446	446	446	
	41-50 mm 1½"	"	653	653	653	
	Hot Water Pipe (Orange)					
	12-16 mm ½"	Rm	111	111	111	
	14-18 mm ½"	"	123	123	123	
	16-20 mm ½"	"	141	141	141	
	20-25 mm ¾"	"	208	208	208	
	26-32 mm 1"	"	302	302	302	
	32-40 mm 1½"	"	465	465	465	
	Gas Lines Pipe (Yellow)					
	12-16 mm ½"	Rm	87	87	87	
	14-18 mm ½"	"	87	87	87	
	MULTILAYER COMPOSITE Fittings					
	a. Equal Straight Union					
	½"ø (16mm ø)	गोटा	133	133	133	
	½"ø (18mm ø)	"	140	140	140	
	½"ø (20mm ø)	"	154	154	154	
	¾" ø (25 mm ø)	"	225	225	225	
	1" ø (32 mm ø)	"	351	351	351	
	1¼" ø (40 mm ø)	"	1296	1296	1296	
	1½" ø (50 mm ø)	"	1958	1958	1958	
	b. Unequal Straight Union					
	25 - 16 mm ø	"	252	252	252	
	25 - 18 mm ø	"	261	261	261	
	25 - 20 mm ø	"	275	275	275	
	32 - 16 mm ø	"	338	338	338	
	32 - 18 mm ø	"	356	356	356	
	32 - 20 mm ø	"	383	383	383	
	32 - 25 mm ø	"	410	410	410	
	40 - 32 mm ø	"	1121	1121	1121	
	50 - 20 mm ø	"	1634	1634	1634	
	50 - 32 mm ø	"	1958	1958	1958	
	50 - 40 mm ø	"	1845	1845	1845	
	c. Male Union					
	16mm x ½"M	गोटा	95	95	95	
	18mm x ½"M	"	110	110	110	
	20mm x ½"M	"	126	126	126	
	25mm x ½"M	"	153	153	153	
	25mm x ¾"M	"	194	194	194	
	25mm x 1"M	"	248	248	248	
	32mm x ¾"M	"	284	284	284	
	32mm x 1"M	"	311	311	311	
	32mm x 1½"M	"	315	315	315	
	40mm x 1"M	"	995	995	995	
	40mm x 1½"M	"	1030	1030	1030	

सि.नं. ३
गोटा
१३३
१४०
१५४
२२५
३५१
१२९६
१९५८
१८४५

२/११/८४
३

४ २५ २५

५

६

७

शम्भु प्रसाद
प्रमुख जिल्ला अधिकारी

वि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	50mm x 1"M	"	1563	1563	1563	
	50mm x 1¼"M	"	1590	1590	1590	
	50mm x 1½"M	"	2160	2160	2160	
	50mm x 2"M	"	1623	1623	1623	
	d. Female Straight Union					
	16mm x ½"F	गोटा	104	104	104	
	18mm x ½"F	"	113	113	113	
	20mm x ½"F	"	122	122	122	
	25mm x ½"F	"	162	162	162	
	25mm x ¾"F	"	194	194	194	
	25mm x 1"F	"	198	198	198	
	32mm x ½"F	"	203	203	203	
	32mm x ¾"F	"	207	207	207	
	32mm x 1"F	"	293	293	293	
	40mm x 1½"F	"	1168	1168	1168	
	50mm x 1¼"F	"	1575	1575	1575	
	50mm x 1½"F	"	2160	2160	2160	
	50mm x 2"F	"	1638	1638	1638	
	e. Equal Elbow					
	½"ø (16mm ø)	गोटा	126	126	126	
	½"ø (18mm ø)	"	153	153	153	
	½"ø (20mm ø)	"	207	207	207	
	¾" ø (25 mm ø)	"	315	315	315	
	1" ø (32 mm ø)	"	509	509	509	
	1¼" ø (40 mm ø)	"	1656	1656	1656	
	1½" ø (50 mm ø)	"	2565	2565	2565	
	f. Unequal Elbow					
	40 - 32 mm ø	"	1836	1836	1836	
	50 - 20 mm ø	"	2115	2115	2115	
	50 - 40 mm ø	"	2156	2156	2156	
	g. Female Elbow					
	16mm x ½"F	गोटा	167	167	167	
	18mm x ½"F	"	185	185	185	
	20mm x ½"F	"	203	203	203	
	25mm x ½"F	"	225	225	225	
	25mm x ¾"F	"	279	279	279	
	25mm x 1"F	"	306	306	306	
	32mm x ¾"F	"	329	329	329	
	32mm x 1"F	"	410	410	410	
	50mm x 1¼"F	"	2115	2115	2115	
	h. Male Elbow					
	25mm x ¾"M	"	225	225	225	
	25mm x 1"M	"	293	293	293	
	32mm x ¾"M	"	221	221	221	
	32mm x 1"M	"	374	374	374	

श्री. वि. लाल

14

२०८३

२०८३

२०८३

शम्भु प्रमुख जिल्ला अधिकारी

क्र.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	40mm x 1"M	"	1215	1215	1215	
	50mm x 1"M	"	1732	1732	1732	
	i. Equal Tee					
	½"ø (16mm ø)	गोटा	225	225	225	
	½"ø (18mm ø)	"	252	252	252	
	½"ø (20mm ø)	"	315	315	315	
	¾" ø (25 mm ø)	"	455	455	455	
	1" ø (32 mm ø)	"	711	711	711	
	1¼" ø (40 mm ø)	"	2658	2658	2658	
	1½" ø (50 mm ø)	"	3884	3884	3884	
	j. Unequal Tee					
	20 mm x 16 mm x 20 mm	"	203	203	203	
	20 mm x 18 mm x 20 mm	"	225	225	225	
	25 mm x 16 mm x 25 mm	"	338	338	338	
	25 mm x 18 mm x 25 mm	"	383	383	383	
	25 mm x 20 mm x 25 mm	"	396	396	396	
	32 mm x 16 mm x 32 mm	"	653	653	653	
	32 mm x 18 mm x 32 mm	"	675	675	675	
	32 mm x 20 mm x 32 mm	"	702	702	702	
	32 mm x 25 mm x 32 mm	"	720	720	720	
	40 mm x 32 mm x 32 mm	"	1967	1967	1967	
	40 mm x 32 mm x 40 mm	"	2278	2278	2278	
	50 mm x 20 mm x 50 mm	"	3105	3105	3105	
	50 mm x 32 mm x 32 mm	"	2047	2047	2047	
	50 mm x 32 mm x 50 mm	"	3137	3137	3137	
	50 mm x 40 mm x 40 mm	"	3147	3147	3147	
	50 mm x 40 mm x 50 mm	"	3595	3595	3595	
	k. Female Tee					
	16mm x ½"F x 16mm	गोटा	225	225	225	
	18mm x ½"F x 18mm	"	234	234	234	
	20mm x ½"F x 20mm	"	252	252	252	
	25mm x ½"F x 25mm	"	237	237	237	
	25mm x ¾"F x 25mm	"	261	261	261	
	25mm x 1"F x 25mm	"	338	338	338	
	32mm x ½"F x 32mm	"	365	365	365	
	32mm x ¾"F x 32mm	"	374	374	374	
	32mm x 1"F x 32mm	"	507	507	507	
	40mm x ¾"F x 32mm	"	1496	1496	1496	
	50mm x ¾"F x 40mm	"	2219	2219	2219	
	l. Equal Ball Valve Union					
	½"ø (16mm ø)	गोटा	262	262	262	
	½"ø (18mm ø)	"	291	291	291	
	½"ø (20mm ø)	"	383	383	383	
	¾" ø (25 mm ø)	"	635	635	635	
	1" ø (32 mm ø)	"	882	882	882	



श्री. विमल शर्मा

श्री. प्रदीप शर्मा

श्री. प्रदीप शर्मा

श्री. प्रदीप शर्मा

शम्भु प्रसाद रेग्मा
प्रमुख जिल्ला अधिकारी

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	1¼" ø (40 mm ø)	"	2882	2882	2882	
	1½" ø (50 mm ø)	"	4159	4159	4159	
	m. Female Ball Valve Union					
	16mm x ½"F	गोटा	244	244	244	
	18mm x ½"F	"	280	280	280	
	20mm x ½"F	"	313	313	313	
	20mm x ¾"F	"	351	351	351	
	25mm x ¾"F	"	653	653	653	
	25mm x 1"F	"	666	666	666	
	32mm x 1"F	"	702	702	702	
	n. Plug					
	1¼" ø (40 mm ø)	"	1440	1440	1440	
	1½" ø (50 mm ø)	"	1980	1980	1980	
	p. Wall Plated Female Elbow					
	16mm x ½"F	गोटा	189	189	189	
	18mm x ½"F	"	207	207	207	
	20mm x ½"F	"	225	225	225	
	q. Nipple					
	N 1/2F*1/2F	गोटा	49	49	49	
	N 1/2M*1/2M	"	49	49	49	
	N 3/4F*1/2F	"	68	68	68	
	N 1F*1/2F	"	77	77	77	
	N 1F*3/4F	"	87	87	87	
	N 3/4M*1/2M	"	68	68	68	
	N 1M*1/2M	"	77	77	77	
	N 1M*3/4M	"	87	87	87	
	N 1/2F*1/2M	"	59	59	59	
	N 1/2F*3/4M	"	68	68	68	
	N 1/2F*1M	"	107	107	107	
	N 1/2M*3/4F	"	68	68	68	
	N 1/2M*1F	"	112	112	112	
	N 3/4F*3/4M	"	87	87	87	
	N 3/4F*1M	"	96	96	96	
	N 3/4M*1F	"	127	127	127	
27	Supplying laying & jointing of Nepal Plastic (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually					
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	486	486	486	
	a.2) Failure chagre per well	संख्या	1350	1350	1350	
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	693	693	693	
	b.2) Failure chagre per well	संख्या	3600	3600	3600	
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1323	1323	1323	
	c.2) Failure chagre per well	संख्या	4680	4680	4680	

१/१/११/११/११

२

११/११/११

११/११/११

११/११/११
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1872	1872	1872	
	d.2) Failure chagre per well	संख्या	5400	5400	5400	
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1575	1575	1575	
28	R.C.C. Hume Pipe & Hume Pipe Collar					
	PIPES					
	a) NP-2					
	150 mm dia.	र.मि	592	592	592	
	200 mm dia.	"	775	775	775	
	250 mm dia.	"	974	974	974	
	300 mm dia.	"	1316	1316	1316	
	350 mm dia.	"	1459	1459	1459	
	375 mm dia.	"	1596	1596	1596	
	400 mm dia.	"	1826	1826	1826	
	450 mm dia.	"	1938	1938	1938	
	500 mm dia.	"	2178	2178	2178	
	600 mm dia.	"	2856	2856	2856	
	700 mm dia.	"	3749	3749	3749	
	750 mm dia.	"	4055	4055	4055	
	800 mm dia.	"	4529	4529	4529	
	900 mm dia.	"	6120	6120	6120	
	1000 mm dia.	"	7140	7140	7140	
	1200 mm dia.	"	8711	8711	8711	
	1500 mm dia.	"	18309	18309	18309	
	b) NP-3					
	150 mm dia.	र.मि	1331	1331	1331	
	200 mm dia.	"	1775	1775	1775	
	250 mm dia.	"	2224	2224	2224	
	300 mm dia.	"	3509	3509	3509	
	350 mm dia.	"	3585	3585	3585	
	375 mm dia.	"	3825	3825	3825	
	400 mm dia.	"	4080	4080	4080	
	450 mm dia.	"	4809	4809	4809	
	500 mm dia.	"	5110	5110	5110	
	600 mm dia.	"	6314	6314	6314	
	700 mm dia.	"	7625	7625	7625	
	750 mm dia.	"	8762	8762	8762	
	800 mm dia.	"	9563	9563	9563	
	900 mm dia.	"	12393	12393	12393	
	1000 mm dia.	"	13770	13770	13770	
	1200 mm dia.	"	16402	16402	16402	
	1500 mm dia.	"	25775	25775	25775	
	R.C.C. Hume Pipe Collar					
	a) NP-2					

११/११/८४

१८

१९

१९/११/८४
प्रमुख जिल्ला अधिकारी

क्र.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	150 mm dia.	गोटा	148	148	148	
	200 mm dia.	"	194	194	194	
	250 mm dia.	"	240	240	240	
	300 mm dia.	"	326	326	326	
	350 mm dia.	"	357	357	357	
	375 mm dia.	"	398	398	398	
	400 mm dia.	"	459	459	459	
	450 mm dia.	"	485	485	485	
	500 mm dia.	"	546	546	546	
	600 mm dia.	"	719	719	719	
	700 mm dia.	"	938	938	938	
	750 mm dia.	"	1010	1010	1010	
	800 mm dia.	"	1122	1122	1122	
	900 mm dia.	"	1530	1530	1530	
	1000 mm dia.	"	1785	1785	1785	
	1200 mm dia.	"	2173	2173	2173	
	1500 mm dia.	"	4565	4565	4565	
	b) NP-3					
	150 mm dia.	"	332	332	332	
	200 mm dia.	"	444	444	444	
	250 mm dia.	"	556	556	556	
	300 mm dia.	"	791	791	791	
	350 mm dia.	"	893	893	893	
	375 mm dia.	"	949	949	949	
	400 mm dia.	"	1020	1020	1020	
	450 mm dia.	"	1142	1142	1142	
	500 mm dia.	"	1275	1275	1275	
	600 mm dia.	"	1571	1571	1571	
	700 mm dia.	"	1897	1897	1897	
	750 mm dia.	"	2188	2188	2188	
	800 mm dia.	"	2387	2387	2387	
	900 mm dia.	"	3091	3091	3091	
	1000 mm dia.	"	3443	3443	3443	
	1200 mm dia.	"	4100	4100	4100	
	1500 mm dia.	"	6426	6426	6426	
	R.C.C. Spigot Pipes (Socket System)					
	a) NP-2 -					
	150 mm dia.	र.मि	-	-	-	
	200 mm dia.	"	-	-	-	
	250 mm dia.	"	-	-	-	
	300 mm dia.	"	-	-	-	
	350 mm dia.	"	-	-	-	
	400 mm dia.	"	-	-	-	
	450 mm dia.	"	-	-	-	
	500 mm dia.	"	-	-	-	

१/१/२०८३

६/०८/२०८३

१/०८/२०८३

शम्भु प्रसाद रणगी
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	600 mm dia.	"	-	-	-	
	700 mm dia.	"	-	-	-	
	750 mm dia.	"	-	-	-	
	800 mm dia.	"	-	-	-	
	900 mm dia.	"	-	-	-	
	1000 mm dia.	"	-	-	-	
	1200 mm dia.	"	-	-	-	
	b) NP-3					
	150 mm dia.	र.मि	1505	1505	1505	
	200 mm dia.	"	2040	2040	2040	
	250 mm dia.	"	2555	2555	2555	
	300 mm dia.	"	3672	3672	3672	
	350 mm dia.	"				
	400 mm dia.	"	4697	4697	4697	
	450 mm dia.	"	5273	5273	5273	
	500 mm dia.	"	5880	5880	5880	
	600 mm dia.	"	7262	7262	7262	
	700 mm dia.	"	8772	8772	8772	
	800 mm dia.	"	10996	10996	10996	
	900 mm dia.	"	14260	14260	14260	
	1000 mm dia.	"	15851	15851	15851	
	1200 mm dia.	"	18860	18860	18860	
	1500 mm dia.	"	30330	30330	30330	
	1600 mm dia.	"	34986	34986	34986	
	1800 mm dia.	"	46594	46594	46594	
29	High Density Polythene Pipe(PE:100) NS-40					
	Pipes of different sizes, series & pressure as per NS Standard					
	HDPE Pipe	Kg	290	290	319	
Double wall Corrugated (SN8) pipes for Sewage and Rain water(Non Pressure Pipes)						
1	100 mm dia	मिटर	520	520	520	
2	150mm dia	"	1040	1040	1040	
3	200mm dia	"	1560	1560	1560	
4	250mm dia	"	1976	1976	1976	
5	300mm dia	"	3286	3286	3286	
6	400mm dia	"	4233	4233	4233	
7	500mm dia	"	5564	5564	5564	
8	600mm dia	"	8705	8705	8705	
9	800mm dia	"	12870	12870	12870	
10	1000mm dia	"	17888	17888	17888	
30	UPVC (Pipe NS 206/046					
30.1	A) pipe 2.5 kg /cm² pressure					
	a) 90 mm	र.मी	154	154	154	
	b) 110 mm	"	229	229	229	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई				केफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	c) 125 mm	"	292	292	292	
	d) 140 mm	"	361	361	361	
	e) 160 mm	"	472	472	472	
	f) 180 mm	"	604	604	604	
	g) 200 mm	"	737	737	737	
30.2	B) PVC Pipe 4 kg / cm²					
	a) 63mm	र.मी	122	122	122	
	b) 75 mm	"	169	169	169	
	c) 90 mm	"	241	241	241	
	d) 110 mm	"	331	331	331	
	e) 125 mm	"	456	456	456	
	f) 140 mm	"	579	579	579	
	g) 160 mm	"	750	750	750	
	h) 180 mm	"	964	964	964	
	i) 200 mm	"	1169	1169	1169	
30.3	C) PVC Pipe 6 Kg/ cm² pressure					
	a) 40 mm	र.मी	72	72	72	
	b) 50 mm	"	109	109	109	
	c) 63 mm	"	174	174	174	
	d) 75 mm	"	243	243	243	
	e) 90 mm	"	351	351	351	
	f) 110 mm	"	508	508	508	
	g) 125 mm	"	677	677	677	
	h) 140 mm	"	842	842	842	
	i) 160 mm	"	1080	1080	1080	
	j) 180 mm	र.मी	1377	1377	1377	
	k) 200 mm	"	1687	1687	1687	
30.4	C) PVC Pipe 10 Kg/ cm² pressure					
	a) 20 mm	र.मी	27	27	27	
	b) 25 mm	"	43	43	43	
	c) 32mm	"	71	71	71	
	a) 40 mm	"	108	108	108	
	b) 50 mm	"	170	170	170	
	c) 63 mm	"	270	270	270	
	d) 75 mm	"	386	386	386	
	e) 90 mm	"	550	550	550	
	f) 110 mm	"	816	816	816	
	g) 125 mm	"	1045	1045	1045	
	h) 140 mm	"	1318	1318	1318	
	i) 160 mm	"	1696	1696	1696	
	j) 180 mm	"	2162	2162	2162	
	k) 200 mm	"	2674	2674	2674	
30.5	UPVC fittings :					
	Coupler					
	50 mm	गोटा	34	34	34	

शम्भु प्रसाद रेग्मी
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	75 mm	"	82	82	82	
	110 mm	"	140	140	140	
	Bend 87.5 degree					
	50 mm	गोटा	50	50	50	
	75 mm	"	119	119	119	
	110 mm	"	220	220	220	
	Bend 45 degree					
	50 mm	गोटा	49	49	49	
	75 mm	"	96	96	96	
	110 mm	"	173	173	173	
	Single Tee					
	50 mm	गोटा	74	74	74	
	75 mm	"	161	161	161	
	110 mm	"	306	306	306	
	Pipe clip					
	50 mm	गोटा	15	15	15	
	75 mm	"	30	30	30	
	110 mm	"	40	40	40	
	Bend 87.5 degree with door					
	75 mm	गोटा	152	152	152	
	110 mm	"	265	265	265	
	Single Tee with door					
	75 mm	गोटा	218	218	218	
	110 mm	"	405	405	405	
	Double Tee					
	75 mm	गोटा	354	354	354	
	110 mm	"	560	560	560	
	Double Tee with door					
	75 mm	गोटा	470	470	470	
	110 mm	"	728	728	728	
	Vent cowl					
	75 mm	गोटा	57	57	57	
	110 mm	"	96	96	96	
	Socket plug					
	75 mm	गोटा	72	72	72	
	110 mm	"	118	118	118	
	Single "Y"					
	75 mm	गोटा	184	184	184	
	110 mm	"	399	399	399	
	Single "Y" with door					
	75 mm	गोटा	253	253	253	
	110 mm	"	481	481	481	
	Double "Y"					
	75 mm	गोटा	278	278	278	
	110 mm	"	549	549	549	

१/१/८४

१०

१०

गणेश प्रसाद शर्मा
जिल्ला अधिकारी

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	Double "Y" with door					
	75 mm	सोटा	357	357	357	
	110 mm	"	575	575	575	
	Cleaning pipe					
	75 mm	"	162	162	162	
	110 mm	"	312	312	312	
	Reducer					
	110x 75 mm	"	144	144	144	
	75X50 mm	"	75	75	75	
	P -Trap					
	125mmx110mm	"	592	592	592	
	110mmx110mm	"	556	556	556	
	75mmx75mm	"	212	212	212	
	Multi-Floor -Trap					
	110mmx75mm	"	308	308	308	
	Nahani-Trap					
	110mmx75mm	"	280	280	280	
	W.C. Connector (bent type)	"	286	286	286	
	Square tile with jali	"	91	91	91	
	Round jali	"	42	42	42	
	End cap 50mm	"	27	27	27	
31.0	G.I Pipe threaded , 6 m. length with Cap					
	a) Light class					
	i. ½ " (15 mm)	र.मी	147	159	159	
	ii. ¾ " (20 mm)	"	202	218	218	
	iii. 1" (25 mm)	"	284	307	307	
	iv. 1 ¼" (32 mm)	"	366	395	395	
	v. 1 ½ " (40 mm)	"	453	489	489	
	vi. 2" (50 mm)	"	694	694	694	
	vii. 2 ½ " (65 mm)	"	790	853	853	
	viii. 3" (80 mm)	"	929	1003	1003	
	ix. 4" (100 mm)	"	1336	1443	1443	
	x. 5" (125 mm)	"	2027	2189	2189	
	xi. 6" (150 mm)	"	2492	2691	2691	
	xii. 8" (200 mm)	"	3591	3878	3878	
	b) Medium class					
	i. ½ " (15 mm)	र.मी	180	194	213	
	ii. ¾ " (20 mm)	"	226	244	268	
	iii. 1" (25 mm)	"	345	373	410	
	iv. 1 ¼" (32 mm)	"	451	487	535	
	v. 1 ½ " (40 mm)	र.मि	518	559	614	
	vi. 2" (50 mm)	"	710	767	843	
	vii. 2 ½ " (65 mm)	"	909	982	1080	
	viii. 3" (80 mm)	"	1129	1219	1340	
	ix. 4" (100 mm)	"	2193	2193	2412	

श्रीमान् लक्ष्मी

१० २५ २५

२५

२५

२५

प्रमुख प्रशासक रंग्मी
प्रमुख जिल्ला अधिकारी

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				क्षेत्रफल
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	x. 5" (125 mm)	"	2280	2462	2708	
	xi. 6" (150 mm)	"	2759	2980	3278	
	xii. 8" (200 mm)	"	4218	4555	4555	
	c) Heavy duty					
	i. ½" (15 mm)	र.मि	214	231	254	
	ii. ¾" (20 mm)	"	267	288	316	
	iii. 1" (25 mm)	"	380	410	451	
	iv. 1 ¼" (32 mm)	"	518	559	614	
	v. 1 ½" (40 mm)	"	598	646	710	
	vi. 2" (50 mm)	"	879	949	1043	
	vii. 2 ½" (65 mm)	"	1097	1185	1303	
	viii. 3" (80 mm)	"	1294	1398	1537	
	ix. 4" (100 mm)	"	1992	2151	2366	
	x. 5" (125 mm)	"	2569	2775	3052	
	xi. 6" (150 mm)	"	3844	3844	4228	
	xii. 8" (200 mm)	"	4482	4841	4841	
32.0	G.I. Pipe fittings ISI or NS Standard					
	a) G.M. Gate valve					
	i. ½"	गोटा	970	970	970	
	ii. ¾"	"	1208	1208	1208	
	iii. 1"	"	1945	1945	1945	
	iv. 1 ¼"	"	2775	2775	2775	
	v. 1 ½"	"	3495	3495	3495	
	vi. 2"	"	5565	5565	5565	
	vii. 2 ½"	"	11506	11506	11506	
	viii. 3"	"	14306	14306	14306	
	ix. 4"	"	23432	23432	23432	
	b) G.M Check valve					
	i. ½"	गोटा	900	900	900	
	ii. ¾"	"	1210	1210	1210	
	iii. 1"	"	1790	1790	1790	
	iv. 1 ¼"	"	2645	2645	2645	
	v. 1 ½"	"	3060	3060	3060	
	vi. 2"	"	5075	5075	5075	
	vii. 2 ½"	"	10311	10311	10311	
	viii. 3"	"	13771	13771	13771	
	ix. 4"	"	19461	19461	19461	
	c) G.I. Elbow					
	i. ½"	गोटा	52	52	52	
	ii. ¾"	"	94	94	94	
	iii. 1"	"	147	147	147	
	iv. 1 ¼"	"	221	221	221	
	v. 1 ½"	"	312	312	312	
	vi. 2"	"	468	468	468	
	vii. 2 ½"	"	812	812	812	

श्रीलाल शर्मा

16

25/10/83

श्रीलाल शर्मा

श्रीलाल शर्मा

श्रीलाल शर्मा

श्रीलाल शर्मा

श्रीलाल शर्मा
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
viii.	3"	"	1263	1263	1263	
ix.	4"	"	2176	2176	2176	
x.	5"	"	5387	5387	5387	
xi.	6"	"	6483	6483	6483	
d) G.I Tee						
i.	½ "	गोटा	81	81	81	
ii.	¾ "	"	128	128	128	
iii.	1"	"	187	187	187	
iv.	1 ¼ "	"	299	299	299	
v.	1 ½ "	"	413	413	413	
vi.	2"	"	676	676	676	
vii.	2 ½ "	"	1062	1062	1062	
viii.	3"	"	1436	1436	1436	
ix.	4"	"	2609	2609	2609	
x.	5"	"	7220	7220	7220	
xi.	6"	"	8367	8367	8367	
e) G.I Union						
i.	½ "	गोटा	171	171	171	
ii.	¾ "	"	240	240	240	
iii.	1"	"	352	352	352	
iv.	1 ¼ "	"	484	484	484	
v.	1 ½ "	"	599	599	599	
vi.	2"	"	891	891	891	
vii.	2 ½ "	"	1824	1824	1824	
viii.	3"	"	2457	2457	2457	
ix.	4"	"	3236	3236	3236	
x.	5"	"	7220	7220	7220	
xi.	6"	"	8735	8735	8735	
f) G.I Socket						
i.	½ "	गोटा	47	47	47	
ii.	¾ "	"	73	73	73	
iii.	1"	"	100	100	100	
iv.	1 ¼ "	"	155	155	155	
v.	1 ½ "	"	209	209	209	
vi.	2"	"	308	308	308	
vii.	2 ½ "	"	558	558	558	
viii.	3"	"	824	824	824	
ix.	4"	"	1427	1427	1427	
x.	5"	"	3564	3564	3564	
xi.	6"	"	4791	4791	4791	
g) C.I. Plug						
i.	½ "	गोटा	30	30	30	
ii.	¾ "	"	40	40	40	
iii.	1"	"	50	50	50	
iv.	1 ¼ "	"	99	99	99	

2/1/84

10

10

प्रसाद रेग्मी
मुक निल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
v.	1 ½ "	"	125	125	125	
vi.	2"	"	150	150	150	
vii.	2 ½ "	"	215	215	215	
viii.	3"	"	440	440	440	
ix.	4"	"	845	845	845	
h) Hex Nipple						
i.	½ "	गोटा	57	57	57	
ii.	¾"	"	87	87	87	
iii.	1"	"	141	141	141	
iv.	1 ¼"	"	219	219	219	
v.	1 ½ "	"	277	277	277	
vi.	2"	"	412	412	412	
vii.	2 ½ "	"	756	756	756	
viii.	3"	"	977	977	977	
ix.	4"	"	1497	1497	1497	
i) Reducing Tee						
i.	¾"	गोटा	141	141	141	
ii.	1"	"	206	206	206	
iii.	1 ¼"	"	327	327	327	
iv.	1 ½ "	"	455	455	455	
v.	2"	"	743	743	743	
vi.	2 ½ "	"	1170	1170	1170	
vii.	3"	"	1582	1582	1582	
viii.	4"	"	2890	2890	2890	
x.	5"	"	7949	7949	7949	
xi.	6"	"	9202	9202	9202	
i) Reducing Elbow						
i.	¾"	गोटा	104	104	104	
ii.	1"	"	161	161	161	
iii.	1 ¼"	"	245	245	245	
iv.	1 ½ "	"	345	345	345	
v.	2"	"	516	516	516	
vi.	2 ½ "	"	890	890	890	
vii.	3"	"	1373	1373	1373	
viii.	4"	"	2430	2430	2430	
x.	5"	"	5927	5927	5927	
xi.	6"	"	7131	7131	7131	
j) Reducing socket						
i.	¾"	गोटा	81	81	81	
ii.	1"	"	109	109	109	
iii.	1 ¼"	"	170	170	170	
iv.	1 ½ "	"	227	227	227	
v.	2"	"	340	340	340	
vi.	2 ½ "	"	608	608	608	
vii.	3"	"	867	867	867	

सि.नं. १०८१/८२
सि.नं. १०८२/८३
सि.नं. १०८३/८४
सि.नं. १०८४/८५
सि.नं. १०८५/८६
सि.नं. १०८६/८७
सि.नं. १०८७/८८
सि.नं. १०८८/८९
सि.नं. १०८९/९०
सि.नं. १०९०/९१
सि.नं. १०९१/९२
सि.नं. १०९२/९३
सि.नं. १०९३/९४
सि.नं. १०९४/९५
सि.नं. १०९५/९६
सि.नं. १०९६/९७
सि.नं. १०९७/९८
सि.नं. १०९८/९९
सि.नं. १०९९/१००

आ.सि.व. ०८३

१६ २५/१०

१७

१८

शम्भु प्रसाद रेग्मी
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
viii.	4"	"	1565	1565	1565	
x.	5"	"	4474	4474	4474	
xi.	6"	"	5260	5260	5260	
K) Short bend						
i.	½ "	गोटा	140	140	140	
ii.	¾ "	"	215	215	215	
iii.	1"	"	330	330	330	
iv.	1 ¼ "	"	635	635	635	
v.	1 ½ "	"	960	960	960	
vi.	2"	"	1405	1405	1405	
vii.	2 ½ "	"	3605	3605	3605	
viii.	3"	"	5590	5590	5590	
ix.	4"	"	7921	7921	7921	
l) Cross Tee						
i.	½ "	गोटा	132	132	132	
ii.	¾ "	"	188	188	188	
iii.	1"	"	296	296	296	
iv.	1 ¼ "	"	513	513	513	
v.	1 ½ "	"	616	616	616	
vi.	2"	"	998	998	998	
vii.	2 ½ "	"	1684	1684	1684	
viii.	3"	"	2441	2441	2441	
ix.	4"	"	3295	3295	3295	
M) Tanki nipple						
i.	½ "	गोटा	155	155	155	
ii.	¾ "	"	216	216	216	
iii.	1"	"	321	321	321	
iv.	1 ¼ "	"	484	484	484	
v.	1 ½ "	"	616	616	616	
vi.	2"	"	998	998	998	
vii.	2 ½ "	"	1921	1921	1921	
viii.	3"	"	2559	2559	2559	
ix.	4"	"	3395	3395	3395	
G.I Nipple Medium Class ISI or NS						
2" Long						
i.	½ "	गोटा	26	26	26	
ii.	¾ "	"	38	38	38	
iii.	1"	"	51	51	51	
iv.	1 ¼ "	"	69	69	69	
v.	1 ½ "	"	84	84	84	
vi.	2"	"	128	128	128	
3" Long						
i.	½ "	गोटा	38	38	38	
ii.	¾ "	"	57	57	57	
iii.	1"	"	76	76	76	

२/१/१९८४
B

१५ १९८४

१९८४

१९८४

१९८४

प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कीफायत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	iv. 1 ¼"	"	103	103	103	
	v. 1 ½ "	"	127	127	127	
	vi. 2"	"	190	190	190	
	vii. 2 ½ "	"	261	261	261	
	viii. 3"	"	381	381	381	
	4" Long					
	i. ½ "	गोटा	51	51	51	
	ii. ¾"	"	75	75	75	
	iii. 1"	"	102	102	102	
	iv. 1 ¼"	"	137	137	137	
	v. 1 ½ "	"	166	166	166	
	vi. 2"	"	255	255	255	
	vii. 2 ½ "	"	350	350	350	
	viii. 3"	"	509	509	509	
	ix. 4"	"	655	655	655	
	6" Long					
	i. ½ "	गोटा	76	76	76	
	ii. ¾"	"	113	113	113	
	iii. 1"	"	152	152	152	
	iv. 1 ¼"	"	207	207	207	
	v. 1 ½ "	"	255	255	255	
	vi. 2"	"	382	382	382	
	vii. 2 ½ "	"	522	522	522	
	viii. 3"	"	748	748	748	
	ix. 4"	"	925	925	925	
	9" Long					
	i. ½ "	गोटा	114	114	114	
	ii. ¾"	"	168	168	168	
	iii. 1"	"	204	204	204	
	iv. 1 ¼"	"	310	310	310	
	v. 1 ½ "	"	416	416	416	
	vi. 2"	"	573	573	573	
	vii. 2 ½ "	"	774	774	774	
	viii. 3"	"	1146	1146	1146	
	ix. 4"	"	4912	4912	4912	
	12" Long					
	i. ½ "	गोटा	152	152	152	
	ii. ¾"	"	223	223	223	
	iii. 1"	"	253	253	253	
	iv. 1 ¼"	"	414	414	414	
	v. 1 ½ "	"	509	509	509	
	vi. 2"	"	764	764	764	
	vii. 2 ½ "	"	1031	1031	1031	
	viii. 3"	"	1527	1527	1527	
	ix. 4"	"	1823	1823	1823	

नेपाल सरकार
न्याय विभाग
जिल्ला प्रशासन कार्यालय
नुवाकोट

२१/११/८३

१४/११/८३

१५/११/८३

१६/११/८३

१७/११/८३

शम्भु प्रसाद रेग्मी
प्रमुख जिल्ला अधिकारी

Nuwakot District Rate-FY:083						
क्र.सं.	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	18" Long					
i.	1/2 "	गोटा	228	228	228	
ii.	3/4 "	"	281	281	281	
iii.	1 "	"	381	381	381	
iv.	1 1/4 "	"	620	620	620	
v.	1 1/2 "	"	761	761	761	
vi.	2 "	"	1146	1146	1146	
vii.	2 1/2 "	"	1549	1549	1549	
viii.	3 "	"	2267	2267	2267	
ix.	4 "	"	2766	2766	2766	
	G.I./G.I. Flange					
i.	1 1/4 "	गोटा	971	971	971	
ii.	1 1/2 "	"	1195	1195	1195	
iii.	2 "	"	1466	1466	1466	
iv.	2 1/2 "	"	1713	1713	1713	
v.	3 "	"	1908	1908	1908	
vi.	4 "	"	2368	2368	2368	
vii.	5 "		3385	3385	3385	
viii.	6 "		3517	3517	3517	
ix.	8 "		7006	7006	7006	
	G.I./HDP Flange					
i.	1 1/4 "	गोटा	1046	1046	1046	
ii.	1 1/2 "	"	1333	1333	1333	
iii.	2 "	"	1575	1575	1575	
iv.	2 1/2 "	"	1839	1839	1839	
v.	3 "	"	1966	1966	1966	
vi.	4 "	"	2425	2425	2425	
vii.	5 "		3385	3385	3385	
viii.	6 "		3535	3535	3535	
ix.	8 "		7690	7690	7690	
	GI Endcap					
i.	1 "	गोटा	128	128	128	
ii.	1 1/4 "	"	237	237	237	
iii.	1 1/2 "	"	290	290	290	
iv.	2 "	"	345	345	345	
v.	2 1/2 "	"	508	508	508	
	CI Plug					
i.	1 "	गोटा	119	119	119	
ii.	1 1/4 "	"	220	220	220	
iii.	1 1/2 "	"	270	270	270	
iv.	2 "	"	321	321	321	
v.	2 1/2 "	"	472	472	472	
	GI Stainer					
i.	1 "	गोटा	581	581	581	
ii.	1 1/4 "	"	784	784	784	

ਪ੍ਰਿਤਿਪਤਿ ਕਰਤਾ
੨

10 2A 1/2



शम्भु प्रसाद रमणः
प्रमुख जिल्ला अधिका.

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
iii.	1 ½ "	"	1083	1083	1083	
iv.	2"	"	1384	1384	1384	
v.	2 ½ "	"	1755	1755	1755	
vi.	3"	"	2372	2372	2372	
	HDPE Saddle clamp					
i.	1"	गोटा	141	141	141	
ii.	1 ¼"	"	141	141	141	
iii.	1 ½ "	"	183	183	183	
iv.	2"	"	242	242	242	
v.	2 ½ "	"	272	272	272	
vi.	3"	"	301	301	301	
	Non returning CI Valve					
i.	3"	"	13794	13794	13794	
ii.	4"	"	18392	18392	18392	
iii.	5"	"	23716	23716	23716	
iv.	6"	"	27588	27588	27588	
	HDP/HDP Flange set with adaptor					
i.	1 ¼"	गोटा	865	865	865	
ii.	1 ½ "	"	1102	1102	1102	
iii.	2"	"	1302	1302	1302	
iv.	2 ½ "	"	1520	1520	1520	
v.	3"	"	1625	1625	1625	
vi.	4"	"	2005	2005	2005	
vii.	5"	"	3178	3178	3178	
viii.	6"	"	2921	2921	2921	
ix.	8"	"	6356	6356	6356	
	Brass tap ½"					
i.	½ " (Wt. 400 gm)	गोटा	914	914	914	
ii.	½ " ordinary	गोटा	207	207	207	
	Globe Valve (GM)					
i.	½ "	गोटा	931	931	931	
ii.	¾"	"	1517	1517	1517	
iii.	1"	"	1874	1874	1874	
iv.	1 ¼"	"	2977	2977	2977	
v.	1 ½ "	"	3747	3747	3747	
vi.	2"	"	4678	4678	4678	
vii.	2 ½ "	"	9190	9190	9190	
viii.	3"	"	15185	15185	15185	
ix.	4"	"	24553	24553	24553	
	Float Valve					
i.	½ "	गोटा	1144	1144	1144	
ii.	¾"	"	1293	1293	1293	
iii.	1"	"	1569	1569	1569	
iv.	1 ¼"	"	2713	2713	2713	
v.	1 ½ "	"	4075	4075	4075	

१/११/८३

१०

११

१२

१३

१४

शम्भु प्रसाद रेग्मी
जिल्ला अधिका

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
vi.	2"	"	5426	5426	5426	
	C.I. Air valve (Heavy)					
i.	½ "	गोटा	3788	3788	3788	
ii.	¾ "	"	5224	5224	5224	
iii.	1"	"	5793	5793	5793	
	Brass Union with Adopter					
i.	½ "	गोटा	247	247	247	
ii.	¾ "	"	379	379	379	
iii.	1"	"	575	575	575	
iv.	1 ¼ "	"	747	747	747	
v.	1 ½ "	"	1333	1333	1333	
vi.	2"	"	1977	1977	1977	
	Saddle Ferrule					
i.	1 ½ "	गोटा	356	356	356	
ii.	2"	"	471	471	471	
iii.	2 ½ "	"	1316	1316	1316	
iv.	3"	"	1741	1741	1741	
v.	4"	"	2483	2483	2483	
	Flow Regulating Valve (G.M.)					
i.	½ "	गोटा	1333	1333	1333	
	C.I Sluice Valve					
i.	1 ½ "	गोटा	6903	6903	6903	
ii.	2"	"	9207	9207	9207	
iii.	2 ½ "	"	11501	11501	11501	
iv.	3"	"	13804	13804	13804	
v.	4"	"	18401	18401	18401	
v.	5"	"	27967	27967	27967	
v.	6"	"	33565	33565	33565	
v.	8"	"	46992	46992	46992	
	Brass Ferrule Cock					
i.	½ "	गोटा	1517	1517	1517	
ii.	¾ "	"	1977	1977	1977	
iii.	1"	"	2902	2902	2902	
	Ball valve					
a)	15mm	गोटा	517	517	517	
b)	20 mm	"	655	655	655	
c)	25 mm	"	879	879	879	
d)	32 mm	"	1060	1060	1060	
e)	40 mm	"	2052	2052	2052	
f)	50 mm	"	3368	3368	3368	
33.0	Supplying of Rec ring for construction of well					
33.1	Ring					
i)	28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	591	591	591	
ii)	36" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	732	732	732	

वि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	852	852	852	
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	1128	1128	1128	
33.2	Supplying & fixing of metal frame and Rcc cover					
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	मोटा	1785	1785	1785	
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	"	2363	2363	2363	
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	"	2594	2594	2594	
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	"	3098	3098	3098	
34.0	ईनार खनको लागी R.C.C. रिङ आपूर्ति गरि माटो खान्ने ,आवश्यक फील्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरु (२० देखि २५फीट सम्म को गहिराइमा डक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.मी	4086	4086	4086	
	ii) 36" dia. R.C.C. Ring	"	5187	5187	5187	
	iii) 42" dia. R.C.C. Ring	"	6037	6037	6037	
	iv) 48" dia. R.C.C. Ring	"	7447	7447	7447	
34.1	२५ फीट देखि माथीको गहिराइ भएमा					
	ईनार खनको लागी R.C.C. रिङ आपूर्ति गरि माटो खान्ने ,आवश्यक फील्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरु (२५ फीट देखि माथीको गहिराइ भएमा मात्र डक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.मी	5484	5484	5484	
	ii) 36" dia. R.C.C. Ring	"	9273	9273	9273	
	iii) 42" dia. R.C.C. Ring	"	11224	11224	11224	
	iv) 48" dia. R.C.C. Ring	"	13485	13485	13485	
35.0	Sanitary Tools					
a	Adjustable spanner					
	10"	Pc	260	260	260	
	12"	Pc	491	491	491	
	15"	Pc	1415	1415	1415	
	18"	Pc	1675	1675	1675	
b	Blow Torch					
	1/2 pint	Pc	1461	1461	1461	
	1 pint	Pc	1802	1802	1802	
c	Building Trowel	Pc	81	81	81	
d	Chain Pipe wrench					
	50mm	Pc	1675	1675	1675	
	75mm	Pc	1992	1992	1992	
	100mm	Pc	2339	2339	2339	
	150mm	Pc	3292	3292	3292	
	200mm	Pc	5602	5602	5602	
e	Chain Pulley in Ton					



जिल्ला अधिकारी

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	3 ton	Pc	17903	17903	17903	
	5 ton	Pc	29568	29568	29568	
f	Stone Chisel 1"x12"	Pc	375	375	375	
g	Die teeth oil with cane (250 ml size)	Pc	289	289	289	
h	Smooth steel file half round					
	8"	Pc	549	549	549	
	10"	Pc	1051	1051	1051	
i	Flat file 10"	Pc	549	549	549	
	Hacksaw Blade					
	Single	Pc	5	5	5	
	double	Pc	9	9	9	
j	Hacksaw Frame 6mm	Pc	196	196	196	
k	Handle die set					
	25 mm	Pc	3263	3263	3263	
	50 mm	Pc	3696	3696	3696	
	60 mm	Pc	9818	9818	9818	
l	Heating Plate					
	80 mm	Pc	982	982	982	
	100 mm	Pc	1126	1126	1126	
	125 mm	Pc	1444	1444	1444	
	150 mm	Pc	1721	1721	1721	
	200 mm	Pc	2784	2784	2784	
	250 mm	Pc	3373	3373	3373	
	300 mm	Pc	3939	3939	3939	
m	Iron Brush 12"	Pc	75	75	75	
n	Iron Pan (madium)	Pc	266	266	266	
o	Pick Axe 1.7 Kg.	Pc	439	439	439	
p	Pipe Cutter					
	15-50 mm	Pc	2079	2079	2079	
	65-80 mm	Pc	3234	3234	3234	
	100 mm	Pc	5198	5198	5198	
	125 mm	Pc	5775	5775	5775	
	150 mm	Pc	10280	10280	10280	
q	Pipe Jack Machine (Heavy)	Pc	32918	32918	32918	
r	Pipe Vice					
	2"	Pc	2541	2541	2541	
	3"	Pc	3696	3696	3696	
	4"	Pc	5573	5573	5573	
	5"	Pc	10337	10337	10337	
s	Pipe Wrench					
	10"	Pc	323	323	323	
	12"	Pc	601	601	601	
	14"	Pc	716	716	716	
	18"	Pc	1138	1138	1138	
	24"	Pc	1571	1571	1571	

११/११/८३

१६/०८/८३

१७/०८/८३

१८/०८/८३

१९/०८/८३

गम्भु प्रसाद रेग्मा
जिल्ला अधिकारी

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/८२			कीफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	36"	Pc	5544	5544	5544	
	48"	Pc	9818	9818	9818	
t	Plumb Bob Line	Pc	92	92	92	
u	Ratchet Die Set					
	1/2"-1"	Pc	4389	4389	4389	
	1 1/4" -2"	Pc	8201	8201	8201	
	2 1/2"-3"	Pc	17903	17903	17903	
v	Round File 10"	Pc	375	375	375	
w	Screw Driver 12"	Pc	208	208	208	
x	Shovel 1.5 Kg	Pc	375	375	375	
y	Slide wrench					
	10"	Pc	370	370	370	
	12"	Pc	497	497	497	
	15"	Pc	1450	1450	1450	
z	Spade	Pc	450	450	450	
A	Spare Die Teeth					
	15 mm	Pc	601	601	601	
	20 mm	Pc	601	601	601	
	25 mm	Pc	601	601	601	
	32 mm	Pc	953	953	953	
	40 mm	Pc	1629	1629	1629	
	50 mm	Pc	1646	1646	1646	
	65 mm	Pc	1906	1906	1906	
	80 mm	Pc	2137	2137	2137	
B	Telflon Cover					
	5'x5'	Pc	318	318	318	
	7'x7'	Pc	433	433	433	
C	Telflon Cloth	m	3494	3494	3494	
D	Telflon Tape 10 mm roll	Roll	17	17	17	
E	Thermochrome Crayon					
	Indian	Pc	780	780	780	
	Germany	Pc	1559	1559	1559	
F	Tool Box (14"x8"x22")	Pc	2143	2143	2143	
36	Anaerobic treatment for waste water (sintex/ equivalent)As per ASTM-D-2583 (. Should be FRP based Septic tank along with fixed film aeration tank, Should operate in zero load as well. Exterior/Interior surface shall be reasonably smooth No fibers loosely attached minimum Internal Vacuum test As per UL-1316/CSI Each tank to withstand internal partial vacuum without rupture as under Vacuum as per equation in Std. UL-1316 Clause 18 Deformation test As per Product Specifications ≤ 37.5 mm Interior surface shall be resin rich with no exposed fibers & should be free of De lamination, Cracks etc.,)					

शम्भु प्रसाद रेग्मी
जिल्ला अधिकारी

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	800 lts for 4 persons	nos	63750	63750	63750	
	1200 lts for 6 people	nos	79050	79050	79050	
	1600 lts for 10 persons	nos	95200	95200	95200	
37	Irrigation Works excluding pipes including installation (Rainbird or equivalent)					
1	Supply flexible,kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	Rm	150	150	150	
2	Supply of Xeri bug emitter pressure compensating with selfpiercing barbs,flow rates 1.89LPH to 7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	Nos	30	30	30	
3	SPRINKLERS & ACCESSORIES					
	Unispray	No.	660	660	660	
	Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees)nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed of heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST	No.	1200	1200	1200	
	Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees)nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	No.	1200	1200	1200	
	gear rotors 5004	No.				
	Providing of 1/2" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.SA Series	No.	390	390	390	
	Providing of 3/4" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.SA	No.	480	480	480	
	Providing and fixing of HDPE service saddle of varying size		850	850	850	
4	VALVES & ACCESSORIES					



गम्भु प्रसाद रेग्मी
जिल्ला अधिकारी

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई				कैफियत
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४	
	Providing and fixing PVC Ball Valve , security pivot to maintain lever in space, double water tight joint, direct injection stem non mechanical, with a base which permits maximum penetration into the valve of size 63mm.	No.	1800	1800	1800	
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced. The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	No.	2100	2100	2100	
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	No.	7500	7500	7500	
	6" Round box.	No.	1250	1250	1250	
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring JRC	No.	13500	13500	13500	
	Key threads into top of QCV to provide water access 33DK	No.	9750	9750	9750	

शम्भु प्रसाद रेग्मी
प्रमुख जिल्ला अधिकारी

ज.सि.स.स.

←

Handwritten signatures and initials.

नेपाल सरकार
मुख्य मन्त्रालय
जिल्ला प्रशासन कार्यालय
बिपुल नुवाकोट

3